

Preface

Today the role of magnetism in human life is more important than ever. The growing need for even higher data-recording densities has driven the size of particles used in recording media down into the nanometer range while the rapidly increasing power of computers has made it feasible to perform simulations of the dynamic properties of realistic model systems of sizes comparable to experimental ones. The quality and the resolution of the devices have been increased in parallel with the developments in scientific research. It is thus possible to fabricate and study these materials at very small, almost atomic scales. On the other hand the physical properties of the materials at such a small scale are observed to change dramatically compared to those of their macroscopic counterparts. That is, the nanoscale materials exhibit new or crossover phenomena connected with quantum size effects.

There is now intensive interest in the magnetic properties of nanostructured materials. The scientific research has concentrated on the design, synthesis and characterization of nanostructured materials during the past years. A number of methods based on physical principles have been developed for manufacturing and characterizing nanostructured materials.

There is a great expectation in industry that the results of these exciting scientific researches can be exploited in a new generation of high-technology devices. Many of the unique properties of these materials have high potential for technical applications in diverse areas such as information technology, magnetosensors, electronics, data storage, magnetic heads of computer hard disks, single electron devices, microwave electronic devices, etc. In fact, for instance, the GMR materials have already found applications as sensors of low magnetic fields, computer hard disk heads, magnetoresistive RAM chips etc. Even new terminologies, for example magnetoelectronics, spintronics, spin valve etc. have recently been introduced to refer to aspects of the field involving magnetic phenomena. Thus this generic nanotechnology will inevitably have great impact on a wide range of industrial sectors and on the everyday lives of humans. In other words, one of the pillars of industry in the 21st century may involve the field of magnetic and electrical nanoscale materials.

The idea for this book was born at the International Workshop on Nanostructured Magnetic Materials and their Application (NMMA2001), held in Gebze, Istanbul (Turkey) from September 3-7, 2001. The contributions are concentrated

on magnetic properties of nanoscale magnetic materials, especially on fabrication, characterization and the physics behind the behavior of these structures.

We would like to thank all the authors for their contributions. We should also acknowledge the great efforts of the people, especially Prof. Ahmet Ayhan, Prof. Alinur Buyukaksoy, Dr. Bulat Rameev and others who made major contributions to the organization of the meeting and made this publication possible.

Gebze Institute of Technology, Turkey,
April 2002

*Donglu Shi
Bekir Aktaş
Ladislav Pust
Faik Mikailov*

List of Contributors

B. Aktaş

Gebze Institute of Technology
P.O. Box 141,
Gebze, 41400, Kocaeli, Turkey
aktas@penta.gyte.edu.tr

A. K. M. Akther Hossain

Bangladesh University of Engineering
& Technology, Dhaka 1000,
Bangladesh
ahossain@phy.buet.edu

M. Alper

Uludag University,
16059, Görükle,
Bursa, Turkey
malper@uludag.edu.tr

S. Bhattacharya

TU Darmstadt,
Petersenstrasse 23,
64287 Darmstadt, Germany
sarbari@hrz2.hrz.tu-darmstadt.de

F. Briones

Instituto de Microelectrónica de
Madrid
Isaac Newton 8 (PTM) Tres Cantos,
Madrid 28760, Spain
briones@imm.cnm.csic.es

G. Brown

Florida State University,
Tallahassee, FL 32306-4120, USA
browngrg@csit.fsu.edu

H. Brückl

Universität Bielefeld,
Universität str. 25,
33501 Bielefeld, Germany
brueckl@physik.uni-bielefeld.de

A. Cebollada

Instituto de Microelectrónica de
Madrid
Isaac Newton 8 (PTM) Tres Cantos,
Madrid 28760, Spain
alfonso@imm.cnm.csic.es

P. Crespo

Instituto de Magnetismo Aplicado,
U. C. M.-RENFE, P.O.Box 155,
28230 Madrid, Spain
pcrespo@renfe.es

M. S. Flores

Instituto de Magnetismo Aplicado,
U. C. M.-RENFE, P.O.Box 155,
28230 Madrid, Spain
sceixu90@renfe.es

R. Ganguly

Bhabha Atomic Research Centre,
Mumbai - 400 085, India
rajibg@magnus.barc.ernet.in

W. Gawalek

Institut für Physikalische
Hochtechnologie e.V., POB 100239,
D-07702 Jena, Germany
gawalek@ipht-jena.de

M. Ghafari

TU Darmstadt,
Petersenstrasse 23,
64287 Darmstadt, Germany
ghafari@tu-darmstadt.de

A. Ghazali

Université Paris 7,
75251 Paris Cedex 05, France
ghazali@gps.jussieu.fr

I. K. Gopalakrishnan

Bhabha Atomic Research Centre,
Mumbai - 400 085, India
ikgopal@magnus.barc.ernet.in

T. Habisreuther

Institut für Physikalische
Hochtechnologie e.V., POB 100239,
D-07702 Jena, Germany
habisreuter@ipht-jena.de

H. Hahn

TU Darmstadt,
Petersenstrasse 23,
64287 Darmstadt, Germany
hhahn@hrzpub.tu-darmstadt.de

S. Heitmann

Universität Bielefeld,
Universität str. 25,
33501 Bielefeld, Germany
heitmann@physik.uni-bielefeld.de

A. Hernando

Instituto de Magnetismo Aplicado,
U. C. M.-RENFE, P.O.Box 155,
28230 Madrid, Spain
ahernando@renfe.es

R. Hiergeist

Institut für Physikalische
Hochtechnologie e.V., POB 100239,
D-07702 Jena, Germany
hiergeist@ipht-jena.de

A. Hüttен

Universität Bielefeld,
Universität str. 25,
33501 Bielefeld, Germany
huetten@physik.uni-bielefeld.de

H. Kubota

Tohoku University,
05 Aoba, Aramaki, Aoba-ku,
Sendai 980-8579, Japan
kubota@mlab.apph.tohoku.ac.jp

J.-C. S. Lévy

Université Paris 7,
75251 Paris Cedex 05, France
levy@ccr.jussieu.fr

D. Litzkendorf

Institut für Physikalische
Hochtechnologie e.V., POB 100239,
D-07702 Jena, Germany
litzkendorf@ipht-jena.de

A. V. Lukashin

Moscow State University, Vorobievy
Gory, 119899, Moscow, Russia
alex@inorg.chem.msu.ru

H. O. Lutz

Universität Bielefeld,
Universität str. 25,
33501 Bielefeld, Germany
lutz@physik.uni-bielefeld.de

V. V. Matveev

St.Petersburg State University,
1 Ulianovskaya, Petrodvorets,
198504, Saint-Petersburg, Russia
vmatveev@esr.phys.spbu.ru

J. L. Menéndez

Instituto de Microelectrónica de
Madrid
Isaac Newton 8 (PTM) Tres Cantos,
Madrid 28760, Spain
menendez@imm.cnm.csic.es

S. J. Mitchell

Florida State University,
Tallahassee, FL 32306-4120, USA
mitchell@csit.fsu.edu

R. Müller

Institut für Physikalische
Hochtechnologie e.V., POB 100239,
D-07702 Jena, Germany
robert.mueller@adam.ipht-jena.de

G. A. Nikolaychuk

St.Petersburg State University,
1 Ulianovskaya, Petrodvorets,
198504, Saint-Petersburg, Russia
sergio.nicola@mail.ru

M. A. Novotny

Mississippi State University,
Mississippi State, MS 39762, USA
man40@ra.msstate.edu

Y. Öner

Istanbul Technical University,
Maslak, Istanbul, Turkey
oner@itu.edu.tr

M. Özdemir

Marmara University,
Goztepe, Istanbul, Turkey
mustafa.ozdemir@marmara.edu.tr

I. V. Pleshakov

A. F. Ioffe Physical-Technical
Institute, 21 Politehnicheskaya,
194021, Saint-Petersburg, Russia
vp.shuv@pop.ioffe.rssi.ru

Z. Qian

NVE Corporation,
11409 Valley View Road,
Eden Prairie, MN 55344, USA
zqian@nve.com

A. G. Ravlik

National Technical University-
Kharkiv Polytechnical Institute
21 Frunze st., Kharkiv,
61002, Ukraine
ship@kpi.kharkov.ua

G. Reiss

Universität Bielefeld,
Universität str. 25,
33501 Bielefeld, Germany
reiss@physik.uni-bielefeld.de

P. A. Rikvold

Florida State University,
Tallahassee, FL 32306-4351, USA
rikvold@scri.fsu.edu

J. Schmalhorst

Universität Bielefeld,
Universität str. 25,
33501 Bielefeld, Germany
jschmalh@physik.uni-bielefeld.de

W. Schepper

Universität Bielefeld,
Universität str. 25,
33501 Bielefeld, Germany
schepper@physik.uni-bielefeld.de

H. Schmitt

TU Darmstadt,
Petersenstrasse 23,
64287 Darmstadt, Germany
holsmi@web.de

Z. Sefrioui

Instituto de Microelectrónica de
Madrid
Isaac Newton 8 (PTM) Tres Cantos,
Madrid 28760, Spain
sefrioni@imm.cnm.csic.es

V. Siruguri

Bhabha Atomic Research Centre,
Mumbai - 400 085, India
siruguri@apsara.barc.ernet.in

XII List of Contributors

B. Stahl

TU Darmstadt,
Petersenstrasse 23,
64287 Darmstadt, Germany
stahl@hrzpub.tu-darmstadt.de

H. Steinmetz

Institut für Physikalische
Hochtechnologie e.V., POB 100239,
D-07702 Jena, Germany
steinmetz@ipht-jena.de

A. Thomas

Universität Bielefeld,
Universität str. 25,
33501 Bielefeld, Germany
athomas@physik.uni-bielefeld.de

M. Tondra

NVE Corporation,
11409 Valley View Road,
Eden Prairie, MN 55344, USA
markt@nve.com

A. V. Vedyayev

CEA, SP2M/NM,
38054 Grenoble, France
vedy@magn.ru

D. Wang

NVE Corporation,
11409 Valley View Road,
Eden Prairie, MN 55344, USA
dexinw@nve.com

J. V. Yakhmi

Bhabha Atomic Research Centre,
Mumbai - 400 085, India
yakhmi@magnum.barc.ernet.in

R. Yilgin

Gebze Institute of Technology
P.O. Box 141,
Gebze, 41400, Kocaeli, Turkey
yilgin@penta.gyte.edu.tr

M. Zeisberger

Institut für Physikalische
Hochtechnologie e.V., POB 100239,
D-07702 Jena, Germany
zeisberger@ipht-jena.de

M. Ye. Zhuravlev

Universität Bielefeld,
Universität str. 25,
33501 Bielefeld, Germany
zhur@Physik.Uni-Bielefeld.de