

Table of Contents

Dedications	v
Preface	vii
Motivation for this Book	vii
Should You Read This Book?	vii
Structure of the Book	viii
Notational Conventions	ix
Element and Attribute Tables	x
Quick Tips	xi
On-Line Information	xi
About the Authors	xii
Table of Contents	xiii
Common Acronyms and Terms	xxvii
Acknowledgements	xxix
Part One Introduction	1
1 An Overview of SMIL 2.0	3
1.1 Using SMIL 2.0: Six Examples	3
1.1.1 Hi Mom!	3
1.1.2 Welcome to New York	4
1.1.3 Happy Birthday!	5
1.1.4 Crossing the Bridge	6
1.1.5 The Evening News	7
1.1.6 Flags	8
1.2 SMIL 2.0 and SMIL 1.0	9
1.3 SMIL 2.0's Design Goals	9
1.4 SMIL Modules and Profiles	10
1.4.1 SMIL 2.0 Language Profile	12
1.4.2 SMIL 2.0 Basic	12
1.4.3 3GPP/PSS SMIL	13
1.4.4 XHTML+SMIL Profile	13
1.4.5 SMIL 1.0	14
1.4.6 SVG	14
1.4.7 XMT	14

1.5	Creating SMIL Presentations	15
1.5.1	Notepad (and Other Text Editors)	15
1.5.2	SMIL Syntax Validator	15
1.5.3	Perly SMIL	16
1.5.4	SMILGen	16
1.5.5	MAGpie	16
1.5.6	GRiNS	16
1.6	SMIL and Other Specifications	16
1.6.1	CMIF	17
1.6.2	Dynamic HTML	17
1.6.3	Flash	17
1.6.4	MPEG-4	17
1.7	Summary and Conclusion	18
1.8	Further Resources	19
2	Understanding SMIL 2.0 Code	21
2.1	Understanding XML Structure	21
2.1.1	XML Elements	22
2.1.2	XML Attributes	23
2.1.3	XML References	24
2.2	Flashlight: A SMIL Example Presentation	26
2.2.1	The Head and Body Sections	30
2.2.2	Media Content	31
2.2.3	Layout	32
2.2.4	Timing	34
2.2.5	Linking	36
2.2.6	Adaptivity	37
2.2.7	Putting it All Together	38
2.3	Encoding Flashlight in Different Profiles	40
2.3.1	SMIL Mobile Profiles	40
2.3.2	SMIL 1.0 Profile	44
2.3.3	XHTML+SMIL Profile	46
2.4	Summary and Conclusions	52
2.5	Further Resources	52
3	Local and Streaming Media	55
3.1	Classification of Media	55
3.2	Media Formats and Encodings	56
3.2.1	Media Formats for Compressed Discrete Media	57
3.2.2	Media Formats for Compressed Continuous Media	59
3.2.3	Tools for Creating Media	61
3.3	URIs: Locating and Naming Media Objects	62
3.3.1	Local URIs	63
3.3.2	Remote URIs	63
3.3.3	Relative URIs	64
3.3.4	Passing Parameters in URIs	65

3.4	Accessing Media Within a SMIL Presentation	65
3.4.1	Local access to media	65
3.4.2	Remote Access to Media	66
3.5	Summary and Conclusion	70
3.6	Further Resources	71
Part Two Basic SMIL Constructs		73
4	SMIL Structure	75
4.1	SMIL Language Structure Issues	75
4.2	SMIL Structure Elements and Attributes	76
4.2.1	SMIL Document Type Declarations	76
4.2.2	SMIL Top-Level Structure Containers	77
	<smil>	77
	<head>	78
	<body>	79
4.2.3	Core Structure Attributes	80
	id	80
	xml:base	80
4.2.4	Core Attributes for Accessibility	80
4.2.5	Namespace Attributes	80
	xmlns	81
4.3	Summary and Conclusion	82
4.4	Further Resources	82
5	Referencing Media Objects	85
5.1	Partitioning Content and Control	85
5.2	SMIL Media Object Elements and Attributes	88
5.2.1	Media Elements	88
	<ref>	88
	<brush>	89
5.2.2	Media Object Attributes	90
	src	90
	type	92
	clipBegin and clipEnd	94
	color	95
5.3	Timing Consequences of Media Object Use	97
5.4	Summary and Conclusion	98
5.5	Further Resources	98
6	SMIL Basic Layout	99
6.1	An Overview of Layout Concepts	99
6.2	SMIL Layout Models	102
6.2.1	SMIL 1.0's Approach to Layout	102
6.2.2	SMIL 2.0's Approach to Layout	103
6.2.3	Summary of SMIL Layout Concepts	104

6.3	SMIL Basic Layout Elements and Attributes	105
6.3.1	SMIL Basic Layout Elements	106
	<layout>	106
	<root-layout>	107
	<region>	108
6.3.2	Basic Layout Attributes Architecture	109
6.3.3	<layout> Attributes	109
6.3.4	<root-layout> Attributes	110
	height and width	110
	backgroundColor	110
6.3.5	<region> Referencing Attributes	111
	id	111
	regionName	111
6.3.6	<region> Positioning Attributes	111
	top and left	112
	width and height	112
	bottom and right	113
	<i>auto</i>	113
6.3.7	Background Attributes	113
	backgroundColor	113
	showBackground	114
6.3.8	Stacking and Scaling Attributes	114
	fit	114
	z-index	116
6.3.9	Referencing Regions from Media Objects	117
	region	117
6.3.10	SMIL Empty Layout Semantics	117
6.4	SMIL Audio Layout Elements and Attributes	117
6.4.1	Elements for Audio Layout	117
6.4.2	Attributes for Audio Layout	117
	soundLevel	118
6.5	Examples Using SMIL Basic Layout	118
6.5.1	Defining the <layout> Section	118
6.5.2	Supporting Multiple Layouts in One Presentation	120
6.5.3	Referencing Media in the Presentation	120
6.5.4	Adjusting Rendering Properties	121
6.5.5	Rendering Multiple Copies of a Single Media Object	122
6.6	Summary and Conclusion	123
6.7	Further Resources	123
7	Basic SMIL Timing	125
7.1	SMIL Timing Model Basics	126
7.1.1	A Simple Slideshow Presentation	126
7.1.2	Media Object and Presentation Timing Definitions	127
7.1.3	Durations, Time and Timebases	131
7.1.4	Special Timing Values	135
	<i>indefinite</i>	135
	<i>media</i>	136
7.1.5	Interactive Timing and Events	136

7.2	Basic SMIL Timing Elements	136
7.2.1	Basic Time Containers	137
	<par>	137
	<seq>	138
7.2.2	Nested Composition of Timing Elements	138
7.3	Basic SMIL Timing Attributes	139
7.3.1	General Timing Control Attributes	141
	begin	142
	dur	143
	end	145
7.3.2	Object Persistence Attributes	147
	fill	147
7.3.3	Extended Timing Control Attributes	148
	min	149
	max	150
	endsync	150
7.3.4	Repeating Objects and Sub-Structures	151
	repeatCount	151
	repeatDur	152
7.3.5	Advanced Timing and Synchronization Attributes	153
7.3.6	The General Timing Attributes	154
7.4	Summary and Conclusion	154
8	Basic Linking	157
8.1	An Overview of Linking Concepts	157
8.1.1	Links in HTML	158
8.1.2	SMIL: Adding Time to Links	161
8.2	SMIL Basic Linking Elements	162
	<a>	162
	<area>	163
	<anchor>	166
8.2.1	SMIL Basic Linking Attributes Architecture	166
8.2.2	Specifying the Activation Period of Source Anchors	166
8.2.3	The Temporal Moment of the Destination Anchor	166
8.2.4	Attributes for Link Anchor Geometries	168
	shape	168
	coords	168
8.2.5	Attributes to Control the Playstate After Activation	170
	destinationPlaystate	170
	show	171
	sourcePlaystate	171
8.2.6	Other Linking Control Attributes	171
	actuate	172
	target	172
	external	172
	sourceLevel and destinationLevel	172
	alt	172
	tabindex	172
	accesskey	173

8.3	Other Uses of Links in SMIL	173
8.3.1	SMIL Linking and Activation Control	173
8.3.2	SMIL Linking and Message Passing	175
8.4	Summary and Conclusion	175
8.5	Further Resources	176
9	Content Selection and Control	177
9.1	Content Selection: Rationale and Scope	177
9.1.1	Understanding the Runtime Environment	177
9.1.2	Techniques for Creating Adaptive Presentations	180
9.2	Content Control Elements and Attributes	182
9.2.1	SMIL Basic Content Control Elements	182
	<switch>	182
9.2.2	SMIL Basic Content Control Attributes Architecture	184
9.2.3	In-Line Use of System Test Attributes	185
9.2.4	User-Related System Test Attributes	186
	systemLanguage	186
	systemCaptions	187
	systemOverdubOrSubtitle	188
	systemAudioDesc	188
9.2.5	Environment-Related System Test Attributes	189
	systemBitrate	189
	systemScreenDepth	190
	systemScreenSize	190
9.2.6	Resource-Related System Test Attributes	191
	systemCPU	192
	systemOperatingSystem	192
	systemComponent	193
	systemRequired	193
9.2.7	SMIL 1.0 Test Attribute Support	194
9.2.8	Static and Dynamic System Test Attribute Evaluation	194
9.3	Examples Using SMIL Content Control	195
9.3.1	Media and Presentation Design	195
9.3.2	The Structure of the Presentation	196
9.3.3	Using SMIL to Define the Adaptive Presentation	197
9.4	Summary and Conclusion	200
9.5	Further Resources	200
10	Transition Effects	203
10.1	Concepts and Models of Transition Effects	203
10.1.1	Basic Transition Effects Concepts	204
10.1.2	Transition Models	205
10.1.3	Basic and Inline Transitions	209
10.2	Basic Transitions Elements and Attributes	209
10.2.1	Basic Transition Elements	210
	<transition>	210

10.2.2	General Attributes for Basic Transitions	210
	type	210
	subtype	211
	dur	211
	startProgress	211
	endProgress	211
	direction	212
10.2.3	Type-Specific Attributes for Basic Transitions	212
	fadeColor	212
10.2.4	Attributes for Integrating Basic Transitions	213
	transIn	213
	transOut	214
10.3	Inline Transitions Elements and Attributes	215
10.3.1	Inline Transition Elements	215
	<transitionFilter>	216
10.3.2	General Attributes for Inline Transitions	216
	type	216
	subtype	216
	mode	217
10.3.3	Timing Attributes for Inline Transitions	217
	begin	217
	dur	218
	end	218
	repeatCount	218
	repeatDur	218
10.3.4	Animation Attributes for Inline Transitions	218
	from	218
	to	218
	by	219
	values	219
	calcMode	219
10.3.5	Type-Specific Attributes for Inline Transitions	219
	fadeColor	219
10.3.6	Attributes for Integrating Inline Transitions	220
	targetElement	220
	href	220
10.4	Modifying Basic and Inline Transitions	221
10.4.1	Common Attributes for Modifying Transitions	221
	horzRepeat	221
	vertRepeat	221
	borderColor	221
	borderWidth	221
10.5	Examples Using SMIL Transition Effects	221
10.5.1	Examples of Basic Transitions	221
10.5.2	Examples of Inline Transitions	224
10.6	Issues for Supporting Transition Effects	226
10.6.1	SMIL Timing and Transitions	226
10.6.2	The <par> Element and Transitions	228

10.6.3	The <seq> Element and Transitions	229
10.6.4	The <exc1> Element and Transitions	229
10.6.5	Audio and Transitions	230
10.7	Transition Classes, Types and Sub-Types	230
10.7.1	Required Types/Sub-Types	230
10.7.2	Edge Wipe Transition Types and Sub-Types	231
10.7.3	Iris Wipe Transition Types and Sub-Types	232
10.7.4	Clock Wipe Transition Types and Sub-Types	233
10.7.5	Matrix Wipe Transition Types and Sub-Types	234
10.7.6	SMIL-Specific Transition Types and Sub-Types	235
10.8	Summary and Conclusion	235
10.9	Further Resources	235
Part Three Advanced SMIL Features		237
11	Subsetting and Extending Media	239
11.1	Cropping Media Spatially	239
11.1.1	Understanding Spatial Cropping for Linking	240
11.1.2	Elements for Spatial Cropping	242
	<area>	242
11.1.3	Attributes for Spatial Cropping	242
	shape	242
	coords	242
11.2	Clipping Media in Time	243
11.2.1	Understanding Temporal Clipping of Media	243
11.2.2	Attributes for Temporal Clipping	244
	clipBegin	244
	clipEnd	245
11.2.3	Examples of Temporal Clipping	246
11.3	Clipping Media Using Media Markers	246
11.3.1	Understanding Media Clip Markers	247
11.3.2	Attribute Extensions for Media Markers	248
11.3.3	Examples Using Media Markers	249
11.4	Subsetting Media Via Fragment Identifiers	249
11.4.1	Understanding Fragment Identifiers	249
11.4.2	Language Support for Fragment Identifiers	250
11.4.3	Examples Using Fragment Identifiers	250
11.5	Initialization Attributes for Media Objects	251
11.5.1	Understanding the Use of Media Parameters	251
11.5.2	Elements for Media Initialization	252
	<param>	252
11.5.3	Attributes for Media Initialization via <param>	252
	name	252
	value	253
	valuetype	253
11.5.4	Attributes for Player Media Initialization	253
	mediaRepeat	253

erase	253
sensitivity	254
11.5.5 Examples of Media Initialization	254
11.6 Summary and Conclusion	256
11.7 Further Resources	257
12 Advanced Layout Topics	259
12.1 Logical Media Object Alignment in Regions	260
12.1.1 Understanding Registration and Alignment Points	260
12.1.2 Elements for Layout Alignment	262
<regPoint>	262
12.1.3 Attributes for Layout Alignment	263
regAlign	263
regPoint	263
12.1.4 Other Aspects of Registration Point Alignment	264
12.1.5 Examples of Registration Point Alignment	265
12.2 Sub-Region Positioning	267
12.2.1 Understanding Sub-Region Positioning	267
12.2.2 Sub-Region Positioning Elements	268
12.2.3 Sub-Region Positioning Attributes	268
12.2.4 Examples of Sub-Region Positioning	269
12.3 HierarchicalLayout	271
12.3.1 Understanding Hierarchical Layout	271
12.3.2 Hierarchical Layout Elements	272
<region>	272
12.3.3 Hierarchical Layout Attributes	272
12.3.4 Examples of Hierarchical Layout	273
12.4 Media Object Overrides of Layout Positioning	274
12.5 Defining Multiple Top-Level Windows	274
12.5.1 Understanding Multiple Top-Level Windows	274
12.5.2 Multi-Window Elements	276
<topLayout>	276
12.5.3 Multi-Window Attributes	278
open	278
close	278
12.5.4 Aspects of Multi-Window Layout	279
12.5.5 Examples of Multi-Window Layout	280
12.6 SMIL Layout and CSS	281
12.6.1 CSS Attributes for SMIL Layout	281
class	282
12.6.2 CSS and SMIL Layout Comparison	282
12.7 Summary and Conclusion	282
12.8 Further Resources	284
13 Advanced SMIL Timing Behavior and Control	285
13.1 Event Based Timing	286
13.1.1 Understanding Events, Links and Interaction	286

13.1.2	Event Support in SMIL Profiles	292
13.1.3	Examples of Event Syntax and Semantics	294
13.2	Selective Time Composition	297
13.2.1	Understanding Selective Composition	297
13.2.2	Elements for Selective Composition	300
	<excl>	301
	<priorityClass>	302
13.2.3	Attributes for Selective Composition	303
	peers	303
	higher	304
	lower	304
	pauseDisplay	304
13.2.4	Examples of Selective Temporal Composition	305
13.3	SMIL 2.0 Timing Model, Revisited	310
13.3.1	Element Activation, Duration and Termination	310
13.3.2	Determining Schedules	313
13.3.3	Pathological Examples	316
13.4	Integrating SMIL Timing in Other Languages	318
13.4.1	Time Container Integration Issues	318
13.4.2	Time Container Integration Attributes	319
	timeContainer	319
	timeAction	320
13.4.3	Examples of Time Container Integration	321
13.5	Summary and Conclusion	325
13.6	Further Resources	326
14	Advanced SMIL Timing Attributes	327
14.1	Fill Behavior Control	328
14.1.1	Understanding the Fill Behavior	328
14.1.2	Fill Behavior Attributes	333
	fill	333
	fillDefault	334
14.1.3	Examples of Fill Behavior	334
14.2	Restart Behavior	341
14.2.1	Understanding Restart Behavior	341
14.2.2	Restart Behavior Attributes	343
	restart	343
	restartDefault	344
14.2.3	Examples of Restart Behavior	344
14.3	Synchronization Behavior Control	347
14.3.1	Understanding Synchronization Behavior Control	347
14.3.2	Synchronization Behavior Attributes	350
	syncBehavior	350
	syncBehaviorDefault	351
	syncTolerance	352
	syncToleranceDefault	352
	syncMaster	353
14.3.3	Examples of Synchronization Behavior Control	353

14.4	Time Manipulation	354
14.4.1	Understanding Time Manipulations	355
14.4.2	Time Manipulation Attributes	357
	autoReverse	357
	speed	357
	accelerate	358
	decelerate	358
14.4.3	Examples of Time Manipulation	358
14.5	Summary and Conclusion	360
15	SMIL Animation	361
15.1	Overview of SMIL Animation	362
15.1.1	The SMIL Animation Model	362
15.1.2	SMIL Animation and the <animation> Element	367
15.2	Basic Animation Elements and Attributes	367
15.2.1	Basic Animation Elements	367
	<animate>	368
	<animateMotion>	368
	<animateColor>	368
	<set>	368
15.2.2	Basic Animation Attributes	369
15.2.3	Attributes for Specifying the Animation Target	369
	targetElement	370
	attributeName	370
	attributeType	371
15.2.4	Attributes for Providing Animation Values	371
	from	371
	to	372
	by	372
	values	373
15.2.5	Attributes for Defining the Animation Function	373
	additive	373
	accumulate	374
	calcMode	374
	origin	374
15.3	Support for SMIL Spline Animation	375
15.3.1	Spline Animation Elements	375
15.3.2	Spline Animation Attributes	375
15.3.3	Attributes for Spline Specification	375
	calcMode	376
	keyTimes	376
	keySplines	376
	path	376
15.4	Examples of SMIL Attribute Animation	376
15.5	Animation Support in SMIL Profiles and SVG	381
15.5.1	Animation and the SMIL 2.0 Language Profile	382
15.5.2	Animation and the XHTML+SMIL Profile	383
15.5.3	Animation and SVG	383

15.6	Summary and Conclusion	384
15.7	Further Resources	384
16	Extended Content Control	385
16.1	Skip Content Control	385
16.1.1	Motivation: Future-Proofing SMIL	386
16.1.2	Skip Content Control Attributes	386
	skip-content	386
16.1.3	Using the skip-content Attribute	387
16.2	Custom Test Attributes	389
16.2.1	Understanding Custom Test Attributes	389
16.2.2	Custom Test Elements	390
	<customAttributes>	390
	<customTest>	390
16.2.3	Custom Test Attributes	391
	customTest	391
	defaultState	391
	override	391
	uid	391
16.2.4	Examples Using Custom Test Attributes	392
16.3	Prefetch Control	394
16.3.1	Understanding Pre-Fetching of Media	394
16.3.2	Pre-Fetch Elements	395
	<prefetch>	395
16.3.3	Pre-Fetch Attributes	395
	mediaSize	395
	mediaTime	396
	bandwidth	396
16.3.4	Using Pre-Fetch Control	396
16.4	Summary and Conclusion	397
16.5	Further Resources	397
17	Meta-Information, Media Description and XML Accessibility 399	
17.1	Meta-Information	399
17.1.1	Elements for Meta-Information	399
	<metadata>	400
	<meta>	400
17.1.2	Attributes for Meta-Information	400
	name	400
	content	401
17.1.3	Examples Using Meta-Information	401
17.2	Media Description	402
17.2.1	Media Description Attributes	403
	abstract	403
	author	403
	copyright	403
	title	403
	xml:lang	403
17.2.2	Example Using Media Object Descriptions	404

17.3	XML Accessibility	404
17.3.1	Media Accessibility Attributes	404
	alt	404
	longdesc	405
	readIndex	405
17.3.2	Using Media Accessibility Attributes	405
17.4	Summary and Conclusion	406
17.5	Further Resources	406
Part Four SMIL Family Reference		409
A	SMIL 2.0 Language Profile Module Reference	411
B	3GPP SMIL Module Reference	413
C	SMIL 2.0 Basic Profile Module Reference	415
D	XHTML+SMIL Module Reference	417
E	SMIL in SVG	421
F	SMIL 2.0 Module and Construct Chart	423
Index		427

