Preface

Ubiquitous computing is coming of age. In the few short years of the lifetime of this conference, we have seen major changes in our emerging research community. When the conference started in 1999, as Handheld and Ubiquitous Computing, the field was still in its formative stage. In 2002, we see the Ubicomp conference (the name was shortened last year) emerging as an established player attracting research submissions of very high quality from all over the world. Virtually all major research centers and universities now have research programs broadly in the field of ubiquitous computing. Whether we choose to call it ubiquitous, pervasive, invisible, disappearing, embodied, or some other variant of computing, it is clear that Mark Weiser's original vision has only become more and more relevant since the term was coined over 10 years ago.

But, most important in our context, the interest in the field can be gauged from the rising number of full-paper submissions to the conference: from about 70 in both 1999 and 2000, to 90 in 2001, to this year's record-breaking 136! Counting technical notes, workshops, poster and video submissions, there were over 250 original works submitted to this year's conference. This is an impressive effort by the research community, and we are grateful to everyone who took time to submit their work – without this, the conference would simply not exist.

There are 15 full papers in this year's volume, which were selected from the 136 paper submissions. There are also 14 technical notes: 9 were drawn from the 59 technical note submissions, while 5 were adapted from full paper submissions. These papers continue to cover the wide range of topics that is the hallmark of the ubiquitous computing community: mobile and context-aware systems, user studies and design, perceptual interfaces and responsive environments, sharing and accessing information (including privacy aspects), location models and systems, and sensors and applications.

In addition to the papers and technical notes, this year's conference included several other elements. The keynote speech by science fiction author and journalist Wil McCarthy offered a vision of the "ultimate alchemy" promised by recent research in so-called programmable matter. Nine workshops were held during the conference covering a wide variety of topics, ranging from conceptual models and privacy concerns, to user evaluation and emotional interaction. New additions to the program this year included a doctoral consortium for graduate students and a video demonstrations session. Posters, receptions and a panel on ubiquitous computing in domestic environments rounded out the program. The intention was to give an illuminating, thought-provoking, and also entertaining overview of the many facets of this vital research field.

The Ubicomp 2002 conference was hosted by the Viktoria Institute and was held at the Draken Cinema and Conference Centre in Göteborg, Sweden from September 29 to October 1, 2002. Technical society sponsors included ACM SIGCHI, ACM SIGMOBILE and ACM SIGSOFT. Extensive industry and institutional sponsorship helped ensure a high-quality event. Full sponsors included: Intel Research, Nokia, HP Labs, Springer-Verlag, and the Swedish Foundation for Strategic Research. Contributing sponsors were: Business Region Göteborg, Microsoft Research, Philips, and the Ambience project. Through an arrangement with the European Union's Disappearing Computing Initiative, this year's Ubicomp conference was colocated with DC's annual "Jamboree", where the 16 projects that constitute the DC community exhibited the results of over one and a half years of research involving almost 200 people. The Göteborg IT University also collaborated by arranging a special event. We were impressed by the level of commitment offered even in these financially difficult times for the industry, and would like to thank all organizations for their interest in and support for this conference.

We would also like to thank the numerous reviewers who offered invaluable comments on the paper and technical note submissions. The program committee (and those that helped them) were even more heavily loaded this year as the number of submissions increased significantly from last year. Yet, the committee worked diligently, with all submissions receiving four independent reviews. Most impressively demonstrating their dedication, almost all the program committee members attended our meeting distributed between Seattle, Washington and Göteborg, Sweden and helped make numerous difficult decisions. Finally, we must extend a special thanks to Scott Rose, the UW/CSE webmaster, who provided the finest possible development and support of our web-based submission management system, and to the local administrators who supported us at the Viktoria Institute.

July 2002

Gaetano Borriello Lars Erik Holmquist

Conference Organization

Supporting Societies

Association for Computing Machinery (ACM) through its special interest groups: SIGCHI (Computer–Human Interaction) SIGMOBILE (Mobile Computing) SIGSOFT (Software Engineering)

Full Sponsors

HP Labs, Intel Research, Nokia, Springer, Swedish Foundation for Strategic Research

Contributing Sponsors

The Ambience Project, Business Region Göteborg, Microsoft Research, Philips

Organizers

Conference Chair	
Lars Erik Holmquist	Viktoria Institute (Sweden)
Program Chair	
Gaetano Borriello	University of Washington - Intel Research Seattle (USA)
Technical Notes Chair	
Larry Arnstein	University of Washington (USA)
Publicity and Workshops	Chair
Albrecht Schmidt	Lancaster University (UK)
Posters and Video Demon	estrations
Peter Ljungstrand	PLAY studio, Interactive Institute (Sweden)
Doctoral Consortium	
Anind Dey	Intel Research Berkeley/University of California (USA)
Panel Organizer	
Hans-W. Gellersen	Lancaster University (UK)
Student Volunteers	
Johan Lundin	Viktoria Institute (Sweden)

Administration

Local Administration	
Ann Andreasson	Viktoria Institute (Sweden)
Web Registration	
Staffan Hörke	Viktoria Institute (Sweden)
Web Master for Submis	sion Review System
Scott Rose	University of Washington (USA)

Program Committee

Aaron Bobick, Georgia Institute of Technology (USA) Gaetano Borriello (chair), University of Washington/Intel Research Seattle (USA) Barry Brumitt, Microsoft Research (USA) George Coulouris, University of Cambridge (UK) Joelle Coutaz, CLIPS-IMAG, Université Joseph Fourier (France) Jim Crowley, INRIA Grenoble (France) Trevor Darrell, MIT AI Lab (USA) Nigel Davies, University of Arizona (USA) Anind Dey, Intel Research Berkeley (USA) Armando Fox, Stanford University (USA) Masaaki Fukumoto, NTT DoCoMo Multimedia Labs (Japan) Hans-Werner Gellersen, Lancaster University (UK) Lars Erik Holmquist, Viktoria Institute (Sweden) Tim Kindberg, Hewlett-Packard Labs (USA) Spyros Lalis, University of Thessaly & ICS-FORTH (Greece) Chandra Narayanaswami, IBM Research Watson (USA) Brian Noble, University of Michigan (USA) Joseph Paradiso, MIT Media Lab (USA) Jun Rekimoto, Sony CSL (Japan) Tom Rodden, University of Nottingham (UK) Daniel Russell, IBM Research Almaden (USA) Yoichi Sato, University of Tokyo (Japan) Bernt Schiele, ETH Zurich (Switzerland) Bill Schilit, FX PAL (USA) Chris Schmandt, MIT Media Lab (USA) Yoichi Takebayashi, Toshiba (Japan) Roy Want, Intel Research Santa Clara (USA) GuangYou Xu, Tsinghua University (China)

Reviewers

Stavros Antifakos, ETH Zurich (Switzerland) Yuji Ayatsuka, Sony CSL (Japan) Raiesh Balan, Carnegie-Mellon University (USA) John Barton, HP Labs (USA) Stefan Berger, IBM Research Watson (USA) Jan Borchers, Stanford University (USA) Jason Brotherton, Georgia Tech (USA) Ozan Cakmakci, CLIPS-IMAG (Europe) Christopher Campbell, IBM Research Almaden (USA) Envi Chen, Tsinghua University (China) Sunny Consolvo, Intel Research Seattle (USA) Mark Corner, University of Michigan (USA) Vlad Coroama, ETH Zurich (Switzerland) Andreas Dieberger, IBM Research Almaden (USA) Svetlana Domnitcheva, ETH Zurich (Switzerland) Clemens Drews, IBM Research Almaden (USA) Fredrik Espinoza, SICS (Sweden) Adrian Friday, Lancaster University (UK) Jennica Falk, Medialab Europe (Ireland) Keith Farkas, HP Labs (USA) Ken Fishkin, Intel Research Seattle (USA) Margaret Fleck, HP Labs (USA) Elgar Fleisch, University of St. Gallen (Switzerland) Krysztof Gajos, MIT AI Lab (USA) Lalya Gaye, Viktoria Institute (Sweden) Vadim Gerasimov, MIT (USA) Tetsuya Hamada, NTT DoCoMo (Japan) Andy Harter, AT&T labs., Cambridge (UK) Lonnie Harvel, Georgia Tech (USA) Beverly Harrison, IBM Research Almaden (USA) Jeff Hightower, University of Washington (USA) Jason I. Hong, University of California, Berkeley (USA) Elaine Huang, Georgia Tech (USA) Yoshinori Isoda, NTT DoCoMo (Japan) Brad Johanson, Stanford University (USA) Glenn Judd, Carnegie-Mellon University (USA) Oskar Juhlin, Interactive Institute (Sweden) Eser Kandogan, IBM Research Almaden (USA) Nicky Kern, ETH Zurich (Switzerland) Emre Kiciman, Stanford University (USA) Minkyong Kim, University of Michigan (USA) Michimune Kohno, Sony CSL (Japan) Kimberle Koile, MIT AI Lab (USA) John Krumm, Microsoft Research (USA) Kristof van Laerhoven, Lancaster University (UK) Anthony LaMarca, Intel Research Seattle (USA)

Marc Langheinrich, ETH Zurich (Switzerland) Matt Lease, Intel Research Seattle (USA) Joshua Lifton, MIT Media Lab (USA) Sara Ljungblad, Viktoria Institute (Sweden) Johan Lundin, Viktoria Institute (Sweden) Nobuyuki Matsushita, Sony CSL (Japan) Laurence Melloul, Stanford (USA) Florian Michahelles, ETH Zurich (Switzerland) David Mizell, Intel Research Seattle (USA) Thomas Moran, IBM Research Almaden (USA) Guenter Mueller, Telematik University, Freiburg (Germany) Tomohiro Nakagawa, NTT DoCoMo (Japan) Kris Nagel, Georgia Tech (USA) Yasuto Nakanishi, University of Electro-Communications (Japan) David Nguyen, Georgia Tech (USA) Takahiro Okabe, University of Tokyo (Japan) Tadashi Okoshi, Carnegie-Mellon University (USA) Raju Pandey, UC Davis (USA) SoYoung Park, Carnegie-Mellon University (USA) Kurt Partridge, University of Washington (USA) Trevor Pering, Intel Research Santa Clara (USA) Stephen Peters, MIT AI Lab (USA) Tom Pfeifer, Fraunhofer Institute for Open Communication Systems (Germany) Shankar Ponnekanti, Stanford University (USA) Ivan Poupyrev, Sony CSL (Japan) MT Raghunath, IBM Research Watson (USA) Gaetan Rey, CLIPS-IMAG (France) Heather Richter, Georgia Tech (USA) Meredith Ringel, Stanford University (USA) Matthias Ringwald, University of Karlsruhe (Germany) Kay Roemer, ETH Zurich (Switzerland) Michael Rohs, ETH Zurich (Switzerland) Johan Sanneblad, Viktoria Institute (Sweden) Imari Sato, University of Tokyo (Japan) Jean Scholtz, NIST (USA) Metin Sezgin, MIT AI Lab (USA) Steven Shafer, Microsoft Research (USA) Susan Shepard, Stanford University (USA) Yuanchun Shi, Tsinghua University (China) Eugene Shih, Intel Research Seattle (USA) Howie Shrobe, MIT AI Lab (USA) Stefan Sigurdsson, Intel Research Seattle (USA) Barton Smith, IBM Research Almaden (USA) Marc Smith, Microsoft Research (USA) Mirjana Spasojevic, HP Labs (USA) Pete Steggles, AT&T labs., Cambridge (UK) Brad Stenger, Georgia Tech (USA) Martin Strohbach, Lancaster University (UK)

Alison Sue, IBM Research Almaden (USA) Yasuyuki Sumi, Advanced Telecommunications Research Institute Int'l (Japan) Hiroki Suzuki, NTT DoCoMo (Japan) Shigeru Tajima, Sony CSL (Japan) Mike Terry, Georgia Tech (USA) Quan Tran, Georgia Tech (USA) Khai Nhut Truong, Georgia Tech (USA) Harald Vogt, ETH Zurich (Switzerland) Bill Walker, Reactivity (USA) Andy Ward, AT&T labs., Cambridge (UK) Paul Webster, AT&T labs., Cambridge (UK) Andy Wilson, Microsoft Research (USA) Weikai Xie, Tsinghua University (China) Ka-Ping Yee, University of California, Berkeley (USA) Billibon Yoshimi, IBM Research Watson (USA) Shumin Zhai, IBM Research Almaden (USA)