

---

## Preface

Life has many surprises. One of the best surprises is meeting a caring mentor, an encouraging collaborator, or an enthusiastic friend. This volume is a tribute to Professor Michael K. Sain, who is such a teacher, colleague, and friend. On the beautiful fall day of October 27, 2007, friends, families, colleagues, and former students gathered at a workshop held in Notre Dame, Indiana. This workshop brought together many people whose lives have been touched by Mike to celebrate his milestone 70th birthday, and to congratulate him on his contributions in the fields of systems, circuits, and control.

Mike was born on March 22, 1937, in St. Louis, Missouri. After obtaining his B.S.E.E. and M.S.E.E. at St. Louis University, he went on to study at the University of Illinois at Urbana-Champaign for his doctoral degree. With his Ph.D. degree complete, he came to the University of Notre Dame in 1965 as an assistant professor. He became an associate professor in 1968, a full professor in 1972, and the Frank M. Freimann Chair in Electrical Engineering in 1982. He has remained at and loved the University of Notre Dame for over 40 years. Mike also held a number of consulting jobs throughout his career. Most notably, he consulted with the Energy Controls Division of Allied-Bendix Aerospace from 1976 to 1988 and the North American Operations branch of the Research and Development Laboratory of General Motors Corporation for a decade, 1984–1994.

Mike's research interests have been wide and varied. He worked on statistical control and game theory with a focus on the use of cumulants, system theory on semirings, generalized pole and zero techniques, nonlinear multivariable feedback control with tensors, structural control for buildings and bridges subject to high winds and earthquakes, jet engine gas turbine control, algebraic systems theory, and generalization of  $H_\infty$  control.

Mike is a pioneer in statistical control theory, which generalizes traditional linear-quadratic-Gaussian control by optimizing with respect to any of the cost cumulants instead of just the mean. For over 30 years, Mike and his students have contributed to the development of minimal cost variance control,  $k$ th cumulant control, and statistical game theory. In statistical game theory, the statistical paradigm generalized mixed  $H_2/H_\infty$  control and stochastic  $H_\infty$  control concepts. Although there is more

work to be done in this area, Mike has pioneered a promising new stochastic optimal control method.

Another major contribution of Mike's research is in the field of algebraic systems theory, expanding the algebraic system-theoretic concepts of poles and zeros of a linear system. Mike and his collaborators also researched a module-theoretic approach to zeros of a linear system and the application of these ideas to inverse systems. Mike's 1981 monograph *Introduction to Algebraic Systems Theory* bridged the gap between systems theory and algebraic theory and is considered a definitive introduction to algebraic systems theory.

More recently, Mike has applied concepts from feedback control theory to model Catholic moral teachings and decision making, showing that analogous structures exist in the two fields, and that one can construct a framework to support selection of "good" outcomes and rejection of what is "not good."

Mike has also been a valuable resource to the Institute of Electrical and Electronics Engineers (IEEE). In particular, he was the founding editor-in-chief of the flagship *Circuits and Systems Magazine*. Mike, with the support of then IEEE Circuits and Systems Society president Rui De Figueiredo, changed the *IEEE Circuits and Systems Society Newsletter* into the *Circuits and Systems Magazine*, a highly regarded magazine within the IEEE. Mike was also the editor-in-chief of the journal of record in the field of control systems, the *IEEE Transactions on Automatic Control*. He also served on numerous award committees, including the IEEE Award Board, where he chaired the Baker Prize Committee which annually determines the best publication from among all those in the transactions and journals of the IEEE. During his 42 years of service, he has received numerous awards and honors including the IEEE Centennial Medal, IEEE Circuits and Systems Society Golden Jubilee Medal, IEEE Fellow, and University of Notre Dame President's Award.

Perhaps more importantly, Mike is widely recognized by his peers and students as an outstanding educator, and he has received several teaching awards for his excellent pedagogy. He has directed over 47 theses and dissertations, 19 of which are doctoral dissertations, and his students have become leaders in academic research, teaching, and administration, and in industry and government.

This *Festschrift* volume is divided into four parts: statistical control theory, algebraic systems theory, dynamic systems characteristics, and engineering education. The statistical control theory part begins with a survey. Statistical control is a generalization of Kalman's linear-quadratic-Gaussian regulator. Here, we view the optimal cost function as a random variable and optimize the cost cumulants. The current state of research is discussed in the first chapter. In the second chapter, Cumulant Control Systems: The Cost-Variance, Discrete-Time Case, the authors address the second cumulant optimization for a discrete-time system. In this digital world, this is an important addition to statistical control theory. The third chapter, by Pham, discusses statistical control for a system with integral feedback, and extends the statistical control idea to both regulation and tracking problems. The fourth chapter uses a statistical control paradigm for decision making, using multi-player game theory. The final chapter of Part I deals with multi-objective cumulant control. Here the cumulant idea is applied to mixed  $H_2/H_\infty$  control. Instead of optimizing the mean in the  $H_2$

cost function, the authors optimize the variance while constraining the system's  $H_\infty$  norm. Interestingly, this idea generalizes stochastic  $H_\infty$  control.

The second part of the book is dedicated to algebraic systems theory. Its first chapter describes a new system theory for linear time-invariant systems with coefficients in a semiring motivated by applications in communication networks, manufacturing systems, and queueing systems. In addition to revealing realization issues of systems over semirings, this theory connects geometric control with the frequency domain and provides methods to compute invariant sets associated with decoupling. The second chapter, by Schrader and Wyman, discusses the module-theoretic approach to zeros and poles of a linear multivariable system. By examining the intuition that the zeros of a linear system should become the poles of its inverse system, this chapter emphasizes Mike's contributions to this body of knowledge. The main result provides a complete understanding of the connection between all poles and zeros of a transfer function matrix, including those at infinity and those resulting from singularities. The final chapter of this section, by Conte and Perdon, presents the notion of zeros for linear time-delay systems by generalizing the algebraic notion of a zero module. Additional control problems such as inversion and tracking are also addressed using this framework.

The third part starts with the overview of stability results for discontinuous hybrid dynamical systems. Michel and Hou show that if the hypotheses of a classical Lyapunov stability and boundedness result are satisfied for a given Lyapunov function, then the hypotheses of the corresponding stability and boundedness result for discontinuous dynamical systems are also satisfied for the same Lyapunov function. They also show that the converse is not true in general. The second chapter solves complex systems using a neural network structure. In particular, it discusses two algorithms, based on a biologically inspired structure, in solving for an optimal state feedback controller. The third chapter tackles the characterization and calculation of approximate decentralized fixed modes. The fourth chapter is concerned with a communications system, wherein Lee and de Figueiredo discuss two approaches to mitigate adverse effects due to the high peak-to-average power ratio in orthogonal frequency division multiplexing systems. Then Polendo *et al.* discuss constructive techniques for stabilization of nonlinear systems with uncertainties and limited information. The final chapter of this part presents a systematic method for deriving and realizing nonlinear controllers and nonlinear closed-loop systems using Volterra control synthesis.

Mike has been a lifelong mentor and teacher to many students. So, appropriately, we have chosen two important subjects in education for this volume. One important topic is the issue of the first professional degree in engineering. In this context, Dorato argues that the first professional degree in engineering should be the Master of Engineering degree rather than the bachelor's degree. In order to maintain America's competitiveness, advances in engineering education are prerequisite. This chapter should generate some insight into the question of what constitutes a true engineering education. A relatively new interest of Mike has been the research of the relationship between theology and engineering. In this research he has been collaborating with his daughter at St. Thomas University. Thus, it is appropriate to end this volume with a chapter about theology and engineering, authored by Barbara Sain.

There she answers the question: What does the discipline of engineering have to do with the life of faith? It is interesting and insightful to see models of the will in block diagrams!

Religion is an important part of Mike's life. He is a devoted Catholic with a great love and devotion for the Virgin Mary. He attends daily Mass and has visited Medjugorje in Bosnia-Herzegovina four times. Perhaps this is why his view on life is larger than just research or teaching. We would like to end this preface with a prayer—the same prayer that begins all Mike's classes—because this is another commencement for Mike.

Our Father, Who art in heaven  
Hallowed be Thy Name;  
Thy kingdom come,  
Thy will be done,  
on earth as it is in heaven.  
Give us this day our daily bread,  
and forgive us our trespasses,  
as we forgive those who trespass against us;  
and lead us not into temptation,  
but deliver us from evil. Amen.

Notre Dame, IN  
Evansville, IN  
Notre Dame, IN  
Los Angeles, CA  
Boise, ID  
Philadelphia, PA  
Columbus, OH

*P. Antsaklis*  
*R. Diersing*  
*E. Kuehner*  
*P. Sain*  
*C. Schrader*  
*C. Won*  
*S. Yurkovich*

October 2007

*Workshop Organizing Committee*

---

# Cumulant Control Systems: The Cost-Variance, Discrete-Time Case

Luis Cosenza,<sup>1</sup> Michael K. Sain,<sup>2</sup> Ronald W. Diersing,<sup>3</sup> and Chang-Hee Won<sup>4</sup>

<sup>1</sup> Apartado 4461 Tegucigalpa, Honduras Central America. [luis\\_cosenza@yahoo.com](mailto:luis_cosenza@yahoo.com)

<sup>2</sup> Freimann Professor of Electrical Engineering, University of Notre Dame, Notre Dame, IN 46556, USA. [avemaria@nd.edu](mailto:avemaria@nd.edu)

<sup>3</sup> Department of Engineering, University of Southern Indiana, Evansville, IN 47712, USA. [rwdierring@usi.edu](mailto:rwdierring@usi.edu)

<sup>4</sup> Department of Electrical and Computer Engineering, Temple University, Philadelphia, PA 19122, USA. [cwon@temple.edu](mailto:cwon@temple.edu)

**Summary.** The expected value of a random cost may be viewed either as its first moment or as its first cumulant. Recently, the Kalman control gain formulas have been generalized to finite linear combinations of cost cumulants, when the systems are described in continuous time. This paper initiates the investigation of cost cumulant control for discrete-time systems. The cost variance is minimized, subject to a cost mean constraint. A new version of Bellman's optimal cost recursion equation is obtained and solved for the case of full-state measurement. Application is made to the First Generation Structural Benchmark for seismically excited buildings.

## 1 Introduction

The 1960s saw a burst of controls research whose impact upon theory and application has continued to this day, without much measurable lessening. Pivotal in this burst was the pioneering work of R. E. Kalman, embracing concepts such as linear-quadratic-Gaussian (LQG) control, with linear dynamical systems, quadratic costs, and Gaussian noises. Kalman considered both discrete-time and continuous-time linear system models, and imported the ideas of Lyapunov analysis to incorporate notions of uniform controllability, uniform observability, and uniform asymptotic stability. The separation principle, Kalman–Bucy and Kalman filters, and the Kalman optimal control gain formulae, have become commonplace.

The approach of Kalman to LQG problems was, of course, based upon minimizing the average cost. We remark that the average cost is the first entry in two famous sequences of random cost statistics. The first sequence is that of the cost moments; the second sequence is that of the cost cumulants.

Without more information it would not be possible to surmise whether Kalman's formulae derived their efficacy from the average cost being a moment or from the average cost being a cumulant. Recently, however, K. D. Pham, [Pha04],

[PSL02-1], [PSL02-2], has shown that the Kalman separation principle, filter, and optimal control gains generalize naturally to optimal control problems based upon finite linear combinations of cost cumulants. This suggests strongly that the successful operative methods in the Kalman advances were cost-cumulant enabled. Khanh's work was in continuous-time.

Moreover, the cost-cumulant control strategy families studied by Pham also display many of the same desirable features known to LQG designers. Indeed, Pham has carried out very promising applications of these algorithms to cable-stayed bridges [PSL04], structures excited by wind [PJSSL04], and buildings shaken by earthquakes [PSL02-3].

In view of these developments, it is both natural and desirable to examine the corresponding research issues for the other family of systems studied by Kalman, those in discrete time.

This paper initiates such investigations. Cost variance is minimized, subject to cost mean constraint. A new version of Bellman's optimal cost recursion equation is obtained, and solved for the case of full-state measurement. The theory is based upon the dissertation by Cosenza [Cos69]. Application is made to the First Generation Structural Benchmark for seismically excited buildings [SDD98].

## 2 Problem Definition

Let  $I$  be a subset of the integers and  $\mathbb{R}^1$  be the 1-fold product of the real line. Consider then the systems whose behavior is governed by the following stochastic difference equations:

$$x(j+1) = f(j, x(j), u(j), w(j)), \quad x(n_0) = x_0, \quad (1)$$

$$y(j) = g(j, x(j), v(j)), \quad (2)$$

where  $x(j) \in \mathbb{R}^n$  is the system state,  $u(j) \in \mathbb{R}^m$  is the control input,  $w(j) \in \mathbb{R}^p$  is the actuation noise,  $y(j) \in \mathbb{R}^q$  is the system output, and  $v(j) \in \mathbb{R}^r$  is the measurement noise,  $j \in I$ . The initial condition of equation (1) is given by  $x(n_0)$ , where  $n_0$  is the smallest element in  $I$ . Let  $f : I \times \mathbb{R}^n \times \mathbb{R}^m \times \mathbb{R}^p \mapsto \mathbb{R}^n$  and  $g : I \times \mathbb{R}^n \times \mathbb{R}^r \mapsto \mathbb{R}^q$  be Borel measurable, with the probability density functions of  $w(j)$ ,  $v(j)$ , and  $x_0$  given,  $j \in I$ .

Define  $U(j) \triangleq \{u(n_0), u(n_0+1), \dots, u(j)\}$ , with a similar definition made for the remaining variables of equations (1) and (2), and let  $Z(j) \triangleq \{Y(j), U(j-1)\}$ ,  $n_0 < j$ , with  $Z(n_0) = y(n_0)$ . It is then possible to denote the unique solution of equation (1) satisfying the initial condition  $x(n_0) = x_0$  by  $\theta(j)$ , where  $\theta(j) \triangleq \theta(j; n_0, x_0; U(j-1), W(j-1))$ ,  $j \in I$ , and to specify that the control laws be of the form  $k(j) \triangleq k(j, Z(j))$ , where  $k(j, \cdot, \cdot) : \mathbb{R}^{q(j-n_0+1)} \times \mathbb{R}^{m(j-n_0)} \mapsto \mathbb{R}^m$ ,  $j \in I$ . Observe that  $Z(j)$  contains all the information available to the controller at time  $j$ , and that the form chosen for  $k(j)$ , together with a boundedness requirement, contributes to the definition of the class of admissible controls.

With the definitions and notation recently introduced it is now possible to formulate a performance index as  $J(n_0) \triangleq J(n_0, x_0; U(N-1), W(N-1))$ , where

$$J(n_0) = \sum_{j=n_0+1}^N L(j, \theta(j), u(j-1)), \quad (3)$$

and where the loss function  $L: I \times \mathbb{R}^n \times \mathbb{R}^m \mapsto \mathbb{R}^+$  (the nonnegative real line) is Borel measurable. Since  $f(\cdot, \cdot, \cdot, \cdot)$ ,  $g(\cdot, \cdot, \cdot)$  and  $L(\cdot, \cdot, \cdot)$  are all Borel measurable, the performance index is a random variable and consequently one of its statistical moments must be selected for optimization. In this investigation it is desired to minimize the variance of  $J(n_0)$  while its mean is forced to obey a constraint. In mathematical parlance, it is desired to find  $k(j, Z(j))$ ,  $n_0 \leq j \leq N-1$ , such that

$$E\{J^2(n_0)|Z(n_0)\} - E^2\{J(n_0)|Z(n_0)\} \quad (4)$$

is minimized, while

$$E\{J(n_0)|Z(n_0)\} = h(n_0, Z(n_0)), \quad (5)$$

where  $E\{\cdot|\cdot\}$  denotes the conditional expectation operator. The form of the function  $h: I \times \mathbb{R}^q \mapsto \mathbb{R}^+$  is selected *a priori* based on practical considerations, such as desired response, permissible deviations from the desired response, complexity of the controller, etc.

Observe that the choice of  $h(n_0, Z(n_0))$  is not entirely arbitrary, for if

$$\alpha(n_0, Z(n_0)) = \inf_{U(N-1)} E\{J(n_0)|Z(n_0)\}, \quad (6)$$

then  $h(n_0, Z(n_0))$  must always be greater than  $\alpha(n_0, Z(n_0))$ . This constraint on  $h$ , together with equation (5), completes the definition of the class of admissible controls.

### 3 Recursion Equation

In this section, a recursion equation for the optimal variance cost is derived. The procedure employed is the standard procedure for this type of problem; first, the constraint equation is appended to the expression to be minimized by means of a Lagrange multiplier,  $\mu(n_0)$ , and then the resulting equation is imbedded into the more general class of problems where  $n_0$  is a variable rather than a fixed initial time. It is clear that the solution of the more general problem leads trivially to the solution of the problem posed in Section 2. Consequently, it is desired to find  $\mu(j)$  and  $k(i, Z(i))$ ,  $j \leq i \leq N-1$ ,  $j \in I$ , such that

$$E\{J^2(j)|Z(j)\} - E^2\{J(j)|Z(j)\} + 4\mu(j)[E\{J(j)|Z(j)\} - h(j, Z(j))] \quad (7)$$

is minimized, where  $\mu(j) \in \mathbb{R}$  is a Lagrange multiplier, and where the 4 premultiplying  $\mu(j)$  has been introduced just for convenience.

Before proceeding with the development of the recursion equation, however, let  $k_j \triangleq \{k(j), k(j+1), \dots, k(N-1)\}$ ,  $j \in I$ , and let

$$VC(j, Z(j)|k_j) = E \{J^2(j)|Z(j)\} - E^2\{J(j)|Z(j)\} + 4\mu(j) [E\{J(j)|Z(j)\} - h(j, Z(j))], \quad j \in I, \quad (8)$$

where  $VC$  signifies ‘‘variance cost.’’

Define  $VC_0(N-1, Z(N-1))$  to be the optimal value of  $VC(N-1, Z(N-1)|k_{N-1})$ , that is,

$$VC_0(N-1, Z(N-1)) = \min_{k(N-1), \mu(N-1)} \left\{ E \{L^2(N)|Z(N-1)\} - E^2\{L(N)|Z(N-1)\} + 4\mu(N-1) [E\{L(N)|Z(N-1)\} - h(N-1, Z(N-1))] \right\}, \quad (9)$$

where  $L(j) \triangleq L(j, \theta(j), k(j-1))$ . Note in particular that if  $k_0(N-1)$  is the control law which leads to  $VC_0(N-1, Z(N-1))$ , then

$$E\{L(N, \theta_0(N), k_0(N-1))|Z(N-1)\} = h(N, Z(N-1)), \quad (10)$$

where

$$\theta_0(N) = f(N-1, \theta(N-1), k_0(N-1), w(N-1)), \quad (11)$$

and therefore, combining equations (10) and (9) it follows that

$$VC_0(N-1, Z(N-1)) = E \{L^2(N, \theta_0(N), k_0(N-1))|Z(N-1)\} - E^2\{L(N, \theta_0(N), k_0(N-1))|Z(N-1)\}. \quad (12)$$

Similarly,

$$VC_0(N-2, Z(N-2)) = \min_{k_{N-2}, \mu(N-2)} \left\{ E \{(L(N) + L(N-1))^2|Z(N-2)\} - E^2\{L(N) + L(N-1)|Z(N-2)\} + 4\mu(N-2) [E\{L(N) + L(N-1)|Z(N-2)\} - h(N-2, Z(N-2))] \right\}, \quad (13)$$

which after some manipulation may be written as

$$VC_0(N-2, Z(N-2)) = \min_{k_{N-2}, \mu(N-2)} \left( \Gamma(N-2) - E^2\{L(N)|Z(N-2)\} + E \{E \{L^2(N)|Z(N-1)\}|Z(N-2)\} + 2E\{L(N)L(N-1)|Z(N-2)\} - 2E\{L(N)|Z(N-2)\}E\{L(N-1)|Z(N-2)\} \right), \quad (14)$$



where

$$\begin{aligned}\Gamma(N-2) &= E\{L^2(N-1)|Z(N-2)\} - E^2\{L(N-1)|Z(N-2)\} \\ &\quad + 4\mu(N-2)[E\{L(N) + L(N-1)|Z(N-2)\} \\ &\quad - h(N-2, Z(N-2))].\end{aligned}\quad (15)$$

If now  $E\{E^2\{L(N)|Z(N-1)\}|Z(N-2)\}$  is added and subtracted from equation (14), then

$$\begin{aligned}VC_0(N-2, Z(N-2)) &= \min_{k_{N-2}, \mu(N-2)} \left\{ \Gamma(N-2) + E\{E\{L^2(N)|Z(N-1)\}\} \right. \\ &\quad + 2E\{L(N)L(N-1)|Z(N-2)\} \\ &\quad - 2E\{L(N)|Z(N-2)\}E\{L(N-1)|Z(N-2)\} \\ &\quad + E\{E^2\{L(N)|Z(N-1)\}|Z(N-2)\} \\ &\quad - E^2\{L(N)|Z(N-2)\} \\ &\quad \left. - E^2\{L(N)|Z(N-1)\}|Z(N-2)\} \right\}.\end{aligned}\quad (16)$$

However, since the process under consideration is a multistage decision process, the principle of optimality may be applied to it, and equation (16) then becomes

$$\begin{aligned}VC_0(N-2, Z(N-2)) &= \min_{k(N-2), \mu(N-2)} \left\{ \Gamma_0(N-2) \right. \\ &\quad + 2E\{L_0(N)L(N-1)|Z(N-2)\} \\ &\quad - 2E\{L_0(N)|Z(N-2)\}E\{L(N-1)|Z(N-2)\} \\ &\quad + E\{E\{L_0^2(N)|Z(N-1)\}\} \\ &\quad - E^2\{L_0(N)|Z(N-1)\}|Z(N-2)\} \\ &\quad + E\{E^2\{L_0(N)|Z(N-1)\}|Z(N-2)\} \\ &\quad \left. - E^2\{L_0(N)|Z(N-2)\} \right\},\end{aligned}\quad (17)$$

where

$$\begin{aligned}\Gamma_0(N-2) &= E\{L^2(N-1)|Z(N-2)\} - E^2\{L(N-1)|Z(N-2)\} \\ &\quad + 4\mu(N-2)[E\{L_0(N) + L(N-1)|Z(N-2)\} \\ &\quad - h(N-2, Z(N-2))],\end{aligned}\quad (18)$$

and  $L_0(N) = L(N, \theta_0(N), k_0(N-1))$ .

Furthermore, if equations (17) and (12) are combined, then

$$\begin{aligned}
VC_0(N-2, Z(N-2)) = & \min_{k(N-2), \mu(N-2)} \left\{ \Gamma_0(N-2) \right. \\
& + 2E\{L_0(N)L(N-1)|Z(N-2)\} \\
& - 2E\{L_0(N)|Z(N-2)\}E\{L(N-1)|Z(N-2)\} \\
& + E\{E^2\{L_0(N)|Z(N-1)\}|Z(N-2)\} \\
& - E^2\{L_0(N)|Z(N-2)\} \\
& \left. + E\{VC_0(N-1, Z(N-1))|Z(N-2)\} \right\}. \quad (19)
\end{aligned}$$

Proceeding by induction, it follows that

$$\begin{aligned}
VC_0(i, Z(i)) = & \min_{k(i), \mu(i)} \left\{ \Gamma_0(i) + 2E \left\{ \sum_{j=i+2}^N L_0(j)L(i+1) \middle| Z(i) \right\} \right. \\
& - 2E \left\{ \sum_{j=i+2}^N L_0(j) \middle| Z(i) \right\} E\{L(i+1)|Z(i)\} \\
& + E \left\{ E^2 \left\{ \sum_{j=i+2}^N L_0(j) \middle| Z(i+1) \right\} \middle| Z(i) \right\} \\
& - E^2 \left\{ E \left\{ \sum_{j=i+2}^N L_0(j) \middle| Z(i+1) \right\} \middle| Z(i) \right\} \\
& \left. + E\{VC_0(i+1, Z(i+1))|Z(i)\} \right\}, \quad (20)
\end{aligned}$$

where  $n_0 \leq i \leq N-2$ ,  $VC_0(N-1, Z(N-1))$  is as given by equation (9) and where

$$\begin{aligned}
\Gamma_0(i) = & E\{L^2(i+1)|Z(i)\} - E^2\{L(i+1)|Z(i)\} \\
& + 4\mu(i) \left[ E \left\{ \sum_{j=i+2}^N L_0(j) + L(i+1) \middle| Z(i) \right\} - h(i, Z(i)) \right]. \quad (21)
\end{aligned}$$

**Theorem 1.** Consider the nonlinear problem given in (1) and (3). A solution  $k^*$  is the optimal minimum cost variance (MCV) strategy, if there exists a solution  $VC_0(i, Z(i))$  to

$$\begin{aligned}
VC_0(i, Z(i)) = & \min_{k(i)} \left\{ E\{VC_0(i+1, Z(i+1))|Z(i)\} + E\{L^2(i+1)|Z(i)\} \right. \\
& \left. - E^2\{L(i+1)|Z(i)\} + E \left\{ E^2 \left\{ \sum_{j=i+2}^N L_0(j) \middle| Z(i+1) \right\} \middle| Z(i) \right\} \right\} \quad (22)
\end{aligned}$$

$$\begin{aligned}
 & + E^2 \left\{ E \left\{ \sum_{j=i+2}^N L_0(j) \middle| Z(i+1) \right\} \middle| Z(i) \right\} \\
 & + 2E \left\{ \left( \sum_{j=i+2}^N L_0(j) \right) L(i+1) \middle| Z(i) \right\} \\
 & - 2E \left\{ \sum_{j=i+2}^N L_0(j) \middle| Z(i) \right\} E \{ L(i+1) | Z(i) \} \\
 & + 4\mu(i) \left[ E \left\{ \sum_{j=i+2}^N L_0(j) + L(i+1) \middle| Z(i) \right\} - M(i, Z(i)) \right] \Big\},
 \end{aligned}$$

where  $\gamma(k)$  is a Lagrange multiplier,  $L_0(j) = L(j, x(j), k^*(j-1))$ , and  $k^*$  is the minimizing argument of (22).

*Proof.* From the one-step analysis, we see that the variance cost is minimized. We need to prove by the method of induction that (22) holds. We shall assume that (22) holds for time  $i+1$ . We now will need to show that with this assumption, equation (22) is valid for time  $i$ . By the definition of  $VC_0(i, Z(i))$  we have

$$\begin{aligned}
 VC_0(i, Z(i)) = \min_{k(i), \dots, k(N-1)} & \left\{ E \{ J^2(i, x(i); k) | Z(i) \} - E^2 \{ J(i, x(i); k) | Z(i) \} \right. \\
 & \left. + 4\mu(i) [E \{ J(i, x(i); k) | Z(i) \} - M(i, Z(i))] \right\},
 \end{aligned}$$

which by substitution gives

$$\begin{aligned}
 V(i, Z(i)) & = \min_{k(i), \dots, k(N-1)} \left\{ E \{ (L(i+1) + J(i+1, x(i+1); k))^2 | Z(i) \} \right. \\
 & \quad - E^2 \{ L(i+1) + J(i+1, x(i+1); k) | Z(i) \} \\
 & \quad \left. + 4\mu(i) [E \{ J(i+1, x(i+1); k) | Z(i) \} - M(i, Z(i))] \right\} \\
 & = \min_{k(i), \dots, k(N-1)} \left\{ E \{ L^2(i+1) | Z(i) \} \right. \\
 & \quad + 2E \{ L(i+1) J(i+1, x(i+1); k) | Z(i) \} \\
 & \quad + E \{ J^2(i+1, x(i+1); k) | Z(i) \} - E^2 \{ L(i+1) | Z(i) \} \\
 & \quad - E^2 \{ J(i+1, x(i+1); k) | Z(i) \} \\
 & \quad - 2E \{ L(i+1) | Z(i) \} E \{ J(i+1, x(i+1); k) | Z(i) \} \\
 & \quad \left. + 4\mu(i) [E \{ J(i+1, x(i+1); k) | Z(i) \} - M(i, Z(i))] \right\}
 \end{aligned}$$

where  $J$  is given in (3) with  $i$  in place of 0. Now by using the principle of optimality we have

$$VC_0(i, Z(i)) = \min_{k(i)} \left\{ E \{ L^2(i+1) | Z(i) \} - E^2 \{ L(i+1) | Z(i) \} \right.$$

$$\begin{aligned}
& + 2E \left\{ \left( \sum_{j=i+2}^N L(j)_0 \right) L(i+1) | Z(i) \right\} \\
& - 2E \left\{ \sum_{j=i+2}^N L_0(j) | Z(i) \right\} E \{ L(i+1) | Z(i) \} \\
& + E \left\{ E \left\{ \left( \sum_{j=i+2}^N L_0(j) \right)^2 | Z(i+1) \right\} | Z(i) \right\} \\
& - E \left\{ E^2 \left\{ \sum_{j=i+2}^N L_0(j) | Z(i+1) \right\} | Z(i) \right\} \\
& + E \left\{ E^2 \left\{ \sum_{j=i+2}^N L_0(j) | Z(i+1) \right\} | Z(i) \right\} \\
& - E^2 \left\{ E \left\{ \sum_{j=i+2}^N L_0(j) | Z(i+1) \right\} | Z(i) \right\} \\
& + 4\mu(i) \left[ E \left\{ \sum_{j=i+2}^N L_0(j) + L(i+1) | Z(i) \right\} - M(i, Z(i)) \right] \Big\},
\end{aligned}$$

where we still only have the mean constraint for time  $i$ . But for time  $i+1$ , the mean constraint is satisfied if the optimal solution  $k^*(i+1, x(i+1))$  is played. Therefore equation (22) is satisfied for time  $i$ .  $\square$

With this result we can now turn our attention to solving the special case when the system is linear and the cost is quadratic. We apply the nonlinear, nonquadratic cost results and get a recursion equation for this case. We then determine the optimal MCV strategy for full-state feedback information.

## 4 Linear Quadratic Case

Let  $I$  again denote a subset of the integers with  $n_0$  as its smallest element and introduce  $\mathbb{R}^{m \times n}$  and  $\mathbb{S}^{n \times n}$  where  $\mathbb{R}^{m \times n}$  represents the linear space of  $m \times n$  real matrices and  $\mathbb{S}^{n \times n}$  the real linear space of  $n \times n$  symmetric matrices. Consider then the controllable system described by the following stochastic difference equations:

$$x(j+1) = A(j)x(j) + B(j)u(j) + w(j), \quad x(n_0) = x_0, \quad (23)$$

$$y(j) = x(j), \quad (24)$$

where  $A(j) \in \mathbb{R}^{n \times n}$  is bounded and nonsingular, and  $B(j) \in \mathbb{R}^{n \times m}$  is bounded,  $j \in I$ . The actuation noise sequence,  $w(j)$ , is a sequence of identically distributed, zero mean, independent Gaussian variables with covariance matrix given by

$$E\{w(j)w(j)\} = Q_W, \quad (25)$$

where  $Q_W \in \mathbb{S}^{n \times n}$  is a time-invariant diagonal matrix, and where  $\cdot \succ \cdot : \mathbb{R}^n \times \mathbb{R}^n \mapsto \mathbb{R}^{n \times n}$  is the dyad.

The loss function is given by

$$L(j, \theta(j), k(j-1)) = \langle \theta(j), R(j-1)\theta \rangle + \langle k(j-1), P(j-1)k(j-1) \rangle, \quad j \in I, \quad (26)$$

where  $\langle \cdot, \cdot \rangle : \mathbb{R}^n \times \mathbb{R}^n \mapsto \mathbb{R}$  is the Euclidean inner product and  $\theta(j)$  is the unique solution of equation (23) satisfying the initial condition  $x(n_0) = x_0$ .  $R(j)$  and  $P(j)$  are positive definite,<sup>5</sup> bounded, and symmetric for all  $j, j \in I$ .

Similarly, the mean value constraint is given by

$$h(n_0, Z(n_0)) = m(n_0) + \langle \theta(n_0), M(n_0)\theta(n_0) \rangle, \quad (27)$$

where  $m(n_0) \in \mathbb{R}^+$  and the matrix  $M(n_0) \in \mathbb{S}^{n \times n}$  must be bounded and positive definite. Both  $m(n_0)$  and  $M(n_0)$  must be selected such that

$$h(n_0, Z(n_0)) > \alpha(n_0, Z(n_0)), \quad (28)$$

where  $\alpha(n_0, Z(n_0))$  is as given by equation (6).

The assumption of linear control laws leads naturally to quadratic optimal costs, that is, for linear control laws it is always possible to write

$$VC_0(i+1, Z(i+1)) = v_0(i+1) + \langle \theta(i), V_0(i+1)\theta(i) \rangle, \quad (29)$$

where  $v_0(i) \in \mathbb{R}^+$  and  $V_0(i) \in \mathbb{S}^{n \times n}$  is nonnegative definite, and where  $n_0 \leq i \leq N-1$ . Therefore,

$$E\{VC_0(i+1, Z(i+1)) | Z(i)\} = v_0(i+1) + \langle \beta(i), V_0(i+1)\beta(i) \rangle + \text{Tr}\{V_0(i+1)Q_W\}. \quad (30)$$

If the following definition is introduced,  $R_M(i) = R(i) + M(i+1)$  for  $n_0 \leq i \leq N-1$ , and the terminal conditions are given as  $m(N) = 0$ ,  $M(N) = 0$ ,  $v_0(N) = 0$ , and  $V_0(N) = 0$ , then with some mathematical manipulations we have

$$\begin{aligned} VC_0(i, Z(i)) = \min_{k(i), \mu(i)} \left\{ 4 \langle \beta(i), R_M(i)Q_W R_M(i)\beta(i) \rangle \right. \\ + E \left\{ \langle w(i), R_M(i)w(i) \rangle^2 \right\} - \text{Tr}^2 \{R_M(i)Q_W\} + v_0(i+1) \\ + \langle \beta(i), V_0(i+1)\beta(i) \rangle + \text{Tr}\{V_0(i+1)Q_W\} + 4\mu(i) \left[ m(i+1) \right. \\ + \langle k(i), P(i)k(i) \rangle + \langle \beta(i), R_M(i)\beta(i) \rangle + \text{Tr}\{R_M(i)Q_W\} \\ \left. \left. - m(i) - \langle \theta(i), M(i)\theta(i) \rangle \right] \right\}, \quad n_0 \leq i \leq N-1, \quad (31) \end{aligned}$$

<sup>5</sup>The assumptions that  $Q_W$  be diagonal and  $R(j)$  be positive definite have been made for convenience only.

where  $\beta(i) = A(i)\theta(i) + B(i)k(i)$ . Performing the minimization with respect to  $k(i)$ , the optimal MCV controller is given as

$$k_0(i) = K_0(i)\theta(i) = - [B^T(i)\Lambda(i)B(i) + \mu(i)P(i)]^{-1} B^T(i)\Lambda(i)A(i)\theta(i), \quad (32)$$

where

$$\Lambda(i) = R_M(i)Q_W R_M(i) + V_0(i+1)/4 + \mu(i)R_M(i) \quad (33)$$

for  $n_0 \leq i \leq N-1$ . Using this optimal controller and performing the minimization in terms of  $\mu(i)$  we have the mean constraint

$$\begin{aligned} M(i) &= K_0^T(i)P(i)K_0(i) + A_0^T(i)R_M(i)A_0(i) \\ m(i) &= m(i+1) + \text{Tr}\{R_M(i)Q_W\} \end{aligned} \quad (34)$$

and we also have the variance

$$\begin{aligned} V_0(i) &= A_0^T(i) [4R_M(i)Q_W R_M(i) + V_0(i+1)] A_0(i) \\ v_0(i) &= v_0(i+1) + \text{Tr}\{V_0(i+1)Q_W\} + E \left\{ \langle w(i), R_M(i)w(i) \rangle^2 \right\} - \text{Tr}^2 \{R_M(i)Q_W\}, \end{aligned} \quad (35)$$

where  $A_0(i) = A(i) + B(i)K_0(i)$  is the closed loop A matrix and  $n_0 \leq i \leq N-1$ .

It is important to understand the differences between the recursion equations of a minimum mean problem and those of a minimum cost variance problem. In a minimum mean problem, the solution of the recursion equations leads to the minimum of the expected value of a performance index and to its corresponding control law. In a minimum cost variance problem, subsequent to the selection of  $\mu(i)$ ,  $n_0 \leq i \leq N-1$ , solution of the recursion equations leads to a mean value of the performance index together with its corresponding minimum cost variance and optimal control law. By properly altering  $\mu(i)$ ,  $n_0 \leq i \leq N-1$ , several such sets of expected values, minimum cost variances, and optimal control laws may be obtained. Clearly then, the amount of information which the optimization procedure herein employed furnishes concerning the performance index far exceeds that supplied by its mean value counterpart. Furthermore, observe that the minimum mean problem is a particular case of the problem herein solved, namely, it is the solution of the recursion equations in the limit as  $\mu(i)$  approaches infinity,  $n_0 \leq i \leq N-1$ . Similarly, it may be shown that when it is possible to set  $\mu(i)$  equal to zero,  $n_0 \leq i \leq N-1$ , then one obtains the solution of a MCV problem with no constraint on the mean value of the performance index. Generally speaking, such "pure" cost variance minimizations are not available in continuous time.

It is of interest to observe that the minimum cost variance corresponding to the smallest mean is finite. More interesting, however, is the fact that under certain conditions there exists a finite mean value whose corresponding  $V_0(i)$  is zero, that is, there exists a finite mean value whose corresponding minimum cost variance is independent of the initial conditions. To prove this assertion, suppose  $Q_W$  and  $B(i)$  are nonsingular,  $n_0 \leq i \leq N-1$ . Then, replacing  $\mu(i)$  by zero in the recursion equations, it follows that

$$K_0(i) = B^{-1}(i)A(i), \quad n_0 \leq i \leq N - 1, \quad (36)$$

which, from equation (35), implies that  $V_0(i)$  is zero,  $n_0 \leq i \leq N - 1$ .

In the preceding paragraph it was hinted that it is not always possible to replace  $\mu(i)$  by zero, the reason being that the solution of the recursion equations is contingent upon the nonsingularity of the matrix  $B^T(i)\Lambda(i)B(i) + \mu(i)P(i)$ ,  $n_0 \leq i \leq N - 1$ .

## 5 Application to First Generation Structural Benchmark for Earthquakes

With the theory now well established, the control algorithm discussed is applied to the First Generation Structural Benchmark under seismic excitation. The structure under consideration is a three-story building excited by an earthquake. For control purposes, the building has an active mass driver on the third floor. The benchmark problem has a 28-state evaluation model. In the interest of control, a 10-state design model is used. For more details on the building, models, and the discussion of the performance criteria, the reader is encouraged to refer to [SDD98]. The benchmark control design model is a continuous-time model, so to apply the results in this paper,




Fig. 1. Building performance.

the model is discretized. Furthermore the state and control weighting matrices,  $R(j)$  and  $P(j)$ , are respectively selected to be  $0.1I_{10}$  and  $50$ , where  $I_{10}$  is the 10 by 10 identity matrix. For the MCV control, the parameter,  $\mu$ , is selected to be  $1.3 \times 10^6$ . Simulation results appear in Figure 1 and Figure 2.

The results in Figure 1 represent the performance of the building. It is seen that there is a significant reduction for each of these performance criteria. For the root-mean-square criteria,  $J_1$  and  $J_2$ , there is about a 30% reduction in the MCV case from the LQG controller results. For peak response of the building, there is also a notable decrease in the performance criteria. There is about a 16% reduction for  $J_6$  and an 8.4% reduction for  $J_7$ .

With this reduction in the civil engineering criteria that deal with the building performance, the question becomes: What about the criteria that deal with the control effort? As would seem likely, the increase in performance corresponds with an increase in control effort, as seen in Figure 2. Despite this increase over the LQG case, the control is still within the constraint imposed on the control in the benchmark problem. This suggests that the MCV control makes more efficient use of the control resources available.




Fig. 2. Control effort.



## 6 Conclusion

A new version of the Bellman recursion equation for optimal cost variance has been obtained for the problem of minimizing the variance of a cost, given a constraint upon the cost mean. Although emphasis has been placed upon linear dynamical systems in discrete time, some of the steps were carried out for nonlinear, nonquadratic cases. A complete solution of the recursion has been obtained for the case of full-state measurements. However, the general recursion has been derived for the case of noisy measurements, and the next step of the research is to complete the solution for that case. The MCV controller was then applied to the First Generation Benchmark for seismically excited structures. The results were compared to those of the LQG control. The MCV controller showed substantial improvement over the LQG results, while observing the given control constraints.

## References

- [Cos69] L. Cosenza, On the Minimum Variance Control of Discrete-Time Systems, *Ph.D. Dissertation*, Department of Electrical Engineering, University of Notre Dame, Jan. 1969.
- [PSL04] K. D. Pham, M. K. Sain, and S. R. Liberty, Infinite Horizon Robustly Stable Seismic Protection of Cable-Stayed Bridges Using Cost Cumulants, *Proceedings American Control Conference*, pp. 691–696, Boston, Massachusetts, June 30, 2004.
- [PJSSL04] K. D. Pham, G. Jin, M. K. Sain, B. F. Spencer, Jr., and S. R. Liberty, Generalized LQG Techniques for the Wind Benchmark Problem, *Special Issue of ASCE Journal of Engineering Mechanics on the Structural Control Benchmark Problem*, Vol. 130, No. 4, April 2004.
- [PSL02-1] K. D. Pham, M. K. Sain, and S. R. Liberty, Cost Cumulant Control: State-Feedback, Finite-Horizon Paradigm with Application to Seismic Protection, *Special Issue of Journal of Optimization Theory and Applications*, Edited by A. Miele, Kluwer Academic/Plenum Publishers, New York, Vol. 115, No. 3, pp. 685–710, December 2002.
- [PSL02-2] K. D. Pham, M. K. Sain, and S. R. Liberty, Finite Horizon Full-State Feedback kCC Control in Civil Structures Protection, *Stochastic Theory and Adaptive Control, Lecture Notes in Control and Information Sciences*, Proceedings of a Workshop held in Lawrence, Kansas, Edited by B. Pasik-Duncan, Springer-Verlag, Berlin-Heidelberg, Germany, Vol. 280, pp. 369–383, September 2002.
- [PSL02-3] K. D. Pham, M. K. Sain, and S. R. Liberty, Robust Cost-Cumulants Based Algorithm for Second and Third Generation Structural Control Benchmarks, *Proceedings American Control Conference*, pp. 3070–3075, Anchorage, Alaska, May 8–10, 2002.
- [Pha04] K. D. Pham, Statistical Control Paradigms for Structural Vibration Suppression, *Ph.D. Dissertation*, Department of Electrical Engineering, University of Notre Dame, May 2004.
- [SDD98] B. F. Spencer Jr., S. J. Dyke, and H. S. Deoskar, Benchmark Problems in Structural Control - Part I: Active Mass Driver System, *Earthquake Engineering and Structural Dynamics*, Vol. 27, pp. 1127–1139, 1998.