

# **Landolt-Börnstein Indexes of Organic Compounds**

Subvolumes A-I

By V. Vill, C. Bauhofer, G. Peters, H. Sajus, P. Weigner,  
LCI-Publisher and Chemistry Department of the University of Hamburg

All printed index material has been used to build up the comprehensive

**Scidex database index** developed by LCI Publisher GmbH, Hamburg

For further information please visit [www.lci-publisher.com](http://www.lci-publisher.com)

From this database a CD-ROM and two online versions were derived. The first is attached to each of the printed subvolumes and the latter are offered for free use at the following addresses:

Scidex Database online with graphical structure search on <http://lb.chemie.uni-hamburg.de/>

Or the easy to use html version on <http://lb.chemie.uni-hamburg.de/static/>

Landolt-Börnstein

Numerical Data and Functional Relationships in Science and Technology

New Series / Editor in Chief: W. Martienssen

# Index of Organic Compounds

Subvolume A

Compounds with 1 to 7 Carbon Atoms

Editor: V. Vill

Authors: V. Vill, G. Peters, H. Sajus



Springer

ISBN 3-540-66203-0 Springer-Verlag Berlin Heidelberg New York

Library of Congress Cataloging in Publication Data

Zahlenwerte und Funktionen aus Naturwissenschaften und Technik, Neue Serie

Editor in Chief: W. Martienssen

Index of Organic Compounds A: Editor: V. Vill

At head of title: Landolt-Börnstein. Added t.p.: Numerical data and functional relationships in science and technology.

Tables chiefly in English.

Intended to supersede the Physikalisch-chemische Tabellen by H. Landolt and R. Börnstein of which the 6th ed. began publication in 1950 under title: Zahlenwerte und Funktionen aus Physik, Chemie, Astronomie, Geophysik und Technik.

Vols. published after v. 1 of group I have imprint: Berlin, New York, Springer-Verlag

Includes bibliographies.

1. Physics--Tables. 2. Chemistry--Tables. 3. Engineering--Tables.

I. Börnstein, R. (Richard), 1852-1913. II. Landolt, H. (Hans), 1831-1910.

III. Physikalisch-chemische Tabellen. IV. Title: Numerical data and functional relationships in science and technology.

QC61.23 502'.12 62-53136

This work is subject to copyright. All rights are reserved, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilm or in other ways, and storage in data banks. Duplication of this publication or parts thereof is permitted only under the provisions of the German Copyright Law of September 9, 1965, in its current version, and permission for use must always be obtained from Springer-Verlag. Violations are liable for prosecution act under German Copyright Law.

© Springer-Verlag Berlin Heidelberg 1999

Printed in Germany

The use of general descriptive names, registered names, trademarks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

*Product Liability:* The data and other information in this handbook have been carefully extracted and evaluated by experts from the original literature. Furthermore, they have been checked for correctness by authors and the editorial staff before printing. Nevertheless, the publisher can give no guarantee for the correctness of the data and information provided. In any individual case of application, the respective user must check the correctness by consulting other relevant sources of information.

Cover layout: Erich Kirchner, Heidelberg

Typesetting: camera ready copy from the editor

Printing: Mercedes-Druck, Berlin

Binding: Lüderitz & Bauer, Berlin

SPIN: 10730225 63/3020 - 5 4 3 2 1 0 - Printed on acid-free paper

## **Editor**

### **V. Vill**

Institut für Organische Chemie,  
Universität Hamburg,  
D-20146 Hamburg, Germany

## **Authors**

### **V. Vill**

Institut für Organische Chemie,  
Universität Hamburg,  
D-20146 Hamburg, Germany  
&  
LCI Publisher GmbH  
Eichenstr. 3  
D-20259 Hamburg, Germany

### **G. Peters**

Institut für Organische Chemie,  
Universität Hamburg,  
D-20146 Hamburg, Germany  
&  
LCI Publisher GmbH  
Eichenstr. 3  
D-20259 Hamburg, Germany

### **H. Sajus**

LCI Publisher GmbH  
Eichenstr. 3  
D-20259 Hamburg, Germany

## **Landolt-Börnstein**

### **Editorial Office**

Gagernstr. 8, D-64283 Darmstadt, Germany  
fax: +49 (6151) 171760  
e-mail: lb@springer.de

### **Internet**

<http://science.springer.de/newmedia/laboe/lbhome.htm>

### **Helpdesk**

e-mail: em-helpdesk@springer.de

## Preface

This index is a guide to organic compounds which have material constants of general interest described in the Landolt-Börnstein / New Series. Compiled are volumes containing molecular constants, density, surface tension, dielectric constants, refractive index, vapor pressure, phase transition temperatures and transition enthalpies. In total in the subvolumes A, B and C, 16823 compounds with 33816 references to numerical data are recorded. All compounds are given with the drawing of the chemical structure, the molecular formula, chemical names, the Chemical Abstracts registration numbers (CAS-RN) and references to Landolt-Börnstein citations, including their occurrence in binary mixtures.

This index is the first step to a full electronisation of all Landolt-Börnstein volumes that have been published to date. The goals are, to create a material knowledge system, to provide a means of accessing all the data in electronic form and to be able to search effectively specific data. Parallel to the electronisation, the data will be indexed, similar to these volumes.

The referenced volumes contain only text descriptions of the chemical structures: name, CAS-RN and molecular formula. This data was assembled, analysed and matched with each other to yield a list of individual compounds without duplicates. This work becomes sometimes non-trivial because compounds can have multiple chemical names and even CAS-RN are sometimes not unique due to out-dated numbers (CAS-DR) and specialized CAS-RN (for trade names, partly defined stereochemistry, or individual characteristics more detailed than the drawing sketch). Furthermore, about 17000 structure drawings had to be prepared for all compounds, including the exact stereo information. All this data assembly has been performed with the new, object-oriented database technology SciDex.

The index is prepared in two different forms: a printed book in three subvolumes and an electronical database. Up to now, many users prefer printed books to electronical media. Books can show a large amount of information in high printing quality with one single glance. They are documents which survive all changes of computer systems and operating systems. Of course, the electronical version gives more functionality to the data, e.g. substructure search and structure comparison methods. Further, the electronical version contains additional links to third party references (Beilstein and LiqCryst registration numbers) as well as more alternative compound names.

Scientific data are not only numbers and words, but also rules, principles and complex data like molecular structures, spectra and reaction conditions, which have multiple relations between each other. Scientific information with the purpose of documentation can be handled with conventional relational databases. Scientific information with the function of a knowledge base with analysis and prediction methods require new methods, i.e. object oriented methods. ‘Objects’ are scientific data, connected with scientific rules and the relations to other data. A search for a particular information is an operator working on the documented knowledge: find, interpolate, deduce or calculate the requested data.

Some electronical media of chemical information are already established, e.g. Chemical Abstracts Service, Beilstein, SpecInfo, Brookhaven etc. The Landolt-Börnstein series contains numerical, evaluated data relevant for chemistry and physics, which is not limited by publication years, or restricted to single measurement spots. Thus, the electronical Landolt-Börnstein will yield a novel, powerful tool for quantitative structure/activity relationships (QSAR, QSPR) as well as reference, analysis and prediction instrument for physical chemistry.

Only evaluated data can be used as basis for a knowledge base. The critical work of the several, individual specialists as authors of the Landolt-Börnstein is here continued by the careful compilation and analysis of the full list of organic compounds. This could only be done by the decisive and competent help of Dipl. Chem. Gaja Peters, Sven Gerber and Oliver Konrad. We also thank Dr. Jürgen Vogt for his helpful comments. The Landolt-Börnstein team, and particular Dr. Rainer Poerschke and Dr. Hans Seemüller, jointly support this project.

Hamburg, June 1999

The Editor



**Table of contents (Subvolume A)**

|   | page |
|---|------|
| Introduction  | 3    |
| 1 General remarks   | 3    |
| 1.1 Selection of data                                       | 2    |
| 1.2 Drawing of structures                                   | 4    |
| 1.3 Sort criteria   | 5    |
| 1.4 Reference description                                   | 6    |
| 1.5 Table structure   | 6    |
| 1.6 Exact volume titles and references                      | 8    |
| Data  | 12   |
| 2 Index sorted by molecular formula and chemical structures | 12   |
| Compounds with 1 to 7 Carbon-Atoms                          | 12   |

**Table of contents (Subvolume B)**

|   | page |
|---|------|
| Introduction  | 3    |
| 1 General remarks   | 3    |
| 1.1 Selection of data                                       | 2    |
| 1.2 Drawing of structures                                   | 4    |
| 1.3 Sort criteria   | 5    |
| 1.4 Reference description                                   | 6    |
| 1.5 Table structure   | 6    |
| 1.6 Exact volume titles and references                      | 8    |
| Data  | 12   |
| 2 Index sorted by molecular formula and chemical structures | 12   |
| Compounds with 8 to 12 Carbon-Atoms                         | 12   |

**Table of contents (Subvolume C)**

|  | page |
|--|------|
| Introduction   | 3    |
| 1 General remarks  | 3    |
| 1.1 Selection of data  | 2    |
| 1.2 Drawing of structures  | 4    |
| 1.3 Sort criteria  | 5    |
| 1.4 Reference description  | 6    |
| 1.5 Table structure  | 6    |
| 1.6 Exact volume titles and references   | 8    |
| Data   | 12   |
| 2 Index sorted by molecular formula and chemical structures<br>Compounds with 13 to 100 Carbon-Atoms | 12   |
| 3 Index sorted by Chemical Abstracts registry numbers  | 431  |

**Subvolume D and following are to be supplements to subvolumes A through C**

**Table of contents (CD-ROM)**

|   |   |
|---|---|
| (ROOT) \ <ul style="list-style-type: none"> <li>   --- README.txt</li> <li>   --- RUN \           <ul style="list-style-type: none"> <li> --- LBORGIND.exe</li> <li> --- LBORGIND32.exe</li> </ul> </li> <li>   --- INSTALL \           <ul style="list-style-type: none"> <li> --- README.txt</li> <li> --- 16bit \               <ul style="list-style-type: none"> <li> --- SETUP.exe</li> </ul> </li> <li> --- 32bit \               <ul style="list-style-type: none"> <li> --- SETUP32.exe</li> </ul> </li> </ul> </li> </ul> | General Information about the electronic Index.<br><br>Executable file for 16bit Windows (Win 3.xx, 95, 98)<br>Executable file for 32bit Windows (Win 95, 98, NT)<br><br>Information about the setup-programs<br><br>Installation program for 16bit Windows<br><br>Installation program for 32bit Windows |
|---|---|

## Introduction

### 1 General remarks

#### 1.1 Selection of data

##### 1.1.1 Resources

The organic compounds compiled in this index have been extracted from the following volumes of the Landolt-Börnstein.

| LB Volume         | Data Description  |
|-------------------|---|
| II/4              | Molecular constants from microwave spectroscopy   |
| II/6              | Molecular constants from microwave, molecular beam and ESR spectroscopy                           |
| II/14 a,b         | Molecular constants mostly from microwave, molecular beam and ESR spectroscopy                    |
| II/19 a,b,c,d1,d2 | Molecular constants mostly from microwave, molecular beam, ESR and sub-Doppler laser spectroscopy |
| III/38 a,b        | Optical constants: refractive indices   |
| IV/6              | Dielectric constants  |
| IV/7 a,b,c,d,e,f  | Phase transitions of liquid crystals  |
| IV/8 a,b,c,d,e,f  | Thermodynamic properties: enthalpy of fusion, density   |
| IV/16             | Surface tension   |
| IV/20 a           | Vapor pressure of chemicals   |

These volumes contain data of organic compounds which have multiple interests and applications. Further, the dependencies between these data can be used for QSPR. Volumes, which contain only specialized data or are not focused on organic molecules are not included here.

The six subvolumes of IV/7 (Phase transitions of liquid crystals) contain more than 40,000 compounds, whereas the other volumes combined contain about 17,000 compounds. The volume IV/7 is organised like an index itself and contains mainly data of specific interest. Therefore, and because it contains also more than two times as much as all the other volumes, only those compounds from IV/7 are recorded here, which are also referenced in other volumes.

##### 1.1.2 Compounds

All compounds with at least one carbon atom are selected for this index. Also, binary mixtures including at least one organic compound are recorded. Mixtures which form molecular complexes with an exact relation (e.g. 1:1, 1:2) between the molecules are treated as one compound with an individual registration number. References to the single compounds will be given and marked with (S) behind the number. As well single compounds, which are part of such a defined mixture, will give a reference to it, denoted by (M) behind the number. These mixtures are mainly from the volumes with spectroscopic data (II/4, II/6, II/14 and II/19). Mixtures with variable concentrations are listed with the components, these are from volumes for material properties (III/38, IV/6 and IV/16).

Sometimes a compound is not identified uniquely in the primary literature, when the compound is described with partially defined stereo-chemistry. This is often the case when double bonds are involved that can be *trans* or *cis* configured, or when the compound contains asymmetric carbon atoms, or any combination of asymmetric carbon atoms and asymmetric substituted double bonds.

Two examples shall demonstrate this: The first shows an excerpt where a compound exists in unspecified configuration, and in *trans*-configuration or *cis*-configuration, therewith resulting in three entries in the table. The second example shows a compound that is three times clearly defined as R- or S-enantiomer and as racemate, and once is unspecified. Since nobody can know which configuration the unspecified compound corresponds to, it will get an entry of its own.

|            |  |  |   |                         |
|------------|--|--|---|-------------------------|
| <b>630</b> | C <sub>2</sub> H <sub>2</sub> BrF<br>124.95<br>460-11-7  |  | 1-bromo-2-fluoro-ethene                 | <b>III/38b 2.1:1022</b> |
| <b>631</b> | C <sub>2</sub> H <sub>2</sub> BrF<br>124.95<br>2366-32-7 |  | <i>trans</i> -1-bromo-2-fluoro-ethylene | <b>III/38b 2.1:1023</b> |
| <b>632</b> | C <sub>2</sub> H <sub>2</sub> BrF<br>124.95<br>2366-31-6 |  | <i>cis</i> -1-bromo-2-fluoro-ethylene   | <b>III/38b 2.1:1024</b> |

Example 1: unspecified double bond, *trans* and *cis*-configuration, respectively

|             |  |  |                    |                         |
|-------------|--|--|--------------------|-------------------------|
| <b>3556</b> | C <sub>5</sub> H <sub>11</sub> I<br>198.05<br>637-97-8   |  | 2-iodo-pentane     | <b>III/38b 2.1:2648</b> |
| <b>3557</b> | C <sub>5</sub> H <sub>11</sub> I<br>198.05<br>52152-72-4 |  | (±)-2-iodo-pentane | <b>IV/16 2.1.7:828</b>  |
| <b>3558</b> | C <sub>5</sub> H <sub>11</sub> I<br>198.05<br>29882-59-5 |  | (S)-2-iodo-pentane | <b>III/38b 2.1:2647</b> |
| <b>3559</b> | C <sub>5</sub> H <sub>11</sub> I<br>198.05<br>29117-45-1 |  | (R)-2-iodo-pentane | <b>III/38b 2.1:2646</b> |

example 2: unspecified, racemate, R and S-enantiomer, respectively

As seen in the second example, unspecified stereo-bonds will usually be displayed with a wavy line in place of the wedge or dashed bond that specifies exact stereo-chemistry. Unspecified double bonds are usually drawn the same way as a *trans*-bond.

Since the data are excerpted from multiple volumes, sometimes inconsistencies in the data arose, for example occurred in very few cases a mismatch between compound names, formula, and sometimes CAS-RN. The editor chose in most of these cases the CAS-RN, if a valid CAS-RN was given, and the compound name in all other cases as the most representative determination of the structure.

## 1.2 Drawing of structures


### 1.2.1 General remarks

The orientation of the structures has been optimised for space saving, to reduce the amount of total pages needed as much as possible. The bond-length of the structures was normalized where possible. In case of large structures, the bond-length was proportionally decreased, so that the compound would fit into the table cell.


All structures are saved in the electronic version with their complete connectivity, but for display one can choose to abbreviate drawings, so as to make the structures easier readable. The printed version contains in all cases these abbreviated structures.

### 1.2.2 Methods of abbreviation of drawings


Alkyl chains: Alkyl chains of C<sub>2</sub> and longer are always abbreviated as a textstring, like C<sub>3</sub>H<sub>7</sub> as in the example. Methyl groups are in most cases displayed as CH<sub>3</sub>, except at quartary centers, to facilitate the reading of highly branched structures. The following example shows two CH<sub>3</sub>-groups to the right, while the two groups in the middle are connected to a quartary center and only displayed as an "empty" line.

|      |  |   |                       |   |
|------|--|---|-----------------------|---|
| 8124 | C <sub>9</sub> H <sub>20</sub><br>128.26<br>16747-28-7 |  | 2,3,3-trimethylhexane | III/38b 2.1:5323;<br>IV/8b 2.3:67;<br>IV/16 2.1.7:1745;<br>IV/20a 2.2:534 |
|------|--|---|-----------------------|---|


Persubstituted chains: Alkyl chains that are persubstituted with a particular element, like Fluor, or Deuterium are shortened just like in the above example. CF<sub>3</sub> or CD<sub>3</sub> will for obvious reasons never be omitted as CH<sub>3</sub>.

|      |  |   |   |                 |
|------|--|---|---|-----------------|
| 3772 | C <sub>6</sub> F <sub>14</sub><br>338.04<br>865-71-4 |  | perfluoro-3-methylpentane;<br>undecafluoro-3-(trifluoromethyl)pentane | IV/20a 4.4:1039 |
|------|--|---|---|-----------------|

Special groups: For example cyano groups, nitro groups as well as carbonic acids will be abbreviated in the drawing.

|      |   |  |                                 |                  |
|------|---|--|---------------------------------|------------------|
| 1379 | C <sub>3</sub> H <sub>4</sub> N <sub>2</sub> O <sub>3</sub><br>116.08<br>50434-02-1 |  | nitric acid 2-cyano-ethyl ester | III/38b 2.1:1286 |
|------|---|--|---------------------------------|------------------|

Poly-ethoxy chains: will be identified and shortened as well.

|       |  |   |         |                  |
|-------|--|---|---------|------------------|
| 16821 | C <sub>98</sub> H <sub>196</sub> O <sub>42</sub><br>2046.63<br>9004-99-3 |  | myrj 52 | IV/16 2.1.7:2704 |
|-------|--|---|---------|------------------|

## 1.3 Sort criteria

### 1.3.1 Sort criteria for index by molecular formula and chemical structures

The compounds are sorted according to the following criteria, in descending precedence.

1. Molecular formula
2. Ring count
3. Ring size
  - a) Ring size of smallest ring
  - b) Size of other rings
4. Number of branches in a compound (linearity)
5. Number of substituents on rings
6. Substituent count at highest substituted atom
7. Stereochemistry

### 1.3.2 Sort criteria for index by Chemical Abstracts registration numbers (CAS-RN)

This index is simply sorted by the numerical value of the CAS-RN and points for each CAS-RN to the running number in the index by molecular formula. Out-dated, deleted CAS-RN (= CAS-DR) have been included in this index, and are displayed in the CAS index in *italics* and marked additionally with a star \*.

## 1.4 Reference description

The reference shortcut can be used to directly localize the compounds in the LB volumes. Because every volume contains an individual way of naming subvolumes, chapters and tables, slightly differing ways of descriptions were applied. In general, an entry will look like <group>/<volume><subvolume> <chapter>. <section>:<compound>, e.g. IV/20a 3.1:53 → the compound can be found in volume IV/20a in chapter 3, section 1, and has the running number 53 in that chapter or volume. The only exception is the volume IV/8a, which has no running numbers, so that the page-number in that volume is recorded instead. For a detailed description of the references in the various volumes, see the following table.

| LB Vol. Citation         | Description  |
|--------------------------|--|
| II/4 2.b:c               | chapter 2; section 'b'; compound 'c'   |
| II/6 a.b:c (or) 2.b.bb:c | chapter 'a'; section 'b' or 'b.bb'; compound 'c'   |
| II/14x a.b.bb:c          | subvolume 'x' (a or b); chapter 'a'; section 'b.bb' (sometimes 'b.bb.bbb'); compound 'c' |
| II/19x 2.b.bb:c          | subvolume 'x' (a to c, d1, d2); section 'b.bb' (sometimes 'b.bb.bbb'); compound 'c'      |
| III/38a a.1:c            | chapter 'a' (2 = pure liquids, 3 = binary mixtures); section 1; compound 'c'             |
| III/38b 2.1:c            | chapter 2; section 1; compound 'c' (only single compounds)                               |
| IV/6 a.1:c (or) a.1.bb:c | chapter 'a' (2 = pure liquids, 3 = binary mixtures); section 1 or '1.bb'; compound 'c'   |
| IV/7x a.b:c              | subvolume 'x' (a to f); chapter 'a'; section 'b'; compound 'c'                           |
| IV/8x 3.5.bb, p. d       | section 'bb'; page 'd' (no running numbers for this subvolume)                           |
| IV/8x a.b:c              | subvolume 'x' (b to f); chapter 'a'; section 'b'; compound 'c'                           |
| IV/16 a.1.bb:c           | chapter 'a' (2 = pure liquids, 3 = binary mixtures); section '1.bb'; compound 'c'        |
| IV/20x a.b:c             | subvolume 'x' (always a); chapter 'a'; section 'b'; compound 'c'                         |

## 1.5 Table structure

### 1.5.1 Index by molecular formula and chemical structures




The table is organized in five columns as follows:

| Column | Contents  |
|--------|---|
| 1      | Running number of the compound  |
| 2      | Molecular formula; Molecular mass [g/mol]; CAS-RN   |
| 3      | Chemical structure drawing<br>If applicable also references to isotopes, molecular mixtures, single compounds   |
| 4      | Compound name(s)  |
| 5      | Landolt-Börnstein references<br>Single compound references are written out in full, mixtures are preceded with the word 'Mixtures:' and written in a concatenated format. |

In order to facilitate the search for a particular compound in the large amount of data, the carbon count of the first molecule in the current page will be displayed at the top of each page, and the table will show a dividing horizontal bar between two compounds with differing carbon count.

In some cases, the third column will show crossreferences to other entries in the index-file. This applies for structures which have a deuterated and a "normal" form in the database, and for structures which are either part of a binary defined mixture, or are a defined mixture themselves. The crossreference contains always the running number plus an identifier for the relationship. The relationships H, D, M and S are defined as follows:



- H      The crossreference shows the same compound non-deuterated
- D      The crossreference shows the same compound (possibly partly) deuterated
- M      This compound is also part of a defined binary mixture
- S      Crossreference to the single compounds of a defined mixture.

|     |  |  |   |   |
|-----|--|--|---|---|
| 71  | CD <sub>4</sub> O<br>36.07<br>811-98-3   | <br>see also: 263(H), 327(H)                                    | tetra-deuterio-methanol   | III/38b 2.1:918   |
| 263 | CH <sub>3</sub> DO<br>33.05<br>1455-13-6 | <br>see also: 71(D), 327(H)                                     | O-deuterio-methanol;<br>methanol-D <sub>1</sub> ;<br>methyl alcohol-d | III/38b 2.1:952;<br>IV/6 2.1.3:115;<br>IV/8a 3.5.1,p.36             |
| 327 | CH <sub>4</sub> O<br>32.04<br>67-56-1    | <br>see also: 71(D), 263(D), 311(M),<br>341(M), 368(M), 1022(M) | methanol;<br>methyl alcohol   | II/4 2.5:38;<br>II/4 2.6:110;<br>[...]<br><b>Mixtures:</b><br>[...] |

Explanation: Compound 71 has two references to compounds with "less Deuterium"

Compound 263 has one reference to 71 which is deuterated, and one to 327, which is "normal"

Compound 327 has two references to the deuterated forms, as well as references to defined binary mixtures.

|      |  |  |   |  |
|------|--|--|---|--|
| 167  | CHNS<br>59.09<br>463-56-9  | NC—SH<br>see also: 2680(M), 3604(M), 3618(M)   | hydrogen thiocyanate;<br>thiocyanic acid  | IV/20a 3.1:65  |
| 1037 | C <sub>2</sub> H <sub>8</sub> N <sub>2</sub><br>60.10<br>107-15-3                    | <br>see also: 2680(M)          | 1,2-diaminoethane;<br>dimethylenediamine;<br>ethane-1,2-diamine;<br>1,2-ethanediamine;<br>ethylenediamine | II/14a 2.5.2:176;<br>II/14a 2.6.3.2:88;<br>III/38b 2.1:1171;<br>IV/6 2.1.3:198;<br>IV/8a 3.5.1,p.52;<br>IV/16 2.1.7:495;<br><b>Mixtures:</b><br>III/38a 3.1:22;<br>IV/6 3.1:233, 238 |
| 2680 | C <sub>4</sub> H <sub>10</sub> N <sub>4</sub> S <sub>2</sub><br>178.28<br>22205-63-6 | <br>see also: 167(S), 1037(S) | ethylenediamine dihydrothiocyanate;<br>thiocyanic acid, compd. with<br>ethylenediamine (2:1)              | IV/8a 3.5.2,p.87   |

Explanation: The defined mixture 2680 has two crossreferences to the single compounds

The compounds 1037 and 167 point to their mixture

Compound 167 appears in other defined mixtures with other compounds as well.

Noteworthy is also that compound 1037 has in the LB-references "Mixtures" entries as well, these are mixtures which are not an exact relation, and therefore not taken into the database as a separate entry.

### 1.5.2 Index sorted by Chemical Abstracts registry numbers

This index combines both entries of actual (current) CAS-RN and deleted (old) Registry Numbers that have been removed from the Chemical Abstracts System, but remain visible as CAS-DR numbers. The CAS-DR numbers will not be shown in the compound index, since in some cases there are very many deleted numbers for one compound.

The table is organized in two columns as follows:

| Column | Contents                  |
|--------|---------------------------|
| 1      | CAS-RN or <i>CAS-DR</i> * |
| 2      | Volume and running number |

Out-dated, deleted CAS-RN (= CAS-DR) are displayed in the CAS index in *italics* and marked additionally with a star \*.

## 1.6 Exact volume titles and references

### **Volume II/4: Molecular Constants from Microwave Spectroscopy**

Editors: K.-H. Hellwege, A.M. Hellwege

Author: B. Starck

1967. 67 figs., X, 225 pages. ISBN 3-540-03896-5

### **Volume II/6: Molecular Constants from Microwave, Molecular Beam, and Electron Spin Resonance Spectroscopy**

(Supplement and extension to volume II/4)

Editors: K.-H. Hellwege, A.M. Hellwege

Authors: J. Demaison, W. Hüttner, B. Starck, I. Buck, R. Tischer, M. Winnewisser

1974. 153 figs., XIII, 688 pages. ISBN 3-540-05977-6

### **Volume II/14: Molecular Constants Mostly from Microwave, Molecular Beam and Electron Resonance Spectroscopy**

(Supplement to volumes II/4 and II/6)

Editors: K.-H. Hellwege, A.M. Hellwege

#### **Subvolume a: Diamagnetic Molecules**

Authors: J. Demaison, A. Dubrulle, W. Hüttner, E. Tiemann

1982. 196 figs., XI, 788 pages. ISBN 3-540-11365-7

### **Volume II/14: Molecular Constants Mostly from Microwave, Molecular Beam and Electron Resonance Spectroscopy**

(Supplement to volumes II/4 and II/6)

Editors: K.-H. Hellwege, A.M. Hellwege

#### **Subvolume b: Radicals, Diatomic Molecules and Substance Index**

Authors: J.M. Brown, J. Demaison, A. Dubrulle, W. Hüttner, E. Tiemann

1983. 196 figs., IX, 373 pages. ISBN 3-540-11857-8

### **Volume II/19: Molecular Constants Mostly from Microwave, Molecular Beam, and Sub-Doppler Laser Spectroscopy**

(Supplement to volumes II/4, II/6 and II/14)

Editor: W. Hüttner

#### **Subvolume a: Rotational, l-type, Centrifugal Distortion and Related Constants of Diamagnetic Diatomic, Linear, and Symmetric Top Molecules**

Authors: J. Demaison, W. Hüttner, E. Tiemann, G. Włodarczak

1992. XI, 143 pages. ISBN 3-540-54409-7

### **Volume II/19: Molecular Constants Mostly from Microwave, Molecular Beam, and Sub-Doppler Laser Spectroscopy**

(Supplement to volumes II/4, II/6 and II/14)

Editor: W. Hüttner

#### **Subvolume b: Rotational, Centrifugal Distortion and Related Constants of Diamagnetic Asymmetric Top Molecules**

Authors: J. Demaison, W. Hüttner, J. Vogt, G. Włodarczak,

1992. XI, 488 pages. ISBN 3-540-54578-6

**Volume II/19: Molecular Constants Mostly from Microwave, Molecular Beam, and Sub-Doppler Laser Spectroscopy**

(Supplement to volumes II/4, II/6 and II/14)

Editor: W. Hüttnner

**Subvolume c: Dipole Moments, Quadrupole Coupling Constants, Hindered Rotation and Magnetic Constants of Diamagnetic Molecules**

Authors: J. Demaison, W. Hüttnner, E. Tiemann, J. Vogt, G. Włodarczak

1992. 8 figs., XI, 295 pages. ISBN 3-540-54893-9

**Volume II/19: Molecular Constants Mostly from Microwave, Molecular Beam, and Sub-Doppler Laser Spectroscopy**

(Supplement to volumes II/4, II/6 and II/14)

Editor: W. Hüttnner

**Subvolume d1: Diatomic Radicals and Ions**

Author: E. Tiemann

1995. VIII, 208 pages. ISBN 3-540-55462-9

**Volume II/19: Molecular Constants Mostly from Microwave, Molecular Beam, and Sub-Doppler Laser Spectroscopy**

(Supplement to volumes II/4, II/6, and II/14)

Editor: W. Hüttnner

**Subvolume d2: Polyatomic Radicals and Ions**

Author: J.M. Brown

1995. VIII, 355 pages. ISBN 3-540-58210-X

**Volume III/38: Optical Constants**

Editors: M.D. Lechner

**Subvolume a: Refractive Indices of Inorganic, Organometallic, and Organononmetallic Liquids and Binary Liquid Mixtures**

Authors: Ch. Wohlfarth, B. Wohlfarth

1996. VII, 400 pages. ISBN 3-540-60539-8

**Volume III/38: Optical Constants**

Editors: M.D. Lechner

**Subvolume b: Refractive Indices of Organic Liquids**

Authors: Ch. Wohlfarth, B. Wohlfarth

1996. VII, 421 pages. ISBN 3-540-60596-7

**Volume IV/6: Static Dielectric Constants of Pure Liquids and Binary Liquid Mixtures**

Editor: O. Madelung

Author: Ch. Wohlfarth

1991. VIII, 521 pages. ISBN 3-540-54417-8

**Volume IV/7: Liquid Crystals**

Editor: J. Thiem

**Subvolume a: Transition Temperatures and Related Properties of One-Ring Systems and Two-Ring Systems without Bridging Groups**

Author: V. Vill

1992. 10 figs., VIII, 268 pages. ISBN 3-540-55503-X

**Volume IV/7: Liquid Crystals**

Editor: J. Thiem

**Subvolume b: Transition Temperatures and Related Properties of Two-Ring Systems with Bridging Group**

Author: V. Vill

1992. 10 figs., VIII, 653 pages. ISBN 3-540-55504-8

**Volume IV/7: Liquid Crystals**

Editor: J. Thiem

**Subvolume c: Transition Temperatures and Related Properties of Three-Ring Systems without Bridging Groups**

Author: V. Vill

1993. 10 figs., VIII, 228 pages. ISBN 3-540-56136-6

**Volume IV/7: Liquid Crystals**

Editor: J. Thiem

**Subvolume d: Transition Temperatures and Related Properties of Three Ring Systems with One Bridging Group**

Author: V. Vill

1994. VIII, 527 pages. ISBN 3-540-56757-7

**Volume IV/7: Liquid Crystals**

Editor: J. Thiem

**Subvolume e: Transition Temperatures and Related Properties of Three Ring Systems with Two Bridging Groups**

Author: V. Vill

1995. VIII, 612 pages. ISBN 3-540-56758-5

**Volume IV/7: Liquid Crystals**

Editor: J. Thiem

**Subvolume f: Transition Temperatures and Related Properties of Four Ring Systems, Five Ring Systems, and More than Five Rings**

Author: V. Vill

1995. VIII, 589 pages. ISBN 3-540-58853-1

**Volume IV/8: Thermodynamic Properties of Organic Compounds and their Mixtures**

Editor: K.N. Marsh

**Subvolume a: Enthalpies of Fusion and Transition of Organic Compounds**

Authors: Z.-Y- Zhang, M- Frenkel, K.N. March, R.C. Wilhoit

1995. VIII, 588 pages. ISBN 3-540-58854-X

**Volume IV/8: Thermodynamic Properties of Organic Compounds and their Mixtures**

Editor: K.N. Marsh

**Subvolume b: Densities of Aliphatic Hydrocarbons: Alkanes**

Authors: R.C. Wilhoit, K.N. Marsh, X. Hong, N. Gadalla, M. Frenkel

1996. 119 figs., X, 410 pages. ISBN 3-540-61029-4

**Volume IV/8: Thermodynamic Properties of Organic Compounds and their Mixtures**

Editor: K.N. March

**Subvolume c: Densities of Aliphatic Hydrocarbons: Alkenes, Alkadienes, Alkynes, and Miscellaneous Compounds**

Authors: R.C. Wilhoit, K.N. Marsh, X. Hong, N. Gadalla, M. Frenkel

1996. 78 figs., X, 381 pages. ISBN 3-540-61554-7

**Volume IV/8: Thermodynamic Properties of Organic Compounds and their Mixtures**

Editor: K.R. Hall, K.N.Marsh

**Subvolume d: Densities of Monocyclic Hydrocarbons**

Authors: R.C. Wilhoit, X. Hong, M. Frenkel, K.R. Hall

1997. 117 figs., XIV, 466 pages. ISBN 3-540-62509-7

**Volume IV/8: Thermodynamic Properties of Organic Compounds and their Mixtures**

Editor: K.R. Hall, K.N.Marsh

**Subvolume e: Densities of Aromatic Hydrocarbons**

Authors: R.C. Wilhoit, X. Hong, M. Frenkel, K.R. Hall

1998. X, 373 pages. ISBN 3-540-62510-0

**Volume IV/8: Thermodynamic Properties of Organic Compounds and their Mixtures**

Editor: K.R. Hall, K.N.Marsh

**Subvolume f: Densities of Polycyclic Hydrocarbons**

Authors: R.C. Wilhoit, X. Hong, M. Frenkel, K.R. Hall

1999. XI, 538 pages, ISBN 3-540-65162-4

**Volume IV/16: Surface tension of pure liquids and binary mixtures**

Editor: M.D. Lechner

Authors: Ch. Wohlfarth, B. Wohlfarth

1997. VII, 439 pages. ISBN 3-540-63276-X

**Volume IV/20: Vapor Pressure of Chemicals**

Editor: K.R. Hall


**Subvolume a: Vapor Pressure and Antoine Constants for Hydrocarbons and Sulfur -, Selenium -, Tellurium -, and Halogen – Containing Organic Compounds**





Authors: J. Dykyj, J. Svoboda, R. C. Wilhoit, M. Frenkel, K. R. Hall

1999. VIII, 373 pages. ISBN 3-540-64735-X












## Data

### 2 Tabulated index sorted by molecular formula and chemical structures

|    |   |   |  |  |
|----|---|---|--|--|
| 1  | CArCIN<br>101.42  | Ar      Cl—CN<br>see also: 42(S)  | argon-cyanogen chloride (1/1)  | II/14a 2.5.2:756a;<br>II/14a 2.7.3.2:144a  |
| 2  | CArF <sub>2</sub> O<br>105.96                           | Ar <br>see also: 85(S) | argon-carbonyl fluoride (1/1)  | II/19b 2.5.2:20  |
| 3  | CArOS<br>100.02   | Ar      S=C=O<br>see also: 394(S)   | argon-carbonyl sulfide (1/1)   | II/14a 2.5.2:756;<br>II/14a 2.6.3.2:364;<br>II/19b 2.5.2:21;<br>II/19c 2.9.3.2:3 |
| 4  | CArO <sub>2</sub><br>83.96                              | Ar      O=C=O<br>see also: 396(S)   | argon-carbon dioxide (1/1)   | II/14a 2.5.2:755;<br>II/14a 2.6.3.2:363;<br>II/19b 2.5.2:22                      |
| 5  | CAsCl <sub>2</sub> F <sub>3</sub><br>214.83<br>421-32-9 |                       | dichloro(trifluoromethyl)arsine  | III/38a 2.1.3:192;<br>IV/20a 4.1:98  |
| 6  | CB<br>22.82<br>12011-54-0                               | C---B   | boron carbide  | II/19d1 3.1.4.3:5  |
| 7  | CBF <sub>3</sub> O<br>95.82<br>51006-66-7               |                      | carbonyltrifluoroborane  | II/14a 2.4.2:52;<br>II/14a 2.6.2.2:55;<br>II/14a 2.7.2.2:8                       |
| 8  | CBrClF <sub>2</sub><br>165.37<br>353-59-3               |                      | bromochlorodifluoromethane;<br>chlorobromodifluoromethane;<br>freon 12b1 | IV/6 2.1.3:85;<br>IV/16 2.1.7:382;<br>IV/20a 4.1:99                              |
| 9  | CBrCl <sub>2</sub> F<br>181.82<br>353-58-2              |                      | bromodichlorofluoromethane   | IV/20a 4.1:100   |
| 10 | CBrCl <sub>3</sub><br>198.28<br>75-62-7                 |                      | bromotrichloromethane  | III/38b 2.1:896;<br>IV/6 2.1.3:95;<br>IV/8a 3.5.1,p.29;<br>IV/20a 4.1:101        |
| 11 | CBrFO<br>126.92<br>753-56-0                             |                      | carbonic bromide fluoride;<br>carbonyl bromide fluoride                  | IV/20a 4.1:102   |
| 12 | CBrF <sub>2</sub> N<br>143.92<br>90624-74-1             |                      | N-bromodifluoromethanimine   | II/19b 2.5.2:22a;<br>II/19c 2.7.4.2:11a  |

|    |   |   |   |   |
|----|---|---|---|---|
| 13 | CBrF <sub>3</sub><br>148.91<br>75-63-8                                |    | bromotrifluoromethane;<br>freon 13b1;<br>trifluorobromomethane      | II/4 2.4:21;<br>II/4 2.7:57;<br>II/14a 2.4.2:20;<br>II/14a 2.6.2.2:41;<br>II/14a 2.7.2.2:50;<br>II/19a 2.4.2:14;<br>II/19c 2.7.3.2:9;<br>III/38b 2.1:897;<br>IV/6 2.1.3:89;<br>IV/16 2.1.7:383;<br>IV/20a 4.1:103 |
| 14 | CBrN<br>105.93<br>506-68-3  | NC—Br   | cyanogen bromide  | II/4 2.3:8;<br>II/4 2.7:54;<br>II/6 2.9.2:6a;<br>II/14a 2.3.2:7;<br>II/19a 2.3.2:9;<br>II/19c 2.7.2.2:6;<br>II/19c 2.9.2.2:5;<br>IV/20a 4.1:104   |
| 15 | CBrNO<br>121.93<br>3644-72-2  |    | bromine isocyanate  | II/19b 2.5.2:23;<br>II/19c 2.7.4.2:12   |
| 16 | CBrNS<br>137.99<br>29284-59-1   |    | bromine thiocyanate   | II/19b 2.5.2:24;<br>II/19c 2.7.4.2:13   |
| 17 | CBrN <sub>3</sub> O <sub>6</sub><br>229.94<br>560-95-2                |   | bromotrinitromethane  | III/38b 2.1:898;<br>IV/20a 4.1:105  |
| 18 | CBr <sub>2</sub> ClF<br>226.28<br>353-55-9                            |  | dibromochlorofluoromethane  | III/38b 2.1:899;<br>IV/20a 4.1:106  |
| 19 | CBr <sub>2</sub> Cl <sub>2</sub><br>242.74<br>594-18-3                |  | dibromodichloromethane  | III/38b 2.1:900;<br>IV/6 2.1.3:92;<br>IV/20a 4.1:107  |
| 20 | CBr <sub>2</sub> F <sub>2</sub><br>209.83<br>75-61-6                  |  | dibromodifluoromethane;<br>difluoro-dibromo-methane;<br>freon 12-b2 | III/38b 2.1:901;<br>IV/6 2.1.3:87;<br>IV/16 2.1.7:384;<br>IV/20a 4.1:108  |
| 21 | CBr <sub>2</sub> N <sub>2</sub> O <sub>4</sub><br>263.84<br>2973-00-4 |  | dibromo-dinitro-methane   | III/38b 2.1:902   |
| 22 | CBr <sub>2</sub> O<br>187.83<br>593-95-3                              |  | carbonyl dibromide  | II/14a 2.5.2:127;<br>II/14a 2.7.3.2:150   |
| 23 | CBr <sub>3</sub> Cl<br>287.19<br>594-15-0                             |  | tribromochloromethane   | IV/6 2.1.3:91;<br>IV/20a 4.1:109  |
| 24 | CBr <sub>3</sub> F<br>270.74<br>353-54-8                              |  | tribromofluoromethane   | III/38b 2.1:903;<br>IV/6 2.1.3:84;<br>IV/20a 4.1:110  |
| 25 | CBr <sub>3</sub> NO <sub>2</sub><br>297.74<br>464-10-8                |  | tribromonitromethane  | III/38b 2.1:904;<br>IV/6 2.1.3:98   |

|     |   |                                   |  |   |
|-----|---|-----------------------------------|--|---|
| 404 | <chem>CSe2</chem><br>169.93<br>506-80-9       | $\text{Se}=\text{C}=\text{Se}$    | carbon diselenide  | IV/8a 3.5.1,p.31;<br>IV/16 2.1.1:28;<br>IV/20a 3.3:10       |
| 405 | <chem>CSi</chem><br>40.10<br>409-21-2         | $\text{C}-\text{Si}$              | silicon carbide  | II/19d1 3.1.6.2:3   |
| 406 | <chem>CV</chem><br>62.95<br>12070-10-9        | $\text{C}-\text{V}$               | vanadium carbide   | II/19d1 3.1.8.3:2;<br>II/19d2 3.2.1.3:9                     |
| 407 | <chem>C2</chem><br>24.02<br>12595-79-8        | $\text{C}\equiv\text{C}^+$        | dicarbon (1+)ion   | II/19d1 3.1.4.3:7   |
| 408 | <chem>C2AsClF6</chem><br>248.39<br>359-53-5   |                                   | chlorobis(trifluoromethyl)arsine   | IV/20a 4.2:243  |
| 409 | <chem>C2AsF6I</chem><br>339.84<br>359-55-7    |                                   | iodo-bis-trifluoromethyl-arsine  | III/38a 2.1.3:194   |
| 410 | <chem>C2BF3N2</chem><br>119.84                | $\text{NC}-\text{CN}$             | dicyan-trifluoroborane (1/1)   | II/19a 2.4.2:38   |
|     |   | see also: 1063(S)                 |  |   |
| 411 | <chem>C2BrCl</chem><br>139.38<br>25604-70-0   | $\text{Br}-\equiv-\text{Cl}$      | bromochloroethyne  | II/6 2.3:21;<br>II/6 2.6.2:7;<br>II/6 2.7.2:34              |
| 412 | <chem>C2BrCl2F3O4</chem><br>295.83            |                                   | 1,2,2-trifluoro-1-chloro-2-bromoethyl perchlorate                                      | IV/20a 4.2:244  |
| 413 | <chem>C2BrCl3O</chem><br>226.29<br>34069-94-8 |                                   | trichloroacetyl bromide  | IV/20a 4.2:245  |
| 414 | <chem>C2BrCl5</chem><br>281.20<br>79504-02-2  | $\text{Br}-\text{C}_2\text{Cl}_5$ | bromopentachloroethane; ethane, bromopentachloro-                                      | IV/20a 4.2:246  |
| 415 | <chem>C2BrF</chem><br>122.93<br>85352-03-0    | $\text{F}-\equiv-\text{Br}$       | bromofluoroethyne  | II/19a 2.3.2:33;<br>II/19c 2.6.2.2:10;<br>II/19c 2.7.2.2:22 |
| 416 | <chem>C2BrF3</chem><br>160.93<br>598-73-2     |                                   | 1-bromo-1,2,2-trifluoroethylene; bromotrifluoroethene; trifluorovinyl bromide          | IV/20a 4.2:247  |
| 417 | <chem>C2BrF5</chem><br>198.92<br>354-55-2     | $\text{Br}-\text{C}_2\text{F}_5$  | 1-bromo-1,1,2,2,2-pentafluoro-ethane; pentafluoroethyl bromide; perfluoroethyl bromide | III/38b 2.1:965;<br>IV/20a 4.2:248                          |
| 418 | <chem>C2BrF5Se</chem><br>277.88<br>6123-59-7  |                                   | (pentafluoroethane)selenenylbromide; (pentafluoroethane) selenyl bromide               | IV/20a 3.3:12;<br>IV/20a 4.2:249                            |

|     |   |   |   |  |
|-----|---|---|---|--|
| 419 | C <sub>2</sub> BrF <sub>9</sub> S<br>306.98<br>63011-81-4                           |    | (1-bromo-1,2,2,2-tetrafluoroethyl)pentafluorosulfur; ethane, 2-bromo-1,1,1,2-tetrafluoro-, sulfur complex                           | IV/20a 3.1:77;<br>IV/20a 4.2:250   |
| 420 | C <sub>2</sub> Br <sub>2</sub> ClF <sub>3</sub><br>276.29<br>754-17-6               |    | 1,1-dibromo-1-chloro-2,2,2-trifluoroethane  | III/38b 2.1:966  |
| 421 | C <sub>2</sub> Br <sub>2</sub> ClF <sub>3</sub><br>276.29<br>354-51-8               |    | 1,2-dibromochlorotrifluoroethane; 1,2-dibromotrifluorochloroethane; freon 113b2   | III/38b 2.1:967;<br>IV/16 2.1.7:415;<br>IV/20a 4.2:251   |
| 422 | C <sub>2</sub> Br <sub>2</sub> Cl <sub>2</sub> F <sub>2</sub><br>292.74<br>421-69-2 |    | 1,2-dibromo-1,2-dichloro-1,2-difluoroethane; 1,2-dibromo-1,2-dichlorodifluoroethane; ethane, 1,2-dibromo-1,2-dichloro-1,2-difluoro- | IV/20a 4.2:253   |
| 423 | C <sub>2</sub> Br <sub>2</sub> Cl <sub>2</sub> F <sub>2</sub><br>292.74<br>558-57-6 |    | 1,2-dibromo-1,1-dichloro-2,2-difluoroethane; 1,2-dibromo-1,1-dichlorodifluoroethane; 1,1-dichloro-1,2-dibromodifluoroethane         | IV/20a 4.2:252   |
| 424 | C <sub>2</sub> Br <sub>2</sub> Cl <sub>4</sub><br>325.65<br>630-25-1                |   | 1,2-dibromo-1,1,2,2-tetrachloroethane; 1,2-dibromotetrachloroethane; sym-dibromotetrachloroethane                                   | IV/20a 4.2:254   |
| 425 | C <sub>2</sub> Br <sub>2</sub> F <sub>4</sub><br>259.83<br>124-73-2                 |  | 1,2-dibromoperfluoroethane; 1,2-dibromotetrafluoroethane; fluobrene; freon 114B2; halon 114b2                                       | III/38b 2.1:969;<br>IV/6 2.1.3:125;<br>IV/8a 3.5.1,p.38;<br>IV/16 2.1.7:416;<br>IV/20a 4.2:255 |
| 426 | C <sub>2</sub> Br <sub>2</sub> F <sub>4</sub><br>259.83<br>27336-23-8               |  | 1,1-dibromo-1,2,2,2-tetrafluoroethane   | III/38b 2.1:968  |
| 427 | C <sub>2</sub> Br <sub>3</sub> F <sub>3</sub><br>320.74<br>354-49-4                 |  | 1,1,2-tribromo-1,2,2-trifluoroethane  | III/38b 2.1:970  |
| 428 | C <sub>2</sub> Br <sub>3</sub> F <sub>3</sub><br>320.74<br>354-48-3                 |  | ethane, 1,1,1-tribromo-2,2,2-trifluoro-; 1,1,1-tribromo-2,2,2-trifluoroethane; 1,1,1-tribromotrifluoroethane                        | IV/20a 4.2:256   |
| 429 | C <sub>2</sub> Br <sub>4</sub><br>343.66<br>79-28-7                                 |  | 1,1,2,2-tetrabromoethene; tetrabromoethene; tetrabromoethylene  | III/38b 2.1:971;<br>IV/20a 4.2:257   |
| 430 | C <sub>2</sub> ClF<br>78.47<br>27794-53-2   |  | chlorofluoroethyne  | II/14a 2.6.2.2:16a;<br>II/14a 2.7.2.2:23a;<br>II/14b 5.2.3:27a                                 |
| 431 | C <sub>2</sub> CIFN <sub>2</sub><br>106.49<br>30915-40-3                            |  | acetonitrile, chloro(fluoroimino)-, (Z)-; carbonocyanimidic chloride, fluoro-, (Z)-; cis-chloro(fluoroimino)acetonitrile            | IV/20a 4.2:269   |
| 432 | C <sub>2</sub> CIFN <sub>2</sub><br>106.49<br>30915-39-0                            |  | acetonitrile, chloro(fluoroimino)-, (E)-; carbonocyanimidic chloride, fluoro-, (E)-; trans-chloro(fluoroimino)acetonitrile          | IV/20a 4.2:270   |

|      |   |   |  |  |
|------|---|---|--|--|
| 1060 | C <sub>2</sub> N<br>38.03<br>78271-45-1                               | $\text{C}\equiv\text{N}^+=\text{C}\bullet$  | isocyanomethylidyne (1+)ion  | II/19a 2.3.2:48  |
| 1061 | C <sub>2</sub> N<br>38.03<br>76619-90-4                               | NC—C <sup>+</sup> :   | cyanomethylidyne (1+)ion   | II/19a 2.3.2:47  |
| 1062 | C <sub>2</sub> NP<br>69.00<br>74896-22-3                              | NC— $\equiv\text{P}$  | (cyanomethylidyne)phosphine  | II/14a 2.3.2:15;<br>II/14a 2.6.2.2:10                              |
| 1063 | C <sub>2</sub> N <sub>2</sub><br>52.04<br>460-19-5                    | NC—CN<br>see also: 410(M), 591(M)   | cyanogen; ethanedinitrile;<br>oxalic acid dinitrile;<br>oxalyl cyanide | IV/8a 3.5.1,p.40   |
| 1064 | C <sub>2</sub> N <sub>2</sub><br>52.04<br>83951-85-3                  | $\text{C}\equiv\text{N}^+-\text{N}^+\equiv\text{C}^-$                                     | isocyanogen  | II/19a 2.3.2:49;<br>II/19c 2.9.2.2:21                              |
| 1065 | C <sub>2</sub> N <sub>2</sub> O<br>68.04<br>22430-66-6                |   | cyanogen isocyanate  | II/14a 2.5.2:9;<br>II/14a 2.6.3.2:5                                |
| 1066 | C <sub>2</sub> N <sub>2</sub> S<br>84.10<br>627-52-1                  |   | sulfur dicyanide   | II/4 2.5:24;<br>II/4 2.6:100;<br>II/4 2.7:87a;<br>II/19b 2.5.2:224 |
| 1067 | C <sub>2</sub> N <sub>2</sub> S<br>84.10<br>56023-03-1                |   | cyanogen isothiocyanate  | II/14a 2.5.2:10;<br>II/19b 2.5.2:225;<br>II/19c 2.6.4.2:93a        |
| 1068 | C <sub>2</sub> N <sub>6</sub> O <sub>12</sub><br>300.05<br>918-37-6   |   | hexanitroethane  | IV/8a 3.5.1,p.40   |
| 1069 | C <sub>2</sub> O<br>40.02<br>119754-08-4                              | $\text{C}\equiv\text{O}$  | dicarbon monoxide  | II/19d2 3.2.1.2:7  |
| 1070 | C <sub>2</sub> O <sub>2</sub><br>56.02                                | $\text{O}\equiv\text{C}---\text{C}\equiv\text{O}$   | carbon monoxide dimer  | II/14a 2.5.2:763   |
| 1071 | C <sub>2</sub> O <sub>3</sub><br>72.02                                | $\text{O}^+\equiv\text{C}^- \quad \text{O}=\text{C}=\text{O}$<br>see also: 393(S), 396(S) | carbon monoxide-carbon dioxide (1/1)                                   | II/19b 2.5.2:226   |
| 1072 | C <sub>2</sub> O <sub>3</sub> S<br>104.08                             | $\text{O}=\text{C}=\text{S} \quad \text{O}=\text{C}=\text{O}$<br>see also: 394(S), 396(S) | carbonyl sulfide-carbon dioxide (1/1)                                  | II/19b 2.5.2:227;<br>II/19c 2.6.4.2:94                             |
| 1073 | C <sub>2</sub> S<br>56.09<br>109545-32-6                              | $\text{C}\equiv\text{S}$  | dicarbon monosulfide   | II/19d2 3.2.1.2:8  |
| 1074 | C <sub>2</sub> Si<br>52.11<br>108549-59-3                             |   | silacycloprop-2-yn-1-ylidene   | II/19b 2.5.2:228;<br>II/19c 2.6.4.2:95                             |
| 1075 | C <sub>3</sub> AsF <sub>9</sub><br>281.94<br>432-02-0                 |   | tris(trifluoromethyl)arsine  | IV/20a 4.3:522   |
| 1076 | C <sub>3</sub> BF <sub>9</sub> S <sub>3</sub><br>314.02<br>36884-78-3 |   | tris(trifluoromethylthio)borane(3)                                     | IV/20a 3.1:165;<br>IV/20a 4.3:523                                  |






|      |  |  |  |  |
|------|--|--|--|--|
| 1077 | C <sub>3</sub> BrClF <sub>6</sub> O <sub>4</sub><br>329.38<br>38126-26-0 |  | 1,1,2,3,3,3-hexafluoro-2-bromopropyl perchlorate   | IV/20a 4.3:524                                     |
| 1078 | C <sub>3</sub> BrF <sub>5</sub> O<br>226.93<br>6129-62-0                 |  | 2,3,3,3-tetrafluoro-2-bromopropionyl fluoride  | IV/20a 4.3:525                                     |
| 1079 | C <sub>3</sub> BrF <sub>7</sub><br>248.93<br>422-85-5                    |  | 1-bromo-heptafluoro-propane  | III/38b 2.1:1172                                   |
| 1080 | C <sub>3</sub> BrF <sub>7</sub> Se<br>327.89<br>662-44-2                 |  | heptafluoro-1-propane selenyl bromide;<br>1,1,2,2,3,3,3-heptafluoro-1-propaneselenenyl bromide   | IV/20a 3.3:16                                      |
| 1081 | C <sub>3</sub> BrN<br>129.95<br>3114-46-3                                |  | 3-bromo-2-propynenitrile   | II/14a 2.3.2:29;<br>II/14a 2.7.2.2:45              |
| 1082 | C <sub>3</sub> Br <sub>2</sub> F <sub>6</sub><br>309.84<br>661-95-0      |  | 1,2-dibromo-1,1,2,3,3,3-hexafluoro-propane   | IV/16 2.1.7:496                                    |
| 1083 | C <sub>3</sub> Br <sub>2</sub> F <sub>6</sub> O<br>325.84<br>2356-57-2   |  | (trifluoromethyl)(1,2,2-trifluoro-1,2-dibromoethyl)ether   | IV/20a 4.3:526                                     |
| 1084 | C <sub>3</sub> Br <sub>3</sub> F <sub>6</sub> NO<br>419.76<br>29528-78-7 |  | 1,1,1,1',1'-hexafluoro-N-(tribromomethoxy)-dimethylamine   | IV/20a 4.3:527                                     |
| 1085 | C <sub>3</sub> ClF <sub>3</sub><br>128.48<br>38014-42-5                  |  | 1-chloro-3,3,3-trifluoropropyne  | II/6 2.4:46b;<br>II/6 2.6.2:27b;<br>II/6 2.7.2:27a |
| 1086 | C <sub>3</sub> ClF <sub>5</sub> O<br>182.48<br>79-53-8                   |  | 1-chloro-1,1,3,3,3-pentafluoro-2-propanone;<br>alpha-chloroperfluoroacetone;<br>1,1,1,3,3-pentafluoro-3-chloroacetone                    | IV/20a 4.3:528                                     |
| 1087 | C <sub>3</sub> ClF <sub>5</sub> O<br>182.48<br>28627-00-1                |  | chloro-2,3,3,3-tetrafluoropropanoyl fluoride;<br>chloroperfluoropropionyl fluoride;<br>propionyl fluoride, 2-chloro-2,3,3,3-tetrafluoro- | IV/20a 4.3:529                                     |
| 1088 | C <sub>3</sub> ClF <sub>6</sub> NO <sub>2</sub><br>231.48<br>15496-01-2  |  | o-(chloroformyl)-N,N-bis(trifluoromethyl)hydroxylamine   | IV/20a 4.3:530                                     |
| 1089 | C <sub>3</sub> ClF <sub>7</sub><br>204.48<br>422-86-6                    |  | 1-chloro-heptafluoro-propane   | III/38b 2.1:1173                                   |
| 1090 | C <sub>3</sub> ClF <sub>7</sub> O<br>220.48<br>22675-68-9                |  | heptafluoroisopropyl hypochlorite  | IV/20a 4.3:531                                     |
| 1091 | C <sub>3</sub> ClF <sub>7</sub> Se<br>283.43<br>662-46-4                 |  | heptafluoro-1-propane selenyl chloride;<br>1,1,2,2,3,3,3-heptafluoro-1-propaneselenenyl chloride   | IV/20a 3.3:17                                      |

|      |   |  |  |   |
|------|---|--|--|---|
| 1092 | C <sub>3</sub> ClF <sub>8</sub> N<br>237.48<br>33757-13-0                 |  | N-chloro-N,1,2,2,2-pentafluoro-1-(trifluoromethyl)ethylamine   | IV/20a 4.3:532  |
| 1093 | C <sub>3</sub> ClF <sub>11</sub> S<br>312.53<br>42769-86-8                |  | chlorotetrafluoro(heptafluoropropyl) sulfur  | IV/20a 3.1:166  |
| 1094 | C <sub>3</sub> CIN<br>85.49<br>2003-31-8                                  |  | 3-chloro-2-propynenitrile  | II/14a 2.3.2:28;<br>II/14a 2.6.2.2:17;<br>II/14a 2.7.2.2:24 |
| 1095 | C <sub>3</sub> CIN <sub>3</sub> O <sub>3</sub> Si<br>189.59<br>18622-86-1 |  | chloro-triisocyanato-silane  | III/38a 2.1.5:283   |
| 1096 | C <sub>3</sub> Cl <sub>2</sub> F <sub>4</sub><br>182.93<br>684-04-8       |  | 2,3-dichloro-tetrafluoro-propene   | III/38b 2.1:1174  |
| 1097 | C <sub>3</sub> Cl <sub>2</sub> F <sub>6</sub><br>220.93<br>1652-80-8      |  | 2,2-dichloro-hexafluoro-propane  | III/38b 2.1:1177  |
| 1098 | C <sub>3</sub> Cl <sub>2</sub> F <sub>6</sub><br>220.93<br>661-97-2       |  | 1,2-dichloro-1,1,2,3,3,3-hexafluoropropane;<br>1,2-dichloroperfluoropropane;<br>freon 216;<br>ucon 216                                 | III/38b 2.1:1175;<br>IV/16 2.1.7:497;<br>IV/20a 4.3:533     |
| 1099 | C <sub>3</sub> Cl <sub>2</sub> F <sub>6</sub><br>220.93<br>662-01-1       |  | 1,3-dichloro-hexafluoro-propane  | III/38b 2.1:1176  |
| 1100 | C <sub>3</sub> Cl <sub>2</sub> F <sub>6</sub> O<br>236.93<br>22675-69-0   |  | 1,1,2,3,3,3-hexafluoro-2-chloropropyl perchlorate  | IV/20a 4.3:534  |
| 1101 | C <sub>3</sub> Cl <sub>2</sub> F <sub>7</sub> N<br>253.93<br>32751-04-5   |  | N,N-dichloro-1,1,1,2,3,3-heptafluoro-2-propanamine;<br>N,N-dichloro-1,2,2,2-tetrafluoro-1-(trifluoromethyl)ethylamine                  | IV/20a 4.3:535  |
| 1102 | C <sub>3</sub> Cl <sub>2</sub> F <sub>7</sub> NS<br>286.00<br>26454-66-0  |  | S,S-dichloro-N-[tetrafluoro-1-(trifluoromethyl)-ethylsulfilimine];<br>tetrafluoro-1-(trifluoromethyl)ethyl]imidatosulfurous dichloride | IV/20a 3.1:167;<br>IV/20a 4.3:536                           |
| 1103 | C <sub>3</sub> Cl <sub>3</sub> F <sub>6</sub><br>237.38<br>1599-41-3      |  | 1,2,2-trichloro-1,1,3,3,3-pentafluoro-propane  | III/38b 2.1:1179  |
| 1104 | C <sub>3</sub> Cl <sub>3</sub> F <sub>5</sub><br>237.38<br>1652-81-9      |  | 1,1,3-trichloro-1,2,2,3,3-pentafluoro-propane  | III/38b 2.1:1178  |

|      |   |                          |  |   |
|------|---|--------------------------|--|---|
| 1798 | C <sub>3</sub> H <sub>40</sub> O <sub>19</sub><br>380.34<br>34776-95-9  | <p>see also: 1601(S)</p> | 1,3-dioxolane clathrate hydrate                                      | IV/8a 3.5.1,p.69  |
| 1799 | C <sub>3</sub> IN<br>176.94<br>2003-32-9                                | NC— $\equiv$ —I          | 3-iodo-2-propynenitrile  | II/14a 2.3.2:30;<br>II/14a 2.7.2.2:57   |
| 1800 | C <sub>3</sub> N<br>50.04<br>62435-43-2                                 | NC— $\equiv$ C           | cyanoethynyl   | II/14b 4.2.1.2:2;<br>II/19d2 3.2.1.2:6  |
| 1801 | C <sub>3</sub> N <sub>2</sub> O<br>80.05<br>1115-12-4                   |                          | carbonyl cyanide;<br>2-oxo-malononitrile                             | II/6 2.5:68;<br>II/6 2.6.3:30;<br>II/6 2.7.3:19;<br>III/38b 2.1:1194                                |
| 1802 | C <sub>3</sub> N <sub>3</sub> O <sub>3</sub> P<br>157.03<br>1782-09-8   |                          | phosphorus triisocyanate;<br>triisocyanato-phosphine                 | III/38a 2.1.6:775;<br>IV/6 2.1.3:201  |
| 1803 | C <sub>3</sub> N <sub>3</sub> O <sub>3</sub> PS<br>189.09<br>17382-94-4 |                          | phosphorus triisocyanate sulfide;<br>triisocyanato-phosphine sulfide | III/38a 2.1.6:776;<br>IV/6 2.1.3:202  |
| 1804 | C <sub>3</sub> N <sub>3</sub> O <sub>4</sub> P<br>173.02<br>1858-24-8   |                          | phosphorus triisocyanate oxide;<br>triisocyanato-phosphine oxide     | III/38a 2.1.6:777;<br>IV/6 2.1.3:203  |
| 1805 | C <sub>3</sub> N <sub>3</sub> P<br>109.03<br>1116-01-4                  |                          | tricyanophosphine  | II/4 2.4:97   |
| 1806 | C <sub>3</sub> OS<br>84.10<br>2219-62-7                                 | O=C=C=S                  | 1,2-propadien-1-one-3-thione   | II/14a 2.3.2:16;<br>II/14a 2.6.2.2:11;<br>II/14b 5.2.3:16;<br>II/19a 2.3.2:55;<br>II/19c 2.6.2.2:18 |
| 1807 | C <sub>3</sub> O <sub>2</sub><br>68.03<br>504-64-3                      | O=C=C=O                  | carbon suboxide (1,3-dioxo-allene);<br>1,2-propadiene-1,3-dione      | II/14a 2.3.2:14;<br>II/19a 2.3.2:56;<br>III/38a 2.1.1:23  |
| 1808 | C <sub>3</sub> S <sub>2</sub><br>100.16<br>627-34-9                     | S=C=C=S                  | carbon subsulfide;<br>1,2-propadiene-1,3-dithione                    | IV/20a 3.1:214  |
| 1809 | C <sub>4</sub> As <sub>2</sub> F <sub>12</sub><br>425.87<br>360-56-5    |                          | tetrakis-trifluoromethyl-diarsane                                    | III/38a 2.1.3:200   |

|      |  |  |   |                                    |
|------|--|--|---|------------------------------------|
| 1810 | C <sub>4</sub> BrCl <sub>2</sub> F <sub>8</sub> N<br>364.85<br>4905-98-0 |  | 2-bromo-1,2-dichloro-1,2-difluoro-N,N-bis(trifluoromethyl)ethylamine                                    | IV/20a 4.3:691                     |
| 1811 | C <sub>4</sub> BrF <sub>8</sub> N<br>293.95<br>17725-57-4                |  | vinylamine-1-bromo-2,2-difluoro-N,N-bis(trifluoromethyl)amine   | IV/20a 4.3:692                     |
| 1812 | C <sub>4</sub> Br <sub>2</sub> F <sub>8</sub><br>359.85<br>335-48-8      |  | butane, 1,4-dibromo-1,2,2,3,3,4,4-octafluoro-; 1,4-dibromo-octafluorobutane; 1,4-dibromoperfluorobutane | IV/16 2.1.7:579;<br>IV/20a 4.3:693 |
| 1813 | C <sub>4</sub> Br <sub>2</sub> F <sub>9</sub> N<br>392.86<br>17725-58-5  |  | methanamine-1,2-dibromo-1,2,2-trifluoro-N,N-bis(trifluoromethyl)amine                                   | IV/20a 4.3:694                     |
| 1814 | C <sub>4</sub> ClF <sub>6</sub> P<br>228.46<br>2107-11-1                 |  | bis-(trifluoro-ethenyl)-chloro-phosphine  | III/38a 2.1.6:783                  |
| 1815 | C <sub>4</sub> ClF <sub>8</sub> N<br>249.49<br>15511-13-4                |  | vinylamine-2-chloro-1,2-difluoro-N,N-bis(trifluoromethyl)amine  | IV/20a 4.3:696                     |
| 1816 | C <sub>4</sub> ClF <sub>8</sub> N<br>249.49<br>13747-22-3                |  | N,N-bis(trifluoromethyl)-2-chloro-1,2-difluorovinylamine  | IV/20a 4.3:695                     |
| 1817 | C <sub>4</sub> ClF <sub>9</sub> S<br>286.55<br>42769-81-3                |  | 1,1,2,2,3,3,4,4,4-nonafluorobutane sulfenyl chloride  | IV/20a 3.1:215                     |
| 1818 | C <sub>4</sub> ClF <sub>13</sub> S<br>362.54<br>42769-87-9               |  | chlorotetrafluoro(nonafluorobutyl) sulfur   | IV/20a 3.1:216                     |
| 1819 | C <sub>4</sub> Cl <sub>2</sub> F <sub>6</sub><br>232.94<br>2418-21-5     |  | trans-2,3-dichloro-1,1,1,4,4-hexafluorobutene; 2,3-dichlorohexafluoro-trans-2-butene                    | IV/20a 4.3:699                     |
| 1820 | C <sub>4</sub> Cl <sub>2</sub> F <sub>6</sub><br>232.94<br>2418-22-6     |  | cis-2,3-dichloro-1,1,1,4,4-hexafluorobutene; 2,3-dichlorohexafluoro-cis-2-butene                        | IV/20a 4.3:698                     |
| 1821 | C <sub>4</sub> Cl <sub>2</sub> F <sub>6</sub><br>232.94<br>20972-44-5    |  | 2-butene, 1,4-dichloro-1,1,2,3,4,4-hexafluoro-; 1,4-dichloro-1,1,2,3,4,4-hexafluoro-2-butene            | IV/20a 4.3:697                     |

|      |   |  |  |  |
|------|---|--|--|--|
| 1822 | C <sub>4</sub> Cl <sub>2</sub> F <sub>8</sub><br>270.94<br>355-23-7     |  | 1,1-dichloro-octafluoro-butane   | III/38b 2.1:1534   |
| 1823 | C <sub>4</sub> Cl <sub>2</sub> O <sub>2</sub><br>150.95<br>2892-63-9    |  | 1,2-dichlorocyclobutene-3,4-dione  | II/19b 2.5.2:350   |
| 1824 | C <sub>4</sub> Cl <sub>3</sub> F <sub>7</sub><br>287.39<br>335-44-4     |  | butane, 2,2,3-trichloro-1,1,1,3,4,4,4-heptafluoro-;<br>2,2,3-trichloroheptafluorobutane  | IV/20a 4.3:700   |
| 1825 | C <sub>4</sub> Cl <sub>3</sub> F <sub>7</sub><br>287.39<br>335-49-9     |  | 1,1,1-trichloro-heptafluoro-butane   | III/38b 2.1:1535   |
| 1826 | C <sub>4</sub> Cl <sub>4</sub> F <sub>4</sub><br>265.85<br>357-19-7     |  | 1,2,3,4-tetrachloro-1,2,3,4-tetrafluoro-1-butene   | IV/20a 4.3:701   |
| 1827 | C <sub>4</sub> Cl <sub>4</sub> F <sub>6</sub><br>303.85<br>57504-35-5   |  | 1,2,2,4,4,4-hexafluoro-1,1,3,3-tetrachloro-butane  | IV/16 2.1.7:580  |
| 1828 | C <sub>4</sub> Cl <sub>4</sub> F <sub>6</sub><br>303.85<br>423-38-1     |  | 1,1,3,4-tetrachloro-hexafluorobutane   | III/38b 2.1:1536;<br>IV/6 2.1.3:298  |
| 1829 | C <sub>4</sub> Cl <sub>4</sub> F <sub>6</sub> O<br>319.85<br>61136-57-0 |  | trichloromethyl 2-chloro-1,1,2,3,3,3-hexafluoropropyl ether  | IV/20a 4.3:702   |
| 1830 | C <sub>4</sub> Cl <sub>4</sub> S<br>221.92<br>6012-97-1                 |  | 2,3,4,5-tetrachloro-thiophene  | III/38b 2.1:1537   |
| 1831 | C <sub>4</sub> Cl <sub>5</sub> F <sub>5</sub><br>320.30<br>375-41-7     |  | 1,1,1,3,3-pentachloro-2,2,4,4,4-pentafluoro-butane   | IV/16 2.1.7:581  |
| 1832 | C <sub>4</sub> Cl <sub>6</sub><br>260.76<br>87-68-3                     |  | hexachloro-1,3-butadiene;<br>1,1,2,3,4,4-hexachloro-1,3-butadiene;<br>hexachlorobutadiene;<br>perchloro-1,3-butadiene;<br>perchlorobutadiene | III/38b 2.1:1538;<br>IV/6 2.1.3:300;<br>IV/16 2.1.7:582;<br>IV/20a 4.3:703 |
| 1833 | C <sub>4</sub> Cl <sub>6</sub> O <sub>3</sub><br>308.76<br>4124-31-6    |  | trichloroacetic acid anhydride;<br>trichloroacetic anhydride;<br>trichloroethanoic anhydride   | III/38b 2.1:1539;<br>IV/6 2.1.3:301;<br>IV/20a 4.3:704                     |
| 1834 | C <sub>4</sub> Cl <sub>8</sub> F <sub>2</sub><br>369.67<br>1542-11-6    |  | octachloro-1,4-difluoro-butane   | III/38b 2.1:1540   |

|      |  |  |  |   |
|------|--|--|--|---|
| 2821 | C <sub>4</sub> H <sub>16</sub> O <sub>4</sub> Si <sub>4</sub><br>240.51<br>2370-88-9 |   | 2,4,6,8-tetramethyl-cyclotetrasiloxane   | III/38a 2.1.5:325                                     |
| 2822 | C <sub>4</sub> H <sub>40</sub> O <sub>18</sub><br>376.35<br>14306-51-5               |  H <sub>2</sub> O H <sub>2</sub> O<br>H <sub>2</sub> O H <sub>2</sub> O H <sub>2</sub> O H <sub>2</sub> O H <sub>2</sub> O<br>H <sub>2</sub> O H <sub>2</sub> O<br>see also: 2194(S) | 2,5-dihydrofuran clathrate hydrate   | IV/8a 3.5.2,p.93                                      |
| 2823 | C <sub>4</sub> H <sub>42</sub> O <sub>18</sub><br>378.37<br>18879-05-5               |  H <sub>2</sub> O H <sub>2</sub> O<br>H <sub>2</sub> O H <sub>2</sub> O H <sub>2</sub> O H <sub>2</sub> O H <sub>2</sub> O<br>H <sub>2</sub> O H <sub>2</sub> O<br>see also: 2477(S)                  | tetrahydrofuran clathrate hydrate  | IV/8a 3.5.2,p.93                                      |
| 2824 | C <sub>4</sub> H <sub>42</sub> O <sub>19</sub><br>394.37<br>51105-19-2               |  H <sub>2</sub> O H <sub>2</sub> O<br>H <sub>2</sub> O H <sub>2</sub> O H <sub>2</sub> O H <sub>2</sub> O H <sub>2</sub> O<br>H <sub>2</sub> O H <sub>2</sub> O<br>see also: 2505(S)                  | 1,3-dioxane clathrate hydrate  | IV/8a 3.5.2,p.94                                      |
| 2825 | C <sub>4</sub> NP<br>93.03<br>94951-10-7   | P≡≡CN  | 4-phosphinidyne-2-butynenitrile  | II/19a 2.3.2:59                                       |
| 2826 | C <sub>4</sub> N <sub>2</sub><br>76.06<br>1071-98-3                                  | N≡CN   | 2-butynedinitrile  | III/38b 2.1:1546                                      |
| 2827 | C <sub>4</sub> N <sub>2</sub> S<br>108.12<br>54856-36-9                              |   | carbonothioylpropanedinitrile  | II/19b 2.5.2:446;<br>II/19c 2.6.4.2:202               |
| 2828 | C <sub>4</sub> N <sub>4</sub> O <sub>4</sub> Si<br>196.15<br>16726-63-9              |   | tetracyano-silane  | III/38a 2.1.5:298                                     |
| 2829 | C <sub>4</sub> NiO <sub>4</sub><br>170.75<br>13463-39-3                              |   | tetracarbonylnickel  | II/6 2.9.2:36;<br>III/38a 2.1.1:24;<br>IV/16 2.1.1:29 |
| 2830 | C <sub>5</sub> ClF <sub>5</sub><br>190.50<br>30221-57-9                              |   | 1-chloro-2,3,4,5,5-pentafluoro-1,3-cyclopentadiene;<br>chloro-2,3,4,5,5-pentafluorocyclopentadiene | IV/20a 4.4:892  |

|      |                                       |  |  |  |
|------|---------------------------------------|--|--|--|
| 2831 | $C_5ClF_5$<br>190.50<br>30221-56-8    |  | 5-chloro-1,2,3,4,5-pentafluoro-1,4-cyclopentadiene;<br>chloro-1,2,3,4,5-pentafluorocyclopentadiene | IV/20a 4.4:893   |
| 2832 | $C_5ClF_9$<br>266.49                  |  | 1-chloro-3-(trifluoromethyl)hexafluorocyclobutane  | IV/20a 4.4:894   |
| 2833 | $C_5Cl_2F_6$<br>244.95<br>706-79-6    |  | 1,2-dichloro-3,3,4,4,5,5-hexafluorocyclopentene  | III/38b 2.1:2150   |
| 2834 | $C_5Cl_3F_7$<br>299.40<br>16327-67-6  |  | 1,1,5-trichloro-2,3,3,4,4,5,5-heptafluoro-1-pentene  | IV/20a 4.4:895   |
| 2835 | $C_5Cl_4F_8$<br>353.86<br>678-25-1    |  | 1,1,1,5-tetrachloro-2,2,3,3,4,4,5,5-octafluoropentane  | IV/20a 4.4:896   |
| 2836 | $C_5Cl_5F_7O$<br>386.31<br>61196-11-0 |  | 1,1,2-trifluoro-2,2-dichloroethyl 2,2,3,3-tetrafluoro-1,1,3-tric                                   | IV/20a 4.4:897   |
| 2837 | $C_5Cl_6$<br>272.77<br>77-47-4        |  | 1,2,3,4,5,5-hexachloro-cyclopenta-1,3-diene  | III/38b 2.1:2151   |
| 2838 | $C_5Cl_6F_6$<br>386.76<br>53281-01-9  |  | 1,1,1,3,5,5-hexachloro-2,2,3,4,4,5-hexafluoro-pentane  | IV/16 2.1.7:728  |
| 2839 | $C_5Cl_8$<br>343.68<br>706-78-5       |  | 1,2,3,3,4,4,5,5-octachloro-cyclopentene  | III/38b 2.1:2152   |
| 2840 | $C_5F_5N$<br>169.05<br>700-16-3       |  | pentafluoropyridine;<br>perfluoropyridine  | II/14a 2.5.2:749;<br>II/14a 2.6.3.2:359;<br>II/14a 2.7.3.2:78;<br>II/19b 2.5.2:467;<br>II/19c 2.7.4.2:164;<br>IV/20a 4.4:898 |








|      |   |             |  |  |
|------|---|-------------|--|--|
| 2841 | $C_5F_8$<br>212.04<br>21972-01-0        |             | 1,1,3,4,4,5,5,5-octafluoro-1,2-pentadiene  | IV/20a 4.4:899   |
| 2842 | $C_5F_9N$<br>245.05<br>19451-91-3       |             | 2863 3,3,3-trifluoro-N,N-bis(trifluoromethyl)-1-propynylamine  | IV/20a 4.4:900   |
| 2843 | $C_5F_9NO$<br>261.05<br>4827-67-2       |             | 3,3,4,5,6,6-hexafluoro-3,6-dihydro-2-(trifluormethyl)-2H-1,2-oxazine;<br>2H-1,2-oxazine, 3,3,4,5,6,6-hexafluoro-3,6-dihydro-2-(trifluoromethyl)- | IV/20a 4.4:901   |
| 2844 | $C_5F_{10}$<br>250.04<br>376-87-4       |             | decafluoro-pent-1-ene  | III/38b 2.1:2153   |
| 2845 | $C_5F_{10}$<br>250.04<br>376-77-2       |             | decafluorocyclopentane;<br>perfluorocyclopentane   | IV/16 2.1.7:729;<br>IV/20a 4.4:902                       |
| 2846 | $C_5F_{10}NP$<br>295.02<br>35449-90-2   |             | bis(pentafluoroethyl)phosphinocyanide  | IV/20a 4.4:903   |
| 2847 | $C_5F_{10}O_2$<br>282.04<br>55064-79-4  |             | 2,2,2-trifluoro-1,1-bis(trifluoromethyl)ethyl fluoroformate  | IV/20a 4.4:904   |
| 2848 | $C_5F_{10}O_3$<br>298.04<br>64957-47-7  |             | carbonfluoridoperooic acid, 2,2,2-trifluoro-1,1-bis(trifluoromethyl)-ethyl ester   | IV/20a 4.4:905   |
| 2849 | $C_5F_{10}O_6S_2$<br>410.16<br>741-20-8 |             | octafluoro-1,2-cyclopentanediol<br>bis(fluorosulfate);<br>octafluoro-cyclopentanediol<br>bis(fluorosulfate)                                      | IV/20a 3.2:297;<br>IV/20a 4.4:906                        |
| 2850 | $C_5F_{11}N$<br>283.05<br>836-77-1      |             | perfluoropiperidine;<br>undecafluoropiperidine   | III/38b 2.1:2154;<br>IV/8a 3.5.2,p.94;<br>IV/20a 4.4:907 |
| 2851 | $C_5F_{12}$<br>288.04<br>678-26-2       | $C_5F_{12}$ | dodecafluoropentane;<br>perfluoropentane   | III/38b 2.1:2155;<br>IV/16 2.1.7:730;<br>IV/20a 4.4:909  |









|      |  |  |   |  |
|------|--|--|---|--|
| 3739 | C <sub>5</sub> H <sub>18</sub> B <sub>10</sub><br>186.31<br>50924-45-3               |  | isopropyl carborane   | IV/6 2.1.3:573   |
| 3740 | C <sub>5</sub> H <sub>20</sub> O <sub>5</sub> Si <sub>5</sub><br>300.64<br>6166-86-5 |  | pentamethyl cyclopentasiloxane;<br>2,4,6,8,10-pentamethyl-cyclopentasiloxane  | III/38a 2.1.5:340;<br>IV/6 2.1.3:574   |
| 3741 | C <sub>6</sub> BrF <sub>5</sub><br>246.97<br>344-04-7                                |  | bromopentafluorobenzene;<br>bromoperfluorobenzene;<br>pentafluorobromobenzene;<br>pentafluorophenyl bromide                 | III/38b 2.1:2765;<br>IV/20a 4.4:1021,<br>1022                                  |
| 3742 | C <sub>6</sub> ClF <sub>5</sub><br>202.51<br>344-07-0                                |  | 1-chloro-2,3,4,5,6-pentafluoro-benzene;<br>chloropentafluorobenzene;<br>chloroperfluorobenzene;<br>pentafluorochlorobenzene | III/38b 2.1:2766;<br>IV/8a 3.5.3,p.119;<br>IV/16 2.1.7:871;<br>IV/20a 4.4:1023 |
| 3743 | C <sub>6</sub> ClF <sub>13</sub> N <sub>2</sub><br>382.51<br>33757-14-1              |  | 1-chloro-1',2,2,2,2',2'-heptafluoro-1,1'-bis(trifluoromethyl)-azoethane   | IV/20a 4.4:1024  |
| 3744 | C <sub>6</sub> Cl <sub>3</sub> F <sub>3</sub><br>235.42<br>319-88-0                  |  | benzene, 1,3,5-trichloro-2,4,6-trifluoro-; 1,3,5-trichloro-2,4,6-trifluorobenzene; 1,3,5-trichlorotrifluorobenzene          | IV/8a 3.5.3,p.119;<br>IV/20a 4.4:1025  |
| 3745 | C <sub>6</sub> Cl <sub>3</sub> N <sub>3</sub> O <sub>6</sub><br>316.44<br>2631-68-7  |  | 1,3,5-trichloro-2,4,6-trinitrobenzene   | IV/20a 4.4:1026  |
| 3746 | C <sub>6</sub> Cl <sub>4</sub> KO <sub>2</sub><br>284.98<br>21136-28-7               |  | p-chloroanil potassium;<br>2,5-cyclohexadiene-1,4-dione, 2,3,5,6-tetrachloro-, radical ion (1-), potassium                  | IV/8a 3.5.3,p.119  |
| 3747 | C <sub>6</sub> Cl <sub>4</sub> O <sub>2</sub><br>245.88<br>118-75-2                  |  | p-benzoquinone, 2,3,5,6-tetrachloro-; p-chloranil; psorian; quinone tetrachloride; tetrachloro-1,4-benzoquinone             | IV/8a 3.5.3,p.119;<br>IV/20a 4.4:1027  |
| 3748 | C <sub>6</sub> Cl <sub>5</sub> F <sub>9</sub><br>420.32<br>307-26-6                  |  | pentachloro-1,1,2,3,3,4,5,5,6-nonafluoro-n-hexane;<br>1,1,3,5,6-pentachloro-nonafluoro-hexane                               | III/38b 2.1:2767;<br>IV/6 2.1.3:578  |

|      |                                      |                                  |  |   |
|------|--------------------------------------|----------------------------------|--|---|
| 3749 | $C_6Cl_5F_9$<br>420.32<br>57504-36-6 |                                  | 1,1,3,5,5-pentachloro-1,2,2,3,4,4,6,6,6-nonafluoro-hexane                        | IV/16 2.1.7:872   |
| 3750 | $C_6Cl_5NO_2$<br>295.34<br>82-68-8   |                                  | pentachloronitrobenzene  | IV/8a 3.5.3,p.119   |
| 3751 | $C_6Cl_6$<br>284.79<br>118-74-1      |                                  | HCB;<br>hexachlorobenzene;<br>pentachlorophenyl chloride;<br>perchlorobenzene    | IV/8a 3.5.3,p.120;<br>IV/20a 4.4:1028   |
| 3752 | $C_6Cl_{10}$<br>426.60<br>29030-84-0 |                                  | decachloro-hexa-1,5-diene  | III/38b 2.1:2768  |
| 3753 | $C_6D_6$<br>84.15<br>1076-43-3       | <br>see also: 3991(H)            | benzene-d6;<br>hexadeuterio-benzene;<br>hexadeuterobenzene;<br>perdeuterobenzene | III/38b 2.1:2769;<br>IV/8a 3.5.3,p.133;<br>IV/16 2.1.7:873  |
| 3754 | $C_6D_{12}$<br>96.24<br>1735-17-7    |                                  | dodecadeutero-cyclohexane  | IV/16 2.1.7:874   |
| 3755 | $C_6D_{14}$<br>100.26<br>21666-38-6  | $C_6D_{14}$<br>see also: 4733(H) | tetradecadeutero-hexane  | IV/16 2.1.7:875   |
| 3756 | $C_6F_5NO_2$<br>213.06<br>880-78-4   |                                  | pentafluoronitrobenzene  | IV/8a 3.5.3,p.120   |
| 3757 | $C_6F_6$<br>186.06<br>392-56-3       | <br>see also: 10446(M)           | 1,2,3,4,5,6-hexafluoro-benzene;<br>hexafluorobenzene;<br>perfluorobenzene        | III/38b 2.1:2770;<br>IV/6 2.1.3:577;<br>IV/8a 3.5.3,p.120;<br>IV/16 2.1.7:876;<br>IV/20a 4.4:1029;<br>Mixtures:<br>III/38a 3.1:649;<br>IV/6 3.1:598,<br>1010, 1041;<br>IV/16 3.1.4:170,<br>334, 383, 537,<br>548, 551 |

|      |   |  |   |                  |
|------|---|--|---|------------------|
| 3758 | C <sub>6</sub> F <sub>8</sub><br>224.05<br>5680-05-7                  |  | 4-(difluoromethylene)-2,3,3-trifluoro-1-(trifluoromethyl)cyclobutene; perfluoro-(2-methyl-3-methylene-cyclobutane)  | IV/20a 4.4:1030  |
| 3759 | C <sub>6</sub> F <sub>8</sub><br>224.05<br>775-51-9                   |  | octafluoro-cyclohexa-1,4-diene  | III/38b 2.1:2772 |
| 3760 | C <sub>6</sub> F <sub>8</sub><br>224.05<br>377-70-8                   |  | octafluoro-cyclohexa-1,3-diene  | III/38b 2.1:2771 |
| 3761 | C <sub>6</sub> F <sub>10</sub><br>262.05<br>355-75-9                  |  | decafluoro-cyclohexene  | III/38b 2.1:2773 |
| 3762 | C <sub>6</sub> F <sub>12</sub><br>300.05<br>1858-56-6                 |  | dodecafluoro-1,2-dimethylcyclobutane  | IV/20a 4.4:1031  |
| 3763 | C <sub>6</sub> F <sub>12</sub><br>300.05<br>355-68-0                  |  | dodecafluorocyclohexane; perfluorocyclohexane   | IV/20a 4.4:1032  |
| 3764 | C <sub>6</sub> F <sub>12</sub> N <sub>2</sub><br>328.06<br>19451-96-8 |  | N,N,N',N'-tetrakis-(trifluoromethyl)-1,2-ethylenediamine; tetrakis(trifluoromethyl)ethylenediamine                  | IV/20a 4.4:1033  |
| 3765 | C <sub>6</sub> F <sub>12</sub> O<br>316.05<br>788-40-9                |  | nonafluoro(trifluoro-methoxy)cyclopentane; perfluorocyclopentyl trifluoromethyl ether; perfluoromethoxycyclopentane | IV/20a 4.4:1034  |
| 3766 | C <sub>6</sub> F <sub>12</sub> O <sub>2</sub><br>332.05<br>24165-10-4 |  | 2,2,2-trifluoro-1,1-bis(trifluoromethyl)ethyl trifluoroacetate  | IV/20a 4.4:1035  |

|      |   |  |  |  |
|------|---|--|--|--|
| 4940 | C <sub>6</sub> H <sub>18</sub> N <sub>4</sub><br>146.24<br>112-24-3                     |  | N,N'-bis-(2-amino-ethyl)-ethane-1,2-diamine;<br>triethylenetetramine                 | III/38b 2.1:3516;<br>IV/6 2.1.3:820  |
| 4941 | C <sub>6</sub> H <sub>18</sub> OSi <sub>2</sub><br>162.38<br>107-46-0                   |  | hexamethyldisiloxane   | III/38a 2.1.5:366;<br>IV/6 2.1.3:816;<br>IV/8a 3.5.3,p.155;<br>IV/16 2.1.5:213;<br>Mixtures:<br>IV/16 3.1.4:529,<br>677, 680 |
| 4942 | C <sub>6</sub> H <sub>18</sub> O <sub>3</sub> Si <sub>2</sub><br>194.38<br>18187-24-1   |  | 1,3-dimethoxy-1,1,3,3-tetramethyl-disiloxane   | III/38a 2.1.5:367  |
| 4943 | C <sub>6</sub> H <sub>18</sub> O <sub>3</sub> Si <sub>3</sub><br>222.47<br>541-05-9     |  | hexamethylcyclotrisiloxane   | IV/6 2.1.3:817;<br>IV/8a 3.5.3,p.155   |
| 4944 | C <sub>6</sub> H <sub>18</sub> Si <sub>2</sub><br>146.38<br>1450-14-2                   |  | hexamethyldisilane   | III/38a 2.1.5:368;<br>IV/8a 3.5.3,p.156  |
| 4945 | C <sub>6</sub> H <sub>19</sub> NSi <sub>2</sub><br>161.40<br>999-97-3                   |  | 1,1,1,3,3-hexamethyl-disilazane;<br>hexamethyldisilazane                             | III/38a 2.1.5:369;<br>IV/6 2.1.3:821;<br>IV/16 2.1.5:214;<br>Mixtures:<br>IV/16 3.1.4:123                                    |
| 4946 | C <sub>6</sub> H <sub>20</sub> CdCl <sub>4</sub> N <sub>2</sub><br>374.45<br>53188-87-7 |  | bis(N-propylammonium) tetrachlorocadmate;  | IV/8a 3.5.3,p.156  |
| 4947 | C <sub>6</sub> H <sub>20</sub> Cl <sub>4</sub> MnN <sub>2</sub><br>316.99<br>52495-27-9 |  | tetrachlorobis(propylammonium) manganese II  | IV/8a 3.5.3,p.156  |
| 4948 | C <sub>6</sub> H <sub>20</sub> O <sub>4</sub> Si <sub>3</sub><br>240.48<br>3663-50-1    |  | 1,1,3,3,5,5-hexamethyl-trisiloxane-1,5-diol  | III/38a 2.1.5:370  |
| 4949 | C <sub>6</sub> H <sub>21</sub> N <sub>3</sub> Si <sub>3</sub><br>219.51<br>1009-93-4    |  | cyclotrisilazane, 2,2,4,4,6,6-hexamethyl-;<br>2,2,4,4,6,6-hexamethylcyclotrisilazane | IV/8a 3.5.3,p.156  |
| 4950 | C <sub>6</sub> H <sub>24</sub> O <sub>6</sub> Si <sub>6</sub><br>360.77<br>6166-87-6    |  | 2,4,6,8,10,12-hexamethyl-cyclohexasiloxane   | III/38a 2.1.5:371  |
| 4951 | C <sub>7</sub> Cl <sub>4</sub> F <sub>12</sub><br>453.87<br>1550-21-6                   |  | 1,1,1,7-tetrachloro-2,2,3,3,4,4,5,5,6,6,7,7-dodecafluoroheptane                      | IV/20a 4.5:1183  |
| 4952 | C <sub>7</sub> Cl <sub>7</sub> F <sub>9</sub><br>503.23<br>53281-02-0                   |  | 1,1,1,3,5,7,7-heptachloro-2,2,3,3,4,4,5,5,6,6,7-nonafluoro-heptane                   | IV/16 2.1.7:1113   |

|      |   |  |  |   |
|------|---|--|--|---|
| 4953 | C <sub>7</sub> D <sub>8</sub><br>100.19<br>2037-26-5                  | <br>see also: 5201(H) | octadeutero-toluene  | IV/16 2.1.7:1114  |
| 4954 | C <sub>7</sub> D <sub>14</sub><br>112.28<br>10120-28-2                | <br>see also: 5654(H) | tetradecadeutero-methylcyclohexane   | IV/16 2.1.7:1115  |
| 4955 | C <sub>7</sub> D <sub>16</sub><br>116.30<br>33838-52-7                | C <sub>7</sub> D <sub>16</sub><br>see also: 5844(H)  | hexadecadeutero-heptane  | IV/16 2.1.7:1116  |
| 4956 | C <sub>7</sub> F <sub>5</sub> N<br>193.08<br>773-82-0                 |                       | pentafluorobenzonitrile  | II/6 2.5:293  |
| 4957 | C <sub>7</sub> F <sub>8</sub><br>236.07<br>434-64-0                   |                     | octafluorotoluene;<br>pentafluoro(trifluoromethyl)benzene;<br>perfluorotoluene   | IV/8a 3.5.4,p.159;<br>IV/16 2.1.7:1117;<br>IV/20a 4.5:1184  |
| 4958 | C <sub>7</sub> F <sub>10</sub><br>274.06<br>14451-74-2                |                     | 3,3-difluoro-1,2-bis(trifluoromethyl)-4-(difluoromethylene)cyclobutene   | IV/20a 4.5:1185   |
| 4959 | C <sub>7</sub> F <sub>12</sub> O <sub>6</sub><br>408.05<br>32751-20-5 |                     | hexafluoroperoxy-glutaric acid,<br>peroxyglutaric acid, hexafluoro-,<br>bis(trifluoromethyl)ester  | IV/20a 4.5:1186   |
| 4960 | C <sub>7</sub> F <sub>14</sub><br>350.06<br>355-02-2                  |                     | perfluoro(methylcyclohexane);<br>perfluoromethylcyclohexane;<br>tetradecafluoromethylcyclohexane;<br>trifluoromethyl-undecafluoro-cyclohexane;<br>undecafluoro(trifluoromethyl)cyclohexane | III/38b 2.1:3517;<br>IV/6 2.1.3:822;<br>IV/16 2.1.7:1118;<br>IV/20a 4.5:1188;<br>Mixtures:<br>IV/16 3.1.4:124,<br>681 |
| 4961 | C <sub>7</sub> F <sub>14</sub><br>350.06<br>355-59-9                  |                     | perfluorocycloheptane;<br>tetradecafluorocycloheptane  | IV/20a 4.5:1187   |

|      |  |   |  |  |
|------|--|---|--|--|
| 4962 | C <sub>7</sub> F <sub>16</sub><br>388.05<br>335-57-9                                 | C <sub>7</sub> F <sub>16</sub>  | hexadecafluoroheptane;<br>perfluoro-n-heptane;<br>perfluoroheptane   | III/38b 2.1:3518;<br>IV/6 2.1.3:823;<br>IV/8a 3.5.4,p.159;<br>IV/16 2.1.7:1119;<br>IV/20a 4.5:1189 |
| 4963 | C <sub>7</sub> F <sub>17</sub> N<br>421.06<br>338-81-8                               |    | perfluoro-N,N-diethylpropylamine   | IV/20a 4.5:1190  |
| 4964 | C <sub>7</sub> HF <sub>5</sub> O <sub>2</sub><br>212.08<br>602-94-8                  |    | pentafluorobenzoic acid  | IV/20a 4.5:1191  |
| 4965 | C <sub>7</sub> HF <sub>15</sub><br>370.06<br>375-83-7                                |    | 1-hydropentadecafluoroheptane;<br>1-hydroperfluoroheptane;<br>1H-perfluoroheptane  | IV/20a 4.5:1192  |
| 4966 | C <sub>7</sub> HN<br>99.09<br>65937-22-6   | NC ≡ ≡ ≡ CH   | hepta-2,4,6-triynenitrile  | II/14a 2.3.2:32  |
| 4967 | C <sub>7</sub> H <sub>3</sub> Br <sub>2</sub> NO<br>276.93<br>1689-84-5              |   | brominal; brominil;<br>bromoxynil;<br>broxynil;<br>bucutril;<br>4-cyano-2,6-dibromophenol;<br>3,5-dibromo-4-hydroxybenzonitrile;<br>labuctril; labuctril 25; pardner; toplan   | IV/8a 3.5.4,p.159  |
| 4968 | C <sub>7</sub> H <sub>3</sub> ClF <sub>3</sub> NO <sub>2</sub><br>225.56<br>777-37-7 |  | 2-chloro-1-trifluoromethyl-5-nitro-benzene;<br>1-chloro-4-nitro-2-trifluoromethyl-benzene;<br>2-chloro-5-nitro- $\alpha,\alpha,\alpha$ -trifluorotoluene;<br>$\alpha,\alpha,\alpha$ -trifluoro-2-chloro-5-nitrotoluene | III/38b 2.1:3520;<br>IV/6 2.1.3:824;<br>IV/20a 4.5:1193  |
| 4969 | C <sub>7</sub> H <sub>3</sub> ClF <sub>3</sub> NO <sub>2</sub><br>225.56<br>121-17-5 |  | 1-chloro-2-nitro-4-trifluoromethyl-benzene;<br>4-chloro-3-nitrobenzotrifluoride;<br>$\alpha,\alpha,\alpha$ -trifluoro-4-chloro-3-nitrotoluene  | III/38b 2.1:3519;<br>IV/6 2.1.3:825;<br>IV/20a 4.5:1194  |
| 4970 | C <sub>7</sub> H <sub>3</sub> Cl <sub>2</sub> F <sub>3</sub><br>215.00<br>320-60-5   |  | 2,4-dichloro-1-trifluoromethyl-benzene   | III/38b 2.1:3522   |
| 4971 | C <sub>7</sub> H <sub>3</sub> Cl <sub>2</sub> F <sub>3</sub><br>215.00<br>328-84-7   |  | 3,4-dichlorobenzotrifluoride;<br>3,4-dichlorophenyltrifluoromethane;<br>3,4-dichlorotrifluoromethylbenzene   | III/38b 2.1:3521;<br>IV/20a 4.5:1195   |
| 4972 | C <sub>7</sub> H <sub>3</sub> Cl <sub>2</sub> N<br>172.01<br>1194-65-6               |  | benzonitrile, 2,6-dichloro-;<br>dichlobenil;<br>2,6-dichlorobenzonitrile;<br>2,6-dichlorocyanobenzene  | IV/8a 3.5.4,p.159  |
| 4973 | C <sub>7</sub> H <sub>3</sub> Cl <sub>2</sub> NO<br>188.01<br>102-36-3               |  | 1,2-dichloro-4-isocyanatobenzene;<br>3,4-dichlorophenyl isocyanate;<br>isocyanic acid, 3,4-dichlorophenyl ester  | IV/16 2.1.7:1120;<br>IV/20a 4.5:1196   |

|      |   |  |  |  |
|------|---|--|--|--|
| 4974 | C <sub>7</sub> H <sub>3</sub> Cl <sub>3</sub> O<br>209.46<br>89-75-8              |  | 2,4-dichloro-benzoyl chloride  | III/38b 2.1:3523   |
| 4975 | C <sub>7</sub> H <sub>3</sub> Cl <sub>3</sub> O <sub>2</sub><br>225.46<br>50-31-7 |  | benzoic acid, 2,3,6-trichloro-;<br>2,3,6-trichlorobenzoic acid   | IV/8a 3.5.4,p.159  |
| 4976 | C <sub>7</sub> H <sub>3</sub> Cl <sub>5</sub><br>264.37<br>13014-24-9             |  | 1,2-dichloro-4-(trichloromethyl)benzene;<br>3,4-dichlorobenzotrichloride;<br>3,4-dichlorophenyltrichloromethane;<br>alpha,alpha,3,4-pentachlorotoluene | IV/20a 4.5:1197  |
| 4977 | C <sub>7</sub> H <sub>3</sub> Cl <sub>5</sub><br>264.37<br>33429-70-8             |  | 1,2,4-trichloro-5-dichloromethyl-benzene   | III/38b 2.1:3524   |
| 4978 | C <sub>7</sub> H <sub>3</sub> Cl <sub>5</sub><br>264.37<br>877-11-2               |  | 2,3,4,5,6-pentachlorotoluene   | IV/6 2.1.3:826   |
| 4979 | C <sub>7</sub> H <sub>3</sub> F <sub>2</sub> N<br>139.10<br>21524-39-0            |  | 2,3-difluorobenzonitrile   | II/19b 2.5.2:588   |
| 4980 | C <sub>7</sub> H <sub>3</sub> F <sub>5</sub><br>182.09<br>771-56-2                |  | benzene, pentafluoromethyl-;<br>methylpentfluorobenzene;<br>1,2,3,4,5-pentafluoro-6-methyl-benzene;<br>2,3,4,5,6-pentafluorotoluene                    | III/38b 2.1:3525;<br>IV/8a 3.5.4,p.160;<br>IV/20a 4.5:1198 |
| 4981 | C <sub>7</sub> H <sub>3</sub> I <sub>2</sub> NO<br>370.92<br>1689-83-4            |  | benzonitrile, 3,5-diido-4-hydroxy-;<br>3,5-diido-4-hydroxybenzonitrile;<br>ioxynil   | IV/8a 3.5.4,p.160  |
| 4982 | C <sub>7</sub> H <sub>3</sub> I <sub>3</sub> O <sub>2</sub><br>499.81<br>88-82-4  |  | benzoic acid, 2,3,5-triiodo-;<br>2,3,5-triiodobenzoic acid   | IV/8a 3.5.4,p.160  |
| 4983 | C <sub>7</sub> H <sub>4</sub><br>88.11<br>66486-68-8                              |  | 1,3,5-heptatriyne  | II/14a 2.4.2:49  |

|      |  |  |   |   |
|------|--|--|---|---|
| 4984 | C <sub>7</sub> H <sub>4</sub> BrClO<br>219.47<br>7154-66-7   |  | 2-bromo-benzoyl chloride  | III/38b 2.1:3526  |
| 4985 | C <sub>7</sub> H <sub>4</sub> BrCl <sub>2</sub> NOS<br>300.99<br>28149-55-5                          |  | (4-bromobenzoyl)imidosulfurous dichloride   | IV/6 2.1.3:834  |
| 4986 | C <sub>7</sub> H <sub>4</sub> ClF <sub>3</sub><br>180.56<br>98-56-6                                  |  | 1-chloro-4-(trifluoromethyl)benzene;<br><i>p</i> -chlorobenzotrifluoride;<br>1-(trifluoromethyl)-4-chlorobenzene              | III/38b 2.1:3529;<br>IV/20a 4.5:1201                    |
| 4987 | C <sub>7</sub> H <sub>4</sub> ClF <sub>3</sub><br>180.56<br>98-15-7                                  |  | 1-chloro-3-(trifluoromethyl)benzene;<br>3-chloro- <i>α,α,α</i> -trifluorotoluene;<br><i>m</i> -trifluoromethylphenyl chloride | III/38b 2.1:3528;<br>IV/20a 4.5:1200                    |
| 4988 | C <sub>7</sub> H <sub>4</sub> ClF <sub>3</sub><br>180.56<br>88-16-4                                  |  | 2-chloro- <i>α,α,α</i> -trifluorotoluene;<br>2-chlorobenzotrifluoride;<br>1-(trifluoromethyl)-2-chlorobenzene                 | III/38b 2.1:3527;<br>IV/20a 4.5:1199                    |
| 4989 | C <sub>7</sub> H <sub>4</sub> ClF <sub>3</sub> O <sub>2</sub> S<br>244.62<br>383-11-9                |  | 4-(trifluoromethylsulfonyl)-1-chlorobenzene   | IV/6 2.1.3:827  |
| 4990 | C <sub>7</sub> H <sub>4</sub> ClF <sub>3</sub> O <sub>4</sub> S <sub>2</sub><br>308.68<br>63647-64-3 |  | 4-(trifluoromethylsulfonyl)benzenesulfonyl chloride   | IV/6 2.1.3:828  |
| 4991 | C <sub>7</sub> H <sub>4</sub> CIN<br>137.57<br>623-03-0  |  | 4-chlorobenzonitrile  | II/19b 2.5.2:589;<br>II/19c 2.7.4.2:192                 |
| 4992 | C <sub>7</sub> H <sub>4</sub> CINO<br>153.57<br>104-12-1   |  | 4-chloroisocyanatobenzene;<br>4-chlorophenyl isocyanate;<br>isocyanic acid, <i>p</i> -chlorophenyl ester                      | IV/6 2.1.3:833;<br>IV/16 2.1.7:1121;<br>IV/20a 4.5:1203 |
| 4993 | C <sub>7</sub> H <sub>4</sub> CINO<br>153.57<br>2909-38-8  |  | 3-chloroisocyanatobenzene;<br>3-chlorophenyl isocyanate;<br>isocyanic acid, <i>m</i> -chlorophenyl ester                      | IV/20a 4.5:1202   |
| 4994 | C <sub>7</sub> H <sub>4</sub> CINO<br>153.57<br>615-18-9   |  | 2-chloro-benzoxazole  | III/38b 2.1:3530  |
| 4995 | C <sub>7</sub> H <sub>4</sub> CINO <sub>3</sub><br>185.57<br>121-90-4                                |  | 3-nitrobenzoyl chloride   | IV/20a 4.5:1204   |
| 4996 | C <sub>7</sub> H <sub>4</sub> CINS<br>169.63<br>615-20-3   |  | 2-chloro-benzothiazole  | III/38b 2.1:3531  |

|      |   |  |   |  |
|------|---|--|---|--|
| 4997 | C <sub>7</sub> H <sub>4</sub> Cl <sub>2</sub> N <sub>2</sub> O <sub>3</sub> S<br>267.09<br>52999-23-2 |  | (4-nitrobenzoyl)imidosulfurous dichloride   | IV/6 2.1.3:835   |
| 4998 | C <sub>7</sub> H <sub>4</sub> Cl <sub>2</sub> O<br>175.01<br>122-01-0                                 |  | 4-chlorobenzoyl acid chloride;<br>4-chlorobenzoyl chloride  | III/38b 2.1:3534;<br>IV/20a 4.5:1207                       |
| 4999 | C <sub>7</sub> H <sub>4</sub> Cl <sub>2</sub> O<br>175.01<br>618-46-2                                 |  | 3-chlorobenzoyl chloride;<br><i>m</i> -chlorobenzoyl chloride   | III/38b 2.1:3533;<br>IV/20a 4.5:1206                       |
| 5000 | C <sub>7</sub> H <sub>4</sub> Cl <sub>2</sub> O<br>175.01<br>609-65-4                                 |  | 2-chlorobenzoyl chloride  | III/38b 2.1:3532;<br>IV/20a 4.5:1205                       |
| 5001 | C <sub>7</sub> H <sub>4</sub> Cl <sub>2</sub> O <sub>2</sub><br>191.01<br>51-36-5                     |  | benzoic acid, 3,5-dichloro-;<br>3,5-dichlorobenzoic acid  | IV/8a 3.5.4,p.160  |
| 5002 | C <sub>7</sub> H <sub>4</sub> Cl <sub>3</sub> NOS<br>256.54<br>28149-54-4                             |  | (4-chlorobenzoyl)imidosulfurous dichloride  | IV/6 2.1.3:836   |
| 5003 | C <sub>7</sub> H <sub>4</sub> Cl <sub>3</sub> NO <sub>3</sub><br>256.47<br>55335-06-3                 |  | 3,5,6-trichloro-2-pyridinyloxyacetic acid;<br>3,5,6-trichloro-2-pyridinyloxyethanoic acid;<br>triclopyr       | IV/8a 3.5.4,p.160  |
| 5004 | C <sub>7</sub> H <sub>4</sub> Cl <sub>4</sub><br>229.92<br>5216-25-1                                  |  | 1-chloro-4-trichloromethyl-benzene  | III/38b 2.1:3537   |
| 5005 | C <sub>7</sub> H <sub>4</sub> Cl <sub>4</sub><br>229.92<br>2136-89-2                                  |  | 2-chlorobenzotrichloride;<br>o-chlorophenyltrichloromethane;<br>alpha,alpha,alpha,2-tetrachlorotoluene        | III/38b 2.1:3535;<br>IV/8a 3.5.4,p.160;<br>IV/20a 4.5:1208 |
| 5006 | C <sub>7</sub> H <sub>4</sub> Cl <sub>4</sub><br>229.92<br>2136-81-4                                  |  | 1-chloro-3-trichloromethyl-benzene  | III/38b 2.1:3536   |
| 5007 | C <sub>7</sub> H <sub>4</sub> Cl <sub>4</sub><br>229.92<br>1006-31-1                                  |  | benzene, 1,2,4,5-tetrachloro-3-methyl-;<br>1,2,4,5-tetrachloro-3-methylbenzene;<br>2,3,5,6-tetrachlorotoluene | IV/20a 4.5:1209  |

|      |  |  |  |   |
|------|--|--|--|---|
| 5008 | C <sub>7</sub> H <sub>4</sub> CrO <sub>3</sub> S<br>220.17<br>12078-15-8                           |  | thiophene chromium tricarbonyl;<br>tricarbonyl( $\eta$ -thiophene) chromium  | IV/8a 3.5.4,p.160   |
| 5009 | C <sub>7</sub> H <sub>4</sub> FN<br>121.11<br>1194-02-1  |  | 4-fluorobenzonitrile   | II/19b 2.5.2:592;<br>II/19c 2.7.4.2:195;<br>III/38b 2.1:3539  |
| 5010 | C <sub>7</sub> H <sub>4</sub> FN<br>121.11<br>403-54-3   |  | 3-fluorobenzonitrile   | II/19b 2.5.2:591;<br>II/19c 2.7.4.2:194;<br>III/38b 2.1:3538  |
| 5011 | C <sub>7</sub> H <sub>4</sub> FN<br>121.11<br>394-47-8   |  | 2-fluorobenzonitrile   | II/19b 2.5.2:590;<br>II/19c 2.7.4.2:193                       |
| 5012 | C <sub>7</sub> H <sub>4</sub> FNO<br>137.11<br>16744-98-2  |  | 1-fluoro-2-isocyanatobenzene   | II/14a 2.5.2:697  |
| 5013 | C <sub>7</sub> H <sub>4</sub> FNS<br>153.18<br>38985-64-7  |  | 1-fluoro-2-isothiocyanatobenzene   | II/19b 2.5.2:593  |
| 5014 | C <sub>7</sub> H <sub>4</sub> F <sub>2</sub><br>126.11<br>18238-55-6                               |  | 7,7-difluorobicyclo[4.1.0]hepta-1,3,5-triene   | II/14a 2.5.2:671;<br>II/14a 2.6.3.2:335                       |
| 5015 | C <sub>7</sub> H <sub>4</sub> F <sub>2</sub> O<br>142.11<br>1583-56-8                              |  | 4-fluorobenzoyl fluoride   | II/19b 2.5.2:594;<br>II/19c 2.6.4.2:235;<br>II/19c 2.8.3.2:92 |
| 5016 | C <sub>7</sub> H <sub>4</sub> F <sub>2</sub> O<br>142.11<br>3820-58-4                              |  | 3-fluorobenzoyl fluoride   | II/19b 2.5.2:595;<br>II/19c 2.8.3.2:93                        |
| 5017 | C <sub>7</sub> H <sub>4</sub> F <sub>3</sub> NO <sub>2</sub><br>191.11<br>98-46-4                  |  | 1-nitro-3-trifluoromethyl-benzene;<br><i>m</i> -nitrobenzotrifluoride;<br>$\alpha,\alpha,\alpha$ -trifluoro- <i>m</i> -nitrotoluene;<br>1-trifluoromethyl-3-nitrobenzene | III/38b 2.1:3540;<br>IV/6 2.1.3:829;<br>IV/20a 4.5:1210       |
| 5018 | C <sub>7</sub> H <sub>4</sub> F <sub>3</sub> NO <sub>3</sub> S <sub>2</sub><br>271.24<br>6185-95-1 |  | 4-(trifluoromethylsulfonyl)-N-sulfinyl aniline   | IV/6 2.1.3:830  |
| 5019 | C <sub>7</sub> H <sub>4</sub> F <sub>3</sub> NO <sub>4</sub> S<br>255.17<br>432-87-1               |  | 4-(trifluoromethylsulfonyl)-1-nitrobenzene   | IV/6 2.1.3:831  |
| 5020 | C <sub>7</sub> H <sub>4</sub> F <sub>4</sub><br>164.10<br>402-44-8                                 |  | p-fluorobenzotrifluoride;<br>toluene, <i>p</i> , $\alpha,\alpha,\alpha$ -tetrafluoro-;<br>1-(trifluoromethyl)-4-fluorobenzene  | III/38b 2.1:3543;<br>IV/20a 4.5:1212                          |
| 5021 | C <sub>7</sub> H <sub>4</sub> F <sub>4</sub><br>164.10<br>401-80-9                                 |  | <i>m</i> -fluorobenzotrifluoride;<br>toluene, <i>m</i> , $\alpha,\alpha,\alpha$ -tetrafluoro-;<br>1-(trifluoromethyl)-3-fluorobenzene                                    | III/38b 2.1:3542;<br>IV/20a 4.5:1211                          |














|      |   |  |   |  |
|------|---|--|---|--|
| 5022 | C <sub>7</sub> H <sub>4</sub> F <sub>4</sub><br>164.10<br>392-85-8                  |  | 1-fluoro-2-trifluoromethyl-benzene  | III/38b 2.1:3541   |
| 5023 | C <sub>7</sub> H <sub>4</sub> F <sub>4</sub> O <sub>2</sub> S<br>228.17<br>944-30-9 |  | 1-fluoro-4-(trifluoro-methanesulfonyl)-benzene;<br>4-(trifluoromethylsulfonyl)-1-fluorobenzene                          | III/38b 2.1:3544;<br>IV/6 2.1.3:832  |
| 5024 | C <sub>7</sub> H <sub>4</sub> F <sub>12</sub> O<br>332.09<br>335-99-9               |  | 2,2,3,3,4,4,5,5,6,6,7,7-dodecafluoro-1-heptanol; 1,1,7-trihydrododecafluoroheptan-1-ol; 1,1,7-trihydroperfluoroheptanol | IV/20a 4.5:1213  |
| 5025 | C <sub>7</sub> H <sub>4</sub> FeO <sub>3</sub><br>191.96<br>12078-17-0              |  | tricarbonyl( <i>n</i> <sup>4</sup> -1,3-cyclobutadiene)iron   | II/14a 2.4.2:97  |
| 5026 | C <sub>7</sub> H <sub>5</sub> BrO<br>185.03<br>618-32-6                             |  | benzoyl bromide   | III/38b 2.1:3545;<br>IV/6 2.1.3:845;<br>IV/16 2.1.7:1122   |
| 5027 | C <sub>7</sub> H <sub>5</sub> BrO<br>185.03<br>3132-99-8                            |  | 3-bromo-benzaldehyde  | III/38b 2.1:3547   |
| 5028 | C <sub>7</sub> H <sub>5</sub> BrO<br>185.03<br>6630-33-7                            |  | 2-bromo-benzaldehyde  | III/38b 2.1:3546   |
| 5029 | C <sub>7</sub> H <sub>5</sub> BrO <sub>2</sub><br>201.03<br>88-65-3                 |  | benzoic acid, 2-bromo-;<br>2-bromobenzoic acid;<br><i>o</i> -bromobenzoic acid  | IV/8a 3.5.4,p.161  |
| 5030 | C <sub>7</sub> H <sub>5</sub> ClO<br>140.57<br>98-88-4                              |  | benzoyl chloride  | II/19b 2.5.2:596;<br>II/19c 2.7.4.2:196;<br>III/38b 2.1:3548;<br>IV/6 2.1.3:842;<br>IV/8a 3.5.4,p.161;<br>IV/16 2.1.7:1123;<br>IV/20a 4.5:1214 |
| 5031 | C <sub>7</sub> H <sub>5</sub> ClO<br>140.57<br>104-88-1                             |  | 4-chlorobenzaldehyde  | II/6 2.5:287;<br>III/38b 2.1:3551  |
| 5032 | C <sub>7</sub> H <sub>5</sub> ClO<br>140.57<br>89-98-5                              |  | 2-chlorobenzaldehyde;<br><i>o</i> -chlorobenzaldehyde;<br><i>o</i> -chlorobenzene carboxaldehyde                        | III/38b 2.1:3549;<br>IV/8a 3.5.4,p.161;<br>IV/20a 4.5:1215   |
| 5033 | C <sub>7</sub> H <sub>5</sub> ClO<br>140.57<br>587-04-2                             |  | 3-chloro-benzaldehyde   | III/38b 2.1:3550   |

|      |  |  |   |   |
|------|--|--|---|---|
| 5034 | C <sub>7</sub> H <sub>5</sub> ClO <sub>2</sub><br>156.57<br>535-80-8                 |  | benzoic acid, 3-chloro-;<br>3-chlorobenzoic acid;<br><i>m</i> -chlorobenzoic acid   | IV/8a 3.5.4,p.161   |
| 5035 | C <sub>7</sub> H <sub>5</sub> ClO <sub>2</sub><br>156.57<br>1441-87-8                |  | 2-hydroxy-benzoyl chloride  | III/38b 2.1:3552  |
| 5036 | C <sub>7</sub> H <sub>5</sub> ClO <sub>2</sub><br>156.57<br>74-11-3                  |  | benzoic acid, 4-chloro-;<br>4-chlorobenzoic acid;<br><i>p</i> -chlorobenzoic acid   | IV/8a 3.5.4,p.161   |
| 5037 | C <sub>7</sub> H <sub>5</sub> ClO <sub>2</sub><br>156.57<br>118-91-2                 |  | benzoic acid, 2-chloro-;<br>2-chlorobenzoic acid;<br><i>o</i> -chlorobenzoic acid   | IV/8a 3.5.4,p.161   |
| 5038 | C <sub>7</sub> H <sub>5</sub> Cl <sub>2</sub> F<br>179.02<br>498-67-9                |  | (dichloro-fluoro-methyl)-benzene  | III/38b 2.1:3553  |
| 5039 | C <sub>7</sub> H <sub>5</sub> Cl <sub>2</sub> N<br>174.03<br>622-44-6                |  | 1,1-dichloro-N-phenylmethanimine; phenyl carbalamine chloride; N-phenylcarbimide dichloride; N-phenyliminocarbonyl dichloride                                 | IV/20a 4.5:1217   |
| 5040 | C <sub>7</sub> H <sub>5</sub> Cl <sub>2</sub> NOS<br>222.09<br>52999-21-0            |  | benzoylimidosulfurous dichloride  | IV/6 2.1.3:843  |
| 5041 | C <sub>7</sub> H <sub>5</sub> Cl <sub>2</sub> NO <sub>2</sub><br>206.03<br>133-90-4  |  | ambiben;<br>3-amino-2,5-dichlorobenzoic acid;<br>chloramben;<br>2,5-dichloro-3-aminobenzoic acid  | IV/8a 3.5.4,p.161   |
| 5042 | C <sub>7</sub> H <sub>5</sub> Cl <sub>3</sub><br>195.48<br>98-07-7                   |  | benzotrichloride;<br>(trichloromethyl)benzene;<br>$\alpha,\alpha,\alpha$ -trichlorotoluene  | III/38b 2.1:3555;<br>IV/8a 3.5.4,p.162;<br>IV/20a 4.5:1219                    |
| 5043 | C <sub>7</sub> H <sub>5</sub> Cl <sub>3</sub><br>195.48<br>94-99-5                   |  | benzene, 2,4-dichloro-1-(chloromethyl)-;<br>2,4-dichloro-1-(chloromethyl)benzene;<br>2,4-dichlorobenzyl chloride;<br>$\alpha,\alpha,\alpha$ -trichlorotoluene | III/38b 2.1:3554;<br>IV/6 2.1.3:844;<br>IV/8a 3.5.4,p.161;<br>IV/20a 4.5:1218 |
| 5044 | C <sub>7</sub> H <sub>5</sub> Cl <sub>3</sub><br>195.48<br>2077-46-5                 |  | benzene, 1,2,4-trichloro-3-methyl-;<br>1,2,4-trichloro-3-methylbenzene;<br>2,3,6-trichlorotoluene   | IV/20a 4.5:1220   |
| 5045 | C <sub>7</sub> H <sub>5</sub> Cl <sub>3</sub> F <sub>8</sub><br>347.46<br>16395-71-4 |  | 1,5,5-trichloro-1,1,2,2,3,3,4,4-octafluoroheptane   | IV/20a 4.5:1221   |

|      |  |  |  |  |
|------|--|--|--|--|
| 5046 | C <sub>7</sub> H <sub>5</sub> FO<br>124.12<br>455-32-3   |  | benzoyl fluoride   | II/6 2.5:282a;<br>II/6 2.8:49a;<br>II/19b 2.5.2:600;<br>II/19c 2.6.4.2:236;<br>II/19c 2.8.3.2:94;<br>III/38b 2.1:3556;<br>IV/6 2.1.3:837 |
| 5047 | C <sub>7</sub> H <sub>5</sub> FO<br>124.12<br>456-48-4   |  | 3-fluorobenzaldehyde   | II/19b 2.5.2:598   |
| 5048 | C <sub>7</sub> H <sub>5</sub> FO<br>124.12<br>459-57-4   |  | 4-fluorobenzaldehyde   | II/19b 2.5.2:599   |
| 5049 | C <sub>7</sub> H <sub>5</sub> FO<br>124.12<br>446-52-6   |  | 2-fluorobenzaldehyde   | II/19b 2.5.2:597   |
| 5050 | C <sub>7</sub> H <sub>5</sub> FO <sub>2</sub><br>140.12<br>455-38-9                                |  | 3-fluorobenzoic acid;<br><i>m</i> -fluorobenzoic acid  | IV/20a 4.5:1222  |
| 5051 | C <sub>7</sub> H <sub>5</sub> F <sub>3</sub><br>146.11<br>98-08-8                                  |  | benzyl fluoride;<br>benzotrifluoride;<br>benzylidyne fluoride;<br>phenylfluoroform;<br>(trifluoromethyl)benzene;<br>trifluoromethylbenzene | II/14a 2.5.2:685;<br>II/14a 2.8.2:56;<br>III/38b 2.1:3557;<br>IV/6 2.1.3:838;<br>IV/8a 3.5.4,p.162;<br>IV/20a 4.5:1223                   |
| 5052 | C <sub>7</sub> H <sub>5</sub> F <sub>3</sub> O<br>162.11<br>444-30-4                               |  | 2-(trifluoromethyl)phenol  | II/19b 2.5.2:601   |
| 5053 | C <sub>7</sub> H <sub>5</sub> F <sub>3</sub> O <sub>2</sub> S<br>210.18<br>426-58-4                |  | phenyl trifluoromethyl sulfone;<br>trifluoromethylphenyl sulfone   | III/38b 2.1:3558;<br>IV/6 2.1.3:839  |
| 5054 | C <sub>7</sub> H <sub>5</sub> F <sub>3</sub> O <sub>2</sub> S <sub>2</sub><br>242.24<br>63647-65-4 |  | 4-(trifluoromethylsulfonyl)-benzenethiol   | IV/6 2.1.3:840   |
| 5055 | C <sub>7</sub> H <sub>5</sub> F <sub>3</sub> O <sub>3</sub> S<br>226.18<br>432-84-8                |  | 4-(trifluoromethylsulfonyl)-phenol   | IV/6 2.1.3:841   |
| 5056 | C <sub>7</sub> H <sub>5</sub> IO <sub>2</sub><br>248.02<br>619-58-9                                |  | benzoic acid, 4-ido-;<br>4-iodobenzoic acid;<br><i>p</i> -iodobenzoic acid   | IV/8a 3.5.4,p.162  |
| 5057 | C <sub>7</sub> H <sub>5</sub> IO <sub>2</sub><br>248.02<br>618-51-9                                |  | benzoic acid, 3-ido-;<br>3-iodobenzoic acid;<br><i>m</i> -iodobenzoic acid   | IV/8a 3.5.4,p.162  |

|      |   |  |  |   |
|------|---|--|--|---|
| 5058 | C <sub>7</sub> H <sub>5</sub> IO <sub>2</sub><br>248.02<br>88-67-5      |  | benzoic acid, 2-iodo-;<br>2-iodobenzoic acid;<br>o-iodobenzoic acid                          | IV/8a 3.5.4,p.162   |
| 5059 | C <sub>7</sub> H <sub>5</sub> MnNO <sub>3</sub><br>206.06<br>32761-36-7 |  | tricarbonyl[(1,2,3,4,5- $\eta$ )-1H-pyrrol-1-yl]manganese                                    | IV/8a 3.5.4,p.160   |
| 5060 | C <sub>7</sub> H <sub>5</sub> N<br>103.13<br>100-47-0                   |  | benzenenitrile;<br>benzoic acid nitrile;<br>benzonitrile;<br>cyanobenzene;<br>phenyl cyanide | II/4 2.5:182;<br>II/4 2.6:208;<br>II/6 2.5:276;<br>II/14a 2.5.2:675a;<br>II/14a 2.7.3.2:71a;<br>II/19b 2.5.2:602;<br>II/19c 2.7.4.2:197;<br>III/38b 2.1:3559;<br>IV/6 2.1.3:847;<br>IV/8a 3.5.4,p.162;<br>IV/16 2.1.7:1124;<br>Mixtures:<br>III/38a 3.1:703;<br>IV/6 3.1:116, 169,<br>189, 205, 218,<br>244, 277, 300,<br>309, 379, 416,<br>463, 471, 496,<br>625, 702, 710,<br>786, 820, 849,<br>853-858, 863,<br>1018 |
| 5061 | C <sub>7</sub> H <sub>5</sub> N<br>103.13<br>931-54-4                   |  | isocyanobenzene  | II/14a 2.5.2:676;<br>II/19b 2.5.2:603;<br>II/19c 2.6.4.2:237;<br>II/19c 2.7.4.2:198   |
| 5062 | C <sub>7</sub> H <sub>5</sub> NO<br>119.12<br>103-71-9                  |  | isocyanatobenzene;<br>phenyl isocyanate  | II/14a 2.5.2:681;<br>II/14a 2.6.3.2:340;<br>II/19b 2.5.2:604;<br>II/19c 2.7.4.2:199;<br>III/38b 2.1:3564;<br>IV/6 2.1.3:846   |
| 5063 | C <sub>7</sub> H <sub>5</sub> NO<br>119.12<br>611-20-1                  |  | 2-hydroxy-benzenonitrile   | III/38b 2.1:3563  |
| 5064 | C <sub>7</sub> H <sub>5</sub> NO<br>119.12<br>271-58-9                  |  | 2,1-benzoisoxazole   | III/38b 2.1:3561  |
| 5065 | C <sub>7</sub> H <sub>5</sub> NO<br>119.12<br>273-53-0                  |  | benzoxazole  | III/38b 2.1:3562;<br>IV/8a 3.5.4,p.162  |
| 5066 | C <sub>7</sub> H <sub>5</sub> NO<br>119.12<br>271-95-4                  |  | 1,2-benzoisoxazole   | III/38b 2.1:3560  |

|      |   |  |   |  |
|------|---|--|---|--|
| 5067 | C <sub>7</sub> H <sub>5</sub> NO <sub>3</sub> S<br>183.19<br>81-07-2              |  | o-benzoic sulfimide;<br>1,2-benzoisothiazolin-3-one 1,1-dioxide;<br>saccharin   | IV/8a 3.5.4,p.163  |
| 5068 | C <sub>7</sub> H <sub>5</sub> NO <sub>4</sub><br>167.12<br>552-16-9               |  | benzoic acid, 2-nitro-;<br>2-nitrobenzoic acid;<br>o-nitrobenzoic acid  | IV/8a 3.5.4,p.163  |
| 5069 | C <sub>7</sub> H <sub>5</sub> NO <sub>4</sub><br>167.12<br>62-23-7                |  | p-carboxynitrobenzene;<br>p-nitrobenzenecarboxylic acid;<br>4-nitrobenzoic acid;<br>nitrodracylic acid  | IV/8a 3.5.4,p.163  |
| 5070 | C <sub>7</sub> H <sub>5</sub> NO <sub>4</sub><br>167.12<br>121-92-6               |  | m-carboxynitrobenzene;<br>m-nitrobenzenecarboxylic acid;<br>3-nitrobenzoic acid   | IV/8a 3.5.4,p.163  |
| 5071 | C <sub>7</sub> H <sub>5</sub> NS<br>135.19<br>103-72-0                            |  | isothiocyanatobenzene;<br>isothiocyanic acid, phenyl ester;<br>phenyl isothiocyanate  | II/14a 2.5.2:682;<br>II/19b 2.5.2:605;<br>II/19c 2.7.4.2:200;<br>III/38b 2.1:3566;<br>IV/16 2.1.7:1125;<br>IV/20a 3.2:386;<br>Mixtures:<br>III/38a 3.1:586,<br>802;<br>IV/16 3.1.4:506,<br>682 |
| 5072 | C <sub>7</sub> H <sub>5</sub> NS<br>135.19<br>95-16-9                             |  | benzothiazole   | III/38b 2.1:3565;<br>IV/8a 3.5.4,p.163   |
| 5073 | C <sub>7</sub> H <sub>5</sub> N <sub>3</sub> O <sub>6</sub><br>227.13<br>610-25-3 |  | benzene, 1-methyl-2,4,5-trinitro-;<br>1-methyl-2,4,5-trinitrobenzene;<br>2,4,5-trinitrotoluene  | IV/8a 3.5.4,p.163  |
| 5074 | C <sub>7</sub> H <sub>5</sub> N <sub>3</sub> O <sub>6</sub><br>227.13<br>118-96-7 |  | benzene, 2-methyl-1,3,5-trinitro-;<br>sym-trinitrotoluene;<br>α-TNT;<br>2,4,6-trinitrotoluene<br><br>see also: 14157(M), 14159(M),<br>14158(M), 14421(M), 14420(M),<br>14824(M), 14836(M), 14835(M),<br>14834(M), 14832(M), 14833(M),<br>14838(M), 14837(M), 15051(M),<br>15278(M), 15279(M), 15429(M),<br>15576(M), 15575(M) | IV/8a 3.5.4,p.164;<br>IV/16 2.1.7:1126   |
| 5075 | C <sub>7</sub> H <sub>5</sub> N <sub>5</sub> O <sub>8</sub><br>287.15<br>479-45-8 |  | N-methyl-N,2,4,6-tetranitroaniline;<br>N-methyl-N-2,4,6-tetranitrobenzenamine;<br>nitramine;<br>tetryl  | IV/8a 3.5.4,p.164  |

|      |   |   |   |   |
|------|---|---|---|---|
| 5076 | C <sub>7</sub> H <sub>5</sub> P<br>120.09<br>76684-21-4                 |    | (phenylmethylidyne)phosphine  | II/19b 2.5.2:606  |
| 5077 | C <sub>7</sub> H <sub>6</sub> Br <sub>2</sub><br>249.94<br>618-31-5     |    | dibromomethyl-benzene   | III/38b 2.1:3567  |
| 5078 | C <sub>7</sub> H <sub>6</sub> Br <sub>2</sub><br>249.94<br>615-59-8     |    | 2,5-dibromo-toluene   | III/38b 2.1:3568  |
| 5079 | C <sub>7</sub> H <sub>6</sub> CINO <sub>2</sub><br>171.58<br>121-86-8   |    | 2-chloro-4-nitro-toluene  | III/38b 2.1:3570  |
| 5080 | C <sub>7</sub> H <sub>6</sub> CINO <sub>2</sub><br>171.58<br>83-42-1    |    | 2-chloro-6-nitro-toluene  | III/38b 2.1:3571  |
| 5081 | C <sub>7</sub> H <sub>6</sub> CINO <sub>2</sub><br>171.58<br>89-60-1    |    | 4-chloro-3-nitrotoluene;<br>1-chloro-4-methyl-2-nitro-benzene       | III/38b 2.1:3569;<br>IV/6 2.1.3:848;<br>IV/8a 3.5.4,p.164                             |
| 5082 | C <sub>7</sub> H <sub>6</sub> CINO <sub>2</sub><br>171.58<br>16582-38-0 |   | 3-chloro-5-nitro-toluene  | III/38b 2.1:3572  |
| 5083 | C <sub>7</sub> H <sub>6</sub> CINO <sub>2</sub><br>171.58<br>5367-28-2  |  | 5-chloro-2-nitro-toluene  | III/38b 2.1:3573  |
| 5084 | C <sub>7</sub> H <sub>6</sub> Cl <sub>2</sub><br>161.03<br>98-87-3      |  | benzal chloride;<br>(dichloromethyl)benzene;<br>α,α-dichlorotoluene | III/38b 2.1:3576;<br>IV/6 2.1.3:852;<br>IV/16 2.1.7:1127;<br>IV/20a 4.5:1224,<br>1225 |
| 5085 | C <sub>7</sub> H <sub>6</sub> Cl <sub>2</sub><br>161.03<br>611-19-8     |  | 1-chloro-2-chloromethyl-benzene                                     | III/38b 2.1:3574  |
| 5086 | C <sub>7</sub> H <sub>6</sub> Cl <sub>2</sub><br>161.03<br>620-20-2     |  | 1-chloro-3-chloromethyl-benzene                                     | III/38b 2.1:3575  |
| 5087 | C <sub>7</sub> H <sub>6</sub> Cl <sub>2</sub><br>161.03<br>19398-61-9   |  | 2,5-dichloro-toluene  | III/38b 2.1:3579  |
| 5088 | C <sub>7</sub> H <sub>6</sub> Cl <sub>2</sub><br>161.03<br>118-69-4     |  | 2,6-dichlorotoluene   | III/38b 2.1:3580;<br>IV/6 2.1.3:849   |

|      |  |  |   |  |
|------|--|--|---|--|
| 5089 | C <sub>7</sub> H <sub>6</sub> Cl <sub>2</sub><br>161.03<br>95-75-0                   |  | benzene, 1,2-dichloro-4-methyl-; 1,2-dichloro-4-methylbenzene; 3,4-dichlorotoluene  | III/38b 2.1:3581;<br>IV/6 2.1.3:851;<br>IV/8a 3.5.4,p.164;<br>IV/20a 4.5:1216,<br>1227 |
| 5090 | C <sub>7</sub> H <sub>6</sub> Cl <sub>2</sub><br>161.03<br>95-73-8                   |  | 2,4-dichloro-1-methylbenzene; 1,3-dichloro-4-methylbenzene; 2,4-dichlorotoluene   | III/38b 2.1:3578;<br>IV/6 2.1.3:850;<br>IV/20a 4.5:1226                                |
| 5091 | C <sub>7</sub> H <sub>6</sub> Cl <sub>2</sub><br>161.03<br>32768-54-0                |  | 2,3-dichloro-toluene  | III/38b 2.1:3577   |
| 5092 | C <sub>7</sub> H <sub>6</sub> Cl <sub>2</sub> O <sub>2</sub><br>193.03<br>18113-14-9 |  | 2,5-dichloro-4-methoxyphenol; phenol, 2,5-dichloro-4-methoxy-   | IV/8a 3.5.4,p.164  |
| 5093 | C <sub>7</sub> H <sub>6</sub> F <sub>2</sub><br>128.12<br>455-31-2                   |  | difluoromethyl-benzene  | III/38b 2.1:3582   |
| 5094 | C <sub>7</sub> H <sub>6</sub> F <sub>2</sub><br>128.12<br>452-76-6                   |  | 2,4-difluoro-toluene  | III/38b 2.1:3583   |
| 5095 | C <sub>7</sub> H <sub>6</sub> F <sub>2</sub><br>128.12<br>443-84-5                   |  | 2,6-difluoro-toluene  | III/38b 2.1:3584   |
| 5096 | C <sub>7</sub> H <sub>6</sub> F <sub>3</sub> N<br>161.13<br>98-16-8                  |  | m-aminobenzotrifluoride; m-toluidine, $\alpha,\alpha,\alpha$ -trifluoro-; 3-(trifluoromethyl)aniline; 3-(trifluoromethyl)-benzenamine | III/38b 2.1:3585;<br>IV/20a 4.5:1228   |
| 5097 | C <sub>7</sub> H <sub>6</sub> F <sub>3</sub> NO <sub>2</sub> S<br>225.19<br>473-27-8 |  | 4-(trifluoromethylsulfonyl)-aniline   | IV/6 2.1.3:853   |
| 5098 | C <sub>7</sub> H <sub>6</sub> F <sub>6</sub> OS <sub>3</sub><br>316.31<br>24515-97-7 |  | 2-methoxy-2-(methylthio)-4-[trifluoromethyl]ethylidene]-1,3-dithietane  | III/38b 2.1:3586   |
| 5099 | C <sub>7</sub> H <sub>6</sub> F <sub>8</sub> O <sub>3</sub><br>290.11<br>1422-70-4   |  | bis(tetrafluoropropyl) carbonate; carbonic acid, bis(2,2,3,3-tetrachloropropyl) ester   | IV/8a 3.5.4,p.164  |
| 5100 | C <sub>7</sub> H <sub>6</sub> N <sub>2</sub> O <sub>4</sub><br>182.14<br>610-39-9    |  | benzene, 1-methyl-3,4-dinitro-; 3,4-dinitrotoluene; 1-methyl-3,4-dinitrobenzene   | IV/8a 3.5.4,p.165  |

|      |   |  |  |   |
|------|---|--|--|---|
| 5101 | C <sub>7</sub> H <sub>6</sub> N <sub>2</sub> O <sub>4</sub><br>182.14<br>121-14-2 |  | benzene, 1-methyl-2,4-dinitro-;<br>2,4-dinitrotoluene;<br>1-methyl-2,4-dinitrobenzene  | IV/8a 3.5.4,p.164   |
| 5102 | C <sub>7</sub> H <sub>6</sub> N <sub>2</sub> O <sub>4</sub><br>182.14<br>606-20-2 |  | 2,6-dinitrotoluene;<br>2-methyl-1,3-dinitrobenzene;<br>1-methyl-2,6-dinitrobenzene   | IV/8a 3.5.4,p.165   |
| 5103 | C <sub>7</sub> H <sub>6</sub> N <sub>2</sub> O <sub>4</sub><br>182.14<br>602-01-7 |  | benzene, 1-methyl-2,3-dinitro-;<br>2,3-dinitrotoluene;<br>1-methyl-2,3-dinitrobenzene  | IV/8a 3.5.4,p.164   |
| 5104 | C <sub>7</sub> H <sub>6</sub> N <sub>2</sub> O <sub>5</sub><br>198.14<br>534-52-1 |  | benzene, 1-hydroxy-2-methyl-3,5-dinitro-;<br>4,6-dinitro-o-cresol;<br>1-hydroxy-2-methyl-3,5-dinitrobenzene;<br>2-methyl-3,5-dinitrophenol               | IV/8a 3.5.4,p.165   |
| 5105 | C <sub>7</sub> H <sub>6</sub> O<br>106.13<br>100-52-7                             |  | benzaldehyde;<br>benzenecarbonal;<br>benzenecarboxaldehyde;<br>benzoic aldehyde;<br>phenylmethanal   | II/4 2.5:185;<br>II/6 2.5:282;<br>II/6 2.8:49;<br>III/38b 2.1:3587;<br>IV/6 2.1.3:854;<br>IV/8a 3.5.4,p.165;<br>IV/16 2.1.7:1128;<br>Mixtures:<br>III/38a 3.1:352,<br>808;<br>IV/6 3.1:219, 278,<br>310, 417, 626,<br>711, 859-865,<br>1023 |
| 5106 | C <sub>7</sub> H <sub>6</sub> O<br>106.13<br>539-80-0                             |  | cyclohepta-2,4,6-trienone;<br>2,4,6-cycloheptatrien-1-one  | II/14a 2.5.2:657;<br>II/14a 2.6.3.2:324;<br>II/14a 2.9.3.2:54;<br>III/38b 2.1:3588  |
| 5107 | C <sub>7</sub> H <sub>6</sub> O<br>106.13<br>1072-92-0                            |  | tetracyclo[3.2.0.2,7.0,4,6]heptan-3-one  | II/14a 2.5.2:561;<br>II/14a 2.6.3.2:272   |
| 5108 | C <sub>7</sub> H <sub>6</sub> OS<br>138.19<br>98-91-9                             |  | thiobenzoic acid   | III/38b 2.1:3589  |
| 5109 | C <sub>7</sub> H <sub>6</sub> O <sub>2</sub><br>122.13<br>13022-72-5              |  | 5-(hydroxymethylene)-1,3-cyclopentadiene-1-carboxaldehyde  | II/14a 2.5.2:609  |
| 5110 | C <sub>7</sub> H <sub>6</sub> O <sub>2</sub><br>122.13<br>65-85-0                 |  | benzenecarboxylic acid; benzeneformic acid; benzenemethanoic acid; benzoic acid; carboxybenzene; dracylic acid; phenylcarboxylic acid; phenylformic acid | III/38b 2.1:3590;<br>IV/8a 3.5.4,p.165;<br>IV/16 2.1.7:1129   |

|      |   |  |   |  |
|------|---|--|---|--|
| 5111 | C <sub>7</sub> H <sub>6</sub> O <sub>2</sub><br>122.13<br>100-83-4  |  | 3-hydroxy-benzaldehyde  | IV/16 2.1.7:1131   |
| 5112 | C <sub>7</sub> H <sub>6</sub> O <sub>2</sub><br>122.13<br>123-08-0  |  | 4-hydroxy-benzaldehyde  | III/38b 2.1:3592;<br>IV/16 2.1.7:1132  |
| 5113 | C <sub>7</sub> H <sub>6</sub> O <sub>2</sub><br>122.13<br>90-02-8   |  | 2-hydroxybenzaldehyde   | II/6 2.5:287a;<br>III/38b 2.1:3591;<br>IV/6 2.1.3:855;<br>IV/16 2.1.7:1130;<br>Mixtures:<br>IV/16 3.1.4:319,<br>354, 481, 597    |
| 5114 | C <sub>7</sub> H <sub>6</sub> O <sub>3</sub><br>138.12<br>99-96-7   |  | 4-carboxyphenol;<br>4-hydroxybenzoic acid;<br><i>p</i> -salicylic acid  | IV/8a 3.5.4,p.166  |
| 5115 | C <sub>7</sub> H <sub>6</sub> O <sub>3</sub><br>138.12<br>99-06-9   |  | 3-carboxyphenol;<br>3-hydroxybenzoic acid;<br><i>m</i> -salicylic acid  | IV/8a 3.5.4,p.166  |
| 5116 | C <sub>7</sub> H <sub>6</sub> O <sub>3</sub><br>138.12<br>69-72-7   |  | 2-hydroxybenzoic acid;<br>phenol-2-carboxylic acid;<br>salicylic acid   | III/38b 2.1:3593;<br>IV/8a 3.5.4,p.165   |
| 5117 | C <sub>7</sub> H <sub>7</sub> BF <sub>2</sub><br>139.94<br>768-39-8 |  | difluoro- <i>p</i> -tolyl-borane  | III/38b 2.1:3594   |
| 5118 | C <sub>7</sub> H <sub>7</sub> Br<br>171.04<br>100-39-0              |  | benzene, bromomethyl-;<br>benzyl bromide;<br>(bromomethyl)benzene;<br>$\alpha$ -bromotoluene  | III/38b 2.1:3595;<br>IV/6 2.1.3:869;<br>IV/8a 3.5.4,p.166;<br>IV/16 2.1.7:1133;<br>IV/20a 4.5:1229                               |
| 5119 | C <sub>7</sub> H <sub>7</sub> Br<br>171.04<br>591-17-3              |  | 1-bromo-3-methylbenzene;<br>3-bromotoluene;<br>3-methylbromobenzene;<br><i>m</i> -tolyl bromide   | III/38b 2.1:3597;<br>IV/6 2.1.3:871;<br>IV/20a 4.5:1232  |
| 5120 | C <sub>7</sub> H <sub>7</sub> Br<br>171.04<br>106-38-7              |  | 1-bromo-4-methylbenzene;<br>4-bromotoluene;<br><i>p</i> -bromotoluene;<br>4-methylphenyl bromide;<br><i>p</i> -tolyl bromide                                | III/38b 2.1:3598;<br>IV/6 2.1.3:872;<br>IV/8a 3.5.4,p.166;<br>IV/16 2.1.7:1135;<br>IV/20a 4.5:1230                               |
| 5121 | C <sub>7</sub> H <sub>7</sub> Br<br>171.04<br>95-46-5               |  | 1-bromo-2-methylbenzene;<br><i>o</i> -bromomethylbenzene;<br>2-bromotoluene;<br><i>o</i> -bromotoluene;<br>2-methylbromobenzene;<br><i>o</i> -tolyl bromide | III/38b 2.1:3596;<br>IV/6 2.1.3:870;<br>IV/8a 3.5.4,p.166;<br>IV/16 2.1.7:1134;<br>IV/20a 4.5:1231;<br>Mixtures:<br>IV/6 3.1:866 |
| 5122 | C <sub>7</sub> H <sub>7</sub> BrO<br>187.04<br>104-92-7             |  | 1-bromo-4-methoxy-benzene;<br>4-bromoanisole  | III/38b 2.1:3600;<br>IV/6 2.1.3:874  |

|      |   |  |  |   |
|------|---|--|--|---|
| 5123 | C <sub>7</sub> H <sub>7</sub> BrO<br>187.04<br>578-57-4                 |  | 1-bromo-2-methoxy-benzene;<br>2-bromoanisole   | III/38b 2.1:3599;<br>IV/6 2.1.3:873   |
| 5124 | C <sub>7</sub> H <sub>7</sub> BrO<br>187.04<br>6627-55-0                |  | 2-bromo-4-methyl-phenol  | III/38b 2.1:3601  |
| 5125 | C <sub>7</sub> H <sub>7</sub> BrS<br>203.11<br>14395-52-9               |  | 4-bromo-3-methylthiophenol   | III/38b 2.1:3602;<br>IV/6 2.1.3:875   |
| 5126 | C <sub>7</sub> H <sub>7</sub> Cl<br>126.59<br>100-44-7                  |  | benzene, chloromethyl-;<br>benzyl chloride;<br>(chloromethyl)benzene;<br>α-chlorotoluene                 | III/38b 2.1:3603;<br>IV/6 2.1.3:859;<br>IV/16 2.1.7:1136;<br>IV/20a 4.5:1233;<br><b>Mixtures:</b><br>IV/6 3.1:627                                     |
| 5127 | C <sub>7</sub> H <sub>7</sub> Cl<br>126.59<br>108-41-8                  |  | 1-chloro-3-methylbenzene;<br>3-chlorotoluene;<br><i>m</i> -chlorotoluene                                 | III/38b 2.1:3605;<br>IV/6 2.1.3:861;<br>IV/20a 4.5:1235   |
| 5128 | C <sub>7</sub> H <sub>7</sub> Cl<br>126.59<br>106-43-4                  |  | benzene, 1-chloro-4-methyl-;<br>1-chloro-4-methylbenzene;<br>4-chlorotoluene;<br><i>p</i> -chlorotoluene | II/6 2.5:290;<br>II/6 2.7.3:74;<br>II/6 2.8:53;<br>III/38b 2.1:3606;<br>IV/6 2.1.3:862;<br>IV/8a 3.5.4,p.167;<br>IV/16 2.1.7:1137;<br>IV/20a 4.5:1236 |
| 5129 | C <sub>7</sub> H <sub>7</sub> Cl<br>126.59<br>95-49-8                   |  | 1-chloro-2-methylbenzene;<br>2-chlorotoluene;<br><i>o</i> -chlorotoluene                                 | II/19b 2.5.2:607;<br>II/19c 2.7.4.2:201;<br>III/38b 2.1:3604;<br>IV/6 2.1.3:860;<br>IV/8a 3.5.4,p.166;<br>IV/20a 4.5:1234                             |
| 5130 | C <sub>7</sub> H <sub>7</sub> CIN <sub>2</sub> S<br>186.66<br>5344-82-1 |  | 1-(2-chlorophenyl)-2-thiourea;<br>N-(2-chlorophenyl)-2-thiourea  | IV/8a 3.5.4,p.167   |
| 5131 | C <sub>7</sub> H <sub>7</sub> ClO<br>142.59<br>623-12-1                 |  | 1-chloro-4-methoxy-benzene;<br>4-chloroanisole   | III/38b 2.1:3609;<br>IV/6 2.1.3:863;<br>IV/16 2.1.7:1139  |
| 5132 | C <sub>7</sub> H <sub>7</sub> ClO<br>142.59<br>766-51-8                 |  | 1-chloro-2-methoxybenzene;<br>2-chloroanisole;<br><i>o</i> -chloroanisole;<br>2-chloromethoxybenzene     | III/38b 2.1:3607;<br>IV/16 2.1.7:1138;<br>IV/20a 4.5:1237   |
| 5133 | C <sub>7</sub> H <sub>7</sub> ClO<br>142.59<br>2845-89-8                |  | 1-chloro-3-methoxy-benzene   | III/38b 2.1:3608  |
| 5134 | C <sub>7</sub> H <sub>7</sub> ClO<br>142.59<br>6640-27-3                |  | 2-chloro-4-methyl-phenol   | III/38b 2.1:3610  |

|      |  |  |  |  |
|------|--|--|--|--|
| 5135 | C <sub>7</sub> H <sub>7</sub> ClO <sub>2</sub> S<br>190.65<br>98-59-9                                |  | 4-methylbenzenesulfonyl chloride   | IV/6 2.1.3:864;<br>IV/16 2.1.7:1140                        |
| 5136 | C <sub>7</sub> H <sub>7</sub> ClO <sub>2</sub> S<br>190.65<br>133-59-5                               |  | toluene-2-sulfonyl chloride  | III/38b 2.1:3611   |
| 5137 | C <sub>7</sub> H <sub>7</sub> ClO <sub>3</sub><br>174.59<br>4301-39-7                                |  | 5-chloro-2-furancarboxylic acid ethyl ester  | III/38b 2.1:3612   |
| 5138 | C <sub>7</sub> H <sub>7</sub> ClO <sub>3</sub> S<br>206.65<br>98-68-0                                |  | 4-methoxybenzenesulfonyl chloride  | IV/6 2.1.3:865   |
| 5139 | C <sub>7</sub> H <sub>7</sub> CIS<br>158.65<br>123-09-1  |  | (4-chlorophenyl)-methyl-sulfide;<br>4-chlorothioanisole                                  | III/38b 2.1:3613;<br>IV/6 2.1.3:866                        |
| 5140 | C <sub>7</sub> H <sub>7</sub> CIS<br>158.65<br>17178-00-6  |  | 4-chloro-2-methylthiophenol;<br>4-chloro-3-methyl-benzenethiol                           | III/38b 2.1:3614;<br>IV/6 2.1.3:867                        |
| 5141 | C <sub>7</sub> H <sub>7</sub> Cl <sub>2</sub> N<br>176.05<br>102-49-8                                |  | 3,4-dichloro-benzylamine   | III/38b 2.1:3616   |
| 5142 | C <sub>7</sub> H <sub>7</sub> Cl <sub>2</sub> N<br>176.05<br>95-00-1                                 |  | 2,4-dichloro-benzylamine   | III/38b 2.1:3615   |
| 5143 | C <sub>7</sub> H <sub>7</sub> Cl <sub>2</sub> NO <sub>2</sub> S <sub>2</sub><br>272.17<br>33840-97-0 |  | 4-methylphenyl-sulfonyl-imidosulfurous dichloride  | IV/6 2.1.3:868   |
| 5144 | C <sub>7</sub> H <sub>7</sub> Cl <sub>3</sub> NO <sub>3</sub> PS<br>322.54<br>5598-13-0              |  | chlorpyrifos-methyl;<br>O,O-dimethyl O-(3,5,6-trichloro-2-pyridyl) thiophosphate         | IV/8a 3.5.4,p.167  |
| 5145 | C <sub>7</sub> H <sub>7</sub> Cl <sub>3</sub> Si<br>225.58<br>13835-81-9                             |  | trichloro-o-tolyl-silane   | III/38a 2.1.5:372  |
| 5146 | C <sub>7</sub> H <sub>7</sub> F<br>110.13<br>350-50-5  |  | benzene, fluoromethyl-;<br>benzyl fluoride;<br>(fluoromethyl)benzene;<br>α-fluorotoluene | III/38b 2.1:3617;<br>IV/8a 3.5.4,p.167;<br>IV/20a 4.5:1238 |







|      |  |  |   |   |
|------|--|--|---|---|
| 5147 | C <sub>7</sub> H <sub>7</sub> F<br>110.13<br>352-70-5  |  | benzene, 1-fluoro-3-methyl-; 1-fluoro-3-methylbenzene; 3-fluoromethylbenzene; 3-fluorotoluene; <i>m</i> -fluorotoluene                                | II/6 2.5:289;<br>II/6 2.6.3:154;<br>II/6 2.8:52;<br>III/38b 2.1:3619;<br>IV/6 2.1.3:857;<br>IV/8a 3.5.4,p.167;<br>IV/16 2.1.7:1141;<br>IV/20a 4.5:1240  |
| 5148 | C <sub>7</sub> H <sub>7</sub> F<br>110.13<br>352-32-9  |  | benzene, 1-fluoro-4-methyl-; 1-fluoro-4-methylbenzene; 4-fluoromethylbenzene; <i>p</i> -fluoromethylbenzene; 4-fluorotoluene; <i>p</i> -fluorotoluene | II/4 2.5:187a;<br>II/4 2.6:208a;<br>II/4 2.8:34;<br>II/19b 2.5.2:608;<br>II/19c 2.8.3.2:95;<br>III/38b 2.1:3620;<br>IV/6 2.1.3:858;<br>IV/8a 3.5.4,p.167;<br>IV/16 2.1.7:1142;<br>IV/20a 4.5:1241 |
| 5149 | C <sub>7</sub> H <sub>7</sub> F<br>110.13<br>95-52-3   |  | benzene, 2-fluoro-1-methyl-; 1-fluoro-2-methylbenzene; 2-fluoromethylbenzene; 2-fluorotoluene; <i>o</i> -fluorotoluene                                | II/6 2.5:288;<br>II/6 2.8:51;<br>II/14a 2.5.2:694;<br>II/14a 2.8.2:57;<br>III/38b 2.1:3618;<br>IV/6 2.1.3:856;<br>IV/20a 4.5:1239   |
| 5150 | C <sub>7</sub> H <sub>7</sub> FO<br>126.13<br>456-49-5 |  | 1-fluoro-3-methoxybenzene   | II/19b 2.5.2:610;<br>III/38b 2.1:3622   |
| 5151 | C <sub>7</sub> H <sub>7</sub> FO<br>126.13<br>459-60-9 |  | 1-fluoro-4-methoxybenzene   | II/14a 2.5.2:713;<br>III/38b 2.1:3623   |
| 5152 | C <sub>7</sub> H <sub>7</sub> FO<br>126.13<br>446-51-5 |  | 2-fluorobenzenemethanol   | II/19b 2.5.2:609  |
| 5153 | C <sub>7</sub> H <sub>7</sub> FO<br>126.13<br>321-28-8 |  | 1-fluoro-2-methoxybenzene   | III/38b 2.1:3621  |
| 5154 | C <sub>7</sub> H <sub>7</sub> FS<br>142.20<br>371-15-3 |  | 1-fluoro-4-(methylthio)benzene  | II/14a 2.5:714  |
| 5155 | C <sub>7</sub> H <sub>7</sub> I<br>218.04<br>620-05-3  |  | benzyl iodide; iodomethylbenzene; $\alpha$ -iodotoluene   | III/38b 2.1:3624;<br>IV/8a 3.5.4,p.167;<br>IV/20a 4.5:1242  |
| 5156 | C <sub>7</sub> H <sub>7</sub> I<br>218.04<br>625-95-6  |  | 3-iodotoluene   | III/38b 2.1:3626  |
| 5157 | C <sub>7</sub> H <sub>7</sub> I<br>218.04<br>624-31-7  |  | benzene, 1-iodo-4-methyl-; 1-iodo-4-methylbenzene; 4-iodotoluene; <i>p</i> -iodotoluene   | III/38b 2.1:3627;<br>IV/6 2.1.3:886;<br>IV/8a 3.5.4,p.167;<br>IV/16 2.1.7:1143  |

|      |  |  |   |  |
|------|--|--|---|--|
| 5158 | C <sub>7</sub> H <sub>7</sub> I<br>218.04<br>615-37-2                  |  | 2-iodo-toluene  | III/38b 2.1:3625   |
| 5159 | C <sub>7</sub> H <sub>7</sub> IO<br>234.04<br>696-62-8                 |  | 1-iodo-4-methoxybenzene;<br>4-iodoanisole;<br><i>p</i> -idoanisole                                      | IV/20a 4.5:1243  |
| 5160 | C <sub>7</sub> H <sub>7</sub> IrO <sub>4</sub><br>347.33<br>14023-80-4 |  | dicarbonyl(2,4-pentandione)iridium  | IV/20a 4.5:1244  |
| 5161 | C <sub>7</sub> H <sub>7</sub> N<br>105.14<br>100-69-6                  |  | 2-vinylpyridine   | III/38b 2.1:3628;<br>IV/6 2.1.3:888                      |
| 5162 | C <sub>7</sub> H <sub>7</sub> N<br>105.14<br>100-43-6                  |  | 4-ethenylpyridine;<br>4-vinylpyridine   | II/14a 2.5.2:747;<br>III/38b 2.1:3630;<br>IV/6 2.1.3:889 |
| 5163 | C <sub>7</sub> H <sub>7</sub> N<br>105.14<br>1121-55-7                 |  | 3-vinylpyridine   | III/38b 2.1:3629   |
| 5164 | C <sub>7</sub> H <sub>7</sub> NO<br>121.14<br>103-70-8                 |  | formanilide   | IV/16 2.1.7:1145   |
| 5165 | C <sub>7</sub> H <sub>7</sub> NO<br>121.14<br>55-21-0                  |  | benzamide;<br>benzenecarboxamide;<br>benzoic acid, amide;<br>benzoyl amide;<br>phenylcarboxamide        | IV/8a 3.5.4,p.167;<br>IV/16 2.1.7:1144                   |
| 5166 | C <sub>7</sub> H <sub>7</sub> NO<br>121.14<br>1122-62-9                |  | 1-pyridin-2-yl-ethanone   | III/38b 2.1:3631;<br>IV/16 2.1.7:1146                    |
| 5167 | C <sub>7</sub> H <sub>7</sub> NO<br>121.14<br>1122-54-9                |  | 1-pyridin-4-yl-ethanone   | III/38b 2.1:3633;<br>IV/16 2.1.7:1148                    |
| 5168 | C <sub>7</sub> H <sub>7</sub> NO<br>121.14<br>350-03-8                 |  | 1-pyridin-3-yl-ethanone   | III/38b 2.1:3632;<br>IV/16 2.1.7:1147                    |
| 5169 | C <sub>7</sub> H <sub>7</sub> NO<br>121.14<br>611-23-4                 |  | 2-methyl-1-nitrosobenzene;<br>1-methyl-2-nitrosobenzene;<br>2-methylnitrosobenzene;<br>2-nitrosotoluene | IV/8a 3.5.4,p.168  |










|      |  |  |  |  |
|------|--|--|--|--|
| 5170 | C <sub>7</sub> H <sub>7</sub> NO<br>121.14<br>623-11-0               |  | 4-methyl-1-nitrosobenzene;<br>1-methyl-4-nitrosobenzene;<br>4-methylnitrosobenzene;<br>4-nitrosotoluene        | IV/8a 3.5.4,p.168  |
| 5171 | C <sub>7</sub> H <sub>7</sub> NO<br>121.14<br>620-26-8               |  | 1-methyl-3-nitrosobenzene;<br><i>m</i> -methylnitrosobenzene;<br>3-nitrosotoluene;<br><i>m</i> -nitrosotoluene | IV/8a 3.5.4,p.168  |
| 5172 | C <sub>7</sub> H <sub>7</sub> NOS<br>153.20<br>15795-42-3            |  | 4-methyl-N-sulfinyl aniline;<br>N-sulfinyl- <i>p</i> -toluidine;<br>N- <i>p</i> -tolyl-sulfur imide oxide      | III/38b 2.1:3634;<br>IV/6 2.1.3:882                      |
| 5173 | C <sub>7</sub> H <sub>7</sub> NO <sub>2</sub><br>137.14<br>935-05-7  |  | benzyl nitrite;<br>nitrous acid benzyl ester   | III/38b 2.1:3635;<br>IV/6 2.1.3:876                      |
| 5174 | C <sub>7</sub> H <sub>7</sub> NO <sub>2</sub><br>137.14<br>93-60-7   |  | pyridine-3-carboxylic acid methyl ester  | IV/16 2.1.7:1155   |
| 5175 | C <sub>7</sub> H <sub>7</sub> NO <sub>2</sub><br>137.14<br>622-46-8  |  | carbamic acid phenyl ester   | IV/16 2.1.7:1149   |
| 5176 | C <sub>7</sub> H <sub>7</sub> NO <sub>2</sub><br>137.14<br>2459-09-8 |  | methyl pyridine-4-carboxylate;<br>4-pyridinecarboxylic acid methyl ester                                       | III/38b 2.1:3640;<br>IV/6 2.1.3:880;<br>IV/16 2.1.7:1156 |
| 5177 | C <sub>7</sub> H <sub>7</sub> NO <sub>2</sub><br>137.14<br>622-42-4  |  | nitromethyl-benzene  | III/38b 2.1:3636   |
| 5178 | C <sub>7</sub> H <sub>7</sub> NO <sub>2</sub><br>137.14<br>2459-07-6 |  | pyridine-2-carboxylic acid methyl ester  | IV/16 2.1.7:1154   |
| 5179 | C <sub>7</sub> H <sub>7</sub> NO <sub>2</sub><br>137.14<br>118-92-3  |  | 2-aminobenzoic acid;<br><i>o</i> -aminobenzoic acid;<br>anthranilic acid                                       | IV/8a 3.5.4,p.168  |
| 5180 | C <sub>7</sub> H <sub>7</sub> NO <sub>2</sub><br>137.14<br>65-45-2   |  | 2-hydroxybenzamide;<br><i>o</i> -hydroxybenzamide;<br>salicylamide   | IV/8a 3.5.4,p.168;<br>IV/16 2.1.7:1150                   |

|      |   |  |  |   |
|------|---|--|--|---|
| 5181 | C <sub>7</sub> H <sub>7</sub> NO <sub>2</sub><br>137.14<br>99-08-1      |  | benzene, 1-methyl-3-nitro-; 3-methyl-1-nitrobenzene; 1-methyl-3-nitrobenzene; 3-methylnitrobenzene; <i>m</i> -methylnitrobenzene; <i>m</i> -mononitrotoluene; 3-nitrotoluene; <i>m</i> -nitrotoluene | III/38b 2.1:3638;<br>IV/6 2.1.3:878;<br>IV/8a 3.5.4,p.168;<br>IV/16 2.1.7:1152;<br>Mixtures:<br>III/38a 3.1:149,<br>166, 765, 809,<br>813-815, 819-821;<br>IV/6 3.1:65, 118,<br>358, 629, 767,<br>821, 867, 982,<br>992, 1015 |
| 5182 | C <sub>7</sub> H <sub>7</sub> NO <sub>2</sub><br>137.14<br>99-05-8      |  | 3-aminobenzoic acid; <i>m</i> -aminobenzoic acid; benzoic acid, 3-amino-; 3-carboxyaniline   | IV/8a 3.5.4,p.168   |
| 5183 | C <sub>7</sub> H <sub>7</sub> NO <sub>2</sub><br>137.14<br>99-99-0      |  | benzene, 1-methyl-4-nitro-; 4-methyl-1-nitrobenzene; 1-methyl-4-nitrobenzene; 4-methylnitrobenzene; <i>p</i> -methylnitrobenzene; 4-nitrotoluene; <i>p</i> -nitrotoluene; 4-nitrotoluol              | III/38b 2.1:3639;<br>IV/6 2.1.3:879;<br>IV/8a 3.5.4,p.168;<br>IV/16 2.1.7:1153;<br>Mixtures:<br>III/38a 3.1:816-818;<br>IV/6 3.1:630, 983,<br>993, 1016   |
| 5184 | C <sub>7</sub> H <sub>7</sub> NO <sub>2</sub><br>137.14<br>150-13-0     |  | 4-aminobenzoic acid; <i>p</i> -aminobenzoic acid; benzoic acid, 4-amino-   | IV/8a 3.5.4,p.168   |
| 5185 | C <sub>7</sub> H <sub>7</sub> NO <sub>2</sub><br>137.14<br>88-72-2      |  | 2-nitrotoluene   | III/38b 2.1:3637;<br>IV/6 2.1.3:877;<br>IV/16 2.1.7:1151;<br>Mixtures:<br>III/38a 3.1:165,<br>764, 809-812;<br>IV/6 3.1:64, 117,<br>357, 516, 628,<br>766, 867, 981,<br>991, 1014   |
| 5186 | C <sub>7</sub> H <sub>7</sub> NO <sub>2</sub> S<br>169.20<br>13165-69-0 |  | 4-methoxy-N-sulfinylaniline; N-sulfinyl- <i>p</i> -anisidine   | III/38b 2.1:3643;<br>IV/6 2.1.3:887   |
| 5187 | C <sub>7</sub> H <sub>7</sub> NO <sub>2</sub> S<br>169.20<br>3058-47-7  |  | methyl-(2-nitro-phenyl)-sulfide  | III/38b 2.1:3641  |
| 5188 | C <sub>7</sub> H <sub>7</sub> NO <sub>2</sub> S<br>169.20<br>701-57-5   |  | methyl-(4-nitro-phenyl)-sulfide; 4-nitrothioanisole  | III/38b 2.1:3642;<br>IV/6 2.1.3:881   |
| 5189 | C <sub>7</sub> H <sub>7</sub> NO <sub>3</sub><br>153.14<br>15285-42-4   |  | nitric acid benzyl ester   | III/38b 2.1:3645  |
| 5190 | C <sub>7</sub> H <sub>7</sub> NO <sub>3</sub><br>153.14<br>100-17-4     |  | 1-methoxy-4-nitrobenzene; 4-nitroanisole   | II/14a 2.5.2:723;<br>III/38b 2.1:3647;<br>IV/6 2.1.3:885;<br>IV/16 2.1.7:1159   |













|      |  |  |   |  |
|------|--|--|---|--|
| 5191 | C <sub>7</sub> H <sub>7</sub> NO <sub>3</sub><br>153.14<br>91-23-6   |  | 2-nitroanisole  | III/38b 2.1:3646;<br>IV/6 2.1.3:883;<br>IV/16 2.1.7:1157;<br>Mixtures:<br>IV/6 3.1:66, 359,<br>631 |
| 5192 | C <sub>7</sub> H <sub>7</sub> NO <sub>3</sub><br>153.14<br>555-03-3  |  | 3-nitroanisole  | IV/6 2.1.3:884;<br>IV/16 2.1.7:1158  |
| 5193 | C <sub>7</sub> H <sub>7</sub> NO <sub>3</sub><br>153.14<br>119-33-5  |  | 4-methyl-2-nitro-phenol   | III/38b 2.1:3644   |
| 5194 | C <sub>7</sub> H <sub>7</sub> NO <sub>3</sub><br>153.14<br>2581-34-2 |  | 3-hydroxy-6-nitrotoluene;<br>3-methyl-4-nitrophenol;<br>4-nitro-3-methylphenol;<br>4-nitro-5-methylphenol | IV/8a 3.5.4,p.169  |
| 5195 | C <sub>7</sub> H <sub>7</sub> NO <sub>3</sub><br>153.14<br>700-38-9  |  | 3-hydroxy-4-nitrotoluene;<br>5-methyl-2-nitrophenol;<br>6-nitro- <i>m</i> -cresol                         | IV/8a 3.5.4,p.169  |
| 5196 | C <sub>7</sub> H <sub>7</sub> N <sub>3</sub><br>133.15<br>622-79-7   |  | benzyl azide  | III/38b 2.1:3648   |
| 5197 | C <sub>7</sub> H <sub>7</sub> N <sub>3</sub><br>133.15<br>934-32-7   |  | 2-aminobenzimidazole;<br>benzimidazole, 2-amino-  | IV/8a 3.5.4,p.169  |
| 5198 | C <sub>7</sub> H <sub>8</sub><br>92.14<br>2396-63-6                  |  | hepta-1,6-diyne;<br>1,6-heptadiyne  | III/38b 2.1:3653;<br>IV/8c 5.1:1176;<br>IV/8c 5.2:1203   |
| 5199 | C <sub>7</sub> H <sub>8</sub><br>92.14<br>764-56-7                   |  | hepta-1,5-diyne;<br>1,5-heptadiyne  | III/38b 2.1:3652;<br>IV/8c 5.2:1202  |
| 5200 | C <sub>7</sub> H <sub>8</sub><br>92.14<br>5150-80-1                  |  | hepta-1,6-dien-3-yne  | III/38b 2.1:3651   |

|      |   |  |  |   |
|------|---|--|--|---|
| 5201 | C <sub>7</sub> H <sub>8</sub><br>92.14<br>108-88-3      | <br>see also: 4953(D) | methylbenzene;<br>phenylmethane;<br>toluene;<br>toluol   | II/6 2.5:283;<br>II/6 2.6.3:151;<br>II/6 2.8:50;<br>II/14a 2.5.2:684;<br>III/38b 2.1:3654;<br>IV/6 2.1.3:890;<br>IV/8a 3.5.4,p.169;<br>IV/8e 2.1:2;<br>IV/16 2.1.7:1160;<br>IV/20a 2.1:141;<br><b>Mixtures:</b><br>III/38a 3.1:95, 131,<br>167, 192, 227,<br>268, 282, 293,<br>318, 353, 390,<br>406, 461, 497,<br>547, 566, 587,<br>603, 605, 632,<br>668-669, 704, 737,<br>746, 751, 758,<br>760, 766, 773,<br>780, 803, 822-838;<br>IV/6 3.1:67, 632,<br>768, 822, 868-894,<br>933;<br>IV/16 3.1.2:40;<br>IV/16 3.1.4:125,<br>205, 240, 256,<br>286, 297, 320,<br>339, 375, 384,<br>398, 409, 442-445,<br>482, 511, 516,<br>522, 530, 542-543,<br>564, 571, 579,<br>598, 636, 645,<br>652, 672, 675,<br>677, 683, 685, 693 |
| 5202 | C <sub>7</sub> H <sub>8</sub><br>92.14<br>544-25-2      |                     | cyclohepta-1,3,5-triene;<br>cycloheptatriene;<br>1,3,5-cycloheptatriene  | II/4 2.5:188;<br>II/4 2.6:210;<br>II/19b 2.5.2:611;<br>III/38b 2.1:3650;<br>IV/8a 3.5.4,p.169;<br>IV/8d 5.1:803;<br>IV/20a 2.1:139  |
| 5203 | C <sub>7</sub> H <sub>8</sub><br>92.14<br>765-46-8      |                     | spiro[2.4]hepta-4,6-diene  | II/14a 2.5.2:670;<br>II/14a 2.6.3.2:334;<br>II/19b 2.5.2:613  |
| 5204 | C <sub>7</sub> H <sub>8</sub><br>92.14<br>121-46-0      |                     | bicyclo[2.2.1]hepta-2,5-diene;<br>3,6-methano-1,4-cyclohexadiene;<br>2,5-norbornadiene;<br>8,9,10-trinorborna-2,5-diene                          | II/19b 2.5.2:612;<br>II/19c 2.6.4.2:238;<br>III/38b 2.1:3649;<br>IV/8a 3.5.4,p.169;<br>IV/20a 2.1:138   |
| 5205 | C <sub>7</sub> H <sub>8</sub><br>92.14<br>278-06-8      |                     | quadricyclane;<br>[2.2.1.0 <sup>2,6</sup> .0 <sup>3,5</sup> ]quadricycloheptane;<br>tetracyclo[3.2.0.0 <sup>2,7</sup> .0 <sup>4,6</sup> ]heptane | II/19b 2.5.2:614;<br>II/19c 2.6.4.2:239;<br>IV/20a 2.1:140  |
| 5206 | C <sub>7</sub> H <sub>8</sub> CIN<br>141.60<br>104-86-9 |                     | 4-chloro-benzylamine   | III/38b 2.1:3657  |
| 5207 | C <sub>7</sub> H <sub>8</sub> CIN<br>141.60<br>89-97-4  |                     | 2-chloro-benzylamine   | III/38b 2.1:3655  |

|      |  |  |   |  |
|------|--|--|---|--|
| 5208 | C <sub>7</sub> H <sub>8</sub> CIN<br>141.60<br>932-32-1                                |  | 2-chloro-N-methyl-aniline                                 | III/38b 2.1:3658   |
| 5209 | C <sub>7</sub> H <sub>8</sub> CIN<br>141.60<br>4152-90-3                               |  | 3-chloro-benzylamine                                      | III/38b 2.1:3656   |
| 5210 | C <sub>7</sub> H <sub>8</sub> CIN<br>141.60<br>87-63-8                                 |  | 2-chloro-6-methyl-aniline                                 | III/38b 2.1:3660   |
| 5211 | C <sub>7</sub> H <sub>8</sub> CIN<br>141.60<br>615-65-6                                |  | 2-chloro-4-methyl-aniline                                 | III/38b 2.1:3659   |
| 5212 | C <sub>7</sub> H <sub>8</sub> Cl <sub>2</sub> N <sub>2</sub> S<br>223.13<br>53014-25-8 |  | cyanocyclohexenylimidosulfurous dichloride                | IV/6 2.1.3:891   |
| 5213 | C <sub>7</sub> H <sub>8</sub> Cl <sub>2</sub> Si<br>191.13<br>18173-99-4               |  | benzyl-dichloro-silane; dichlorobenzylsilane              | III/38a 2.1.5:373;<br>IV/20a 4.5:1245  |
| 5214 | C <sub>7</sub> H <sub>8</sub> Cl <sub>2</sub> Si<br>191.13<br>149-74-6                 |  | dichloromethylphenylsilane                                | III/38a 2.1.5:374;<br>IV/20a 4.5:1246  |
| 5215 | C <sub>7</sub> H <sub>8</sub> Cl <sub>2</sub> Si<br>191.13<br>13272-80-5               |  | dichloro-4-tolylsilane                                    | IV/20a 4.5:1247  |
| 5216 | C <sub>7</sub> H <sub>8</sub> FN<br>125.15<br>459-59-6                                 |  | 4-fluoro-N-methylbenzenamine                              | II/14a 2.5.2:715   |
| 5217 | C <sub>7</sub> H <sub>8</sub> FN<br>125.15<br>1978-37-6                                |  | 3-fluoro-N-methylbenzenamine                              | II/14a 2.5.2:705   |
| 5218 | C <sub>7</sub> H <sub>8</sub> F <sub>2</sub> Si<br>158.23<br>328-57-4                  |  | difluoromethylphenylsilane; methylphenylsilane difluoride | III/38a 2.1.5:375;<br>IV/20a 4.5:1248;<br>Mixtures:<br>III/38a 3.1:193,<br>371, 527, 681,<br>689, 806, 839 |
| 5219 | C <sub>7</sub> H <sub>8</sub> N <sub>2</sub> O<br>136.15<br>84375-85-9                 |  | N-nitroso-benzylamine                                     | IV/16 2.1.7:1162   |
| 5220 | C <sub>7</sub> H <sub>8</sub> N <sub>2</sub> O<br>136.15<br>64-10-8                    |  | phenylurea; urea, phenyl-                                 | IV/8a 3.5.4,p.170  |

|      |   |   |   |  |
|------|---|---|---|--|
| 5221 | C <sub>7</sub> H <sub>8</sub> N <sub>2</sub> O<br>136.15<br>614-00-6              |    | N-methyl-N-nitrosoaniline   | II/19b 2.5.2:615;<br>IV/16 2.1.7:1161  |
| 5222 | C <sub>7</sub> H <sub>8</sub> N <sub>2</sub> O<br>136.15<br>114-33-0              |    | N-methyl nicotinamide   | Mixtures:<br>IV/6 3.1:361  |
| 5223 | C <sub>7</sub> H <sub>8</sub> N <sub>2</sub> O <sub>2</sub><br>152.15<br>100-15-2 |    | N-methyl-4-nitro-aniline  | IV/16 2.1.7:1163   |
| 5224 | C <sub>7</sub> H <sub>8</sub> N <sub>2</sub> O <sub>2</sub><br>152.15<br>99-52-5  |    | 2-methyl-4-nitro-aniline  | IV/16 2.1.7:1164   |
| 5225 | C <sub>7</sub> H <sub>8</sub> N <sub>2</sub> O <sub>2</sub><br>152.15<br>570-24-1 |    | 2-methyl-6-nitro-aniline  | IV/16 2.1.7:1165   |
| 5226 | C <sub>7</sub> H <sub>8</sub> N <sub>2</sub> O <sub>2</sub><br>152.15<br>89-62-3  |   | 4-methyl-2-nitro-aniline  | IV/16 2.1.7:1166   |
| 5227 | C <sub>7</sub> H <sub>8</sub> N <sub>4</sub> O <sub>2</sub><br>180.17<br>58-55-9  |  | 3,7-dihydro-1,3-dimethyl-1H-purine-2,6-dione; 1,3-dimethylxanthine; elixophylline; euphyllong; lanophyllin; liquophylline; optiphyllin; parkophyllin; pseudotheophylline      | IV/8a 3.5.4,p.170  |
| 5228 | C <sub>7</sub> H <sub>8</sub> O<br>108.14<br>100-66-3                             |  | anisol;<br>anisole;<br>methoxybenzene;<br>methyl phenyl ether;<br>phenoxymethane;<br>phenyl methyl ether  | II/19b 2.5.2:616;<br>III/38b 2.1:3661;<br>IV/6 2.1.3:892;<br>IV/8a 3.5.4,p.171;<br>IV/16 2.1.7:1168;<br>Mixtures:<br>III/38a 3.1:705,<br>847, 851;<br>IV/6 3.1:69, 155,<br>634, 895, 994,<br>1053;<br>IV/16 3.1.2:41;<br>IV/16 3.1.4:126,<br>145, 355, 483 |
| 5229 | C <sub>7</sub> H <sub>8</sub> O<br>108.14<br>100-51-6                             |  | benzenecarbinol;<br>benzenemethanol;<br>benzyl alcohol;<br>(hydroxymethyl)benzene;<br>$\alpha$ -hydroxytoluene;<br>phenylcarbinol;<br>phenylmethanol;<br>phenylmethyl alcohol | III/38b 2.1:3662;<br>IV/6 2.1.3:893;<br>IV/8a 3.5.4,p.170;<br>IV/16 2.1.7:1167;<br>Mixtures:<br>III/38a 3.1:96;<br>IV/6 3.1:68, 498,<br>633, 769, 840;<br>IV/16 3.1.4:222,<br>287, 599, 697  |

|      |  |  |   |   |
|------|--|--|---|---|
| 5230 | C <sub>7</sub> H <sub>8</sub> O<br>108.14<br>95-48-7     |  | 2-cresol;<br>o-cresol;<br>1-hydroxy-2-methylbenzene;<br>o-hydroxytoluene;<br>2-methylphenol | III/38b 2.1:3663;<br>IV/6 2.1.3:894;<br>IV/8a 3.5.4,p.170;<br>IV/16 2.1.7:1169;<br><b>Mixtures:</b><br>III/38a 3.1:588,<br>633, 706, 747,<br>752, 822, 841,<br>844, 848;<br>IV/6 3.1:635, 952;<br>IV/16 3.1.4:223,<br>321, 356, 484,<br>600, 676, 683   |
| 5231 | C <sub>7</sub> H <sub>8</sub> O<br>108.14<br>106-44-5    |  | p-cresol;<br>1-hydroxy-4-methylbenzene;<br>p-hydroxytoluene;<br>4-methylphenol              | III/38b 2.1:3665;<br>IV/6 2.1.3:896;<br>IV/8a 3.5.4,p.171;<br>IV/16 2.1.7:1171;<br><b>Mixtures:</b><br>III/38a 3.1:590,<br>635, 754, 824,<br>840, 843, 846,<br>850;<br>IV/6 3.1:360, 636,<br>770, 954;<br>IV/16 3.1.4:323,<br>358, 486, 602   |
| 5232 | C <sub>7</sub> H <sub>8</sub> O<br>108.14<br>108-39-4    |  | m-cresol;<br>1-hydroxy-3-methylbenzene;<br>m-hydroxytoluene;<br>3-methylphenol              | III/38b 2.1:3664;<br>IV/6 2.1.3:895;<br>IV/8a 3.5.4,p.170;<br>IV/16 2.1.7:1170;<br><b>Mixtures:</b><br>III/38a 3.1:589,<br>634, 690, 707,<br>748, 753, 823,<br>842, 845, 849;<br>IV/6 3.1:418, 436,<br>497, 693, 703,<br>897, 953, 1024,<br>1027, 1062;<br>IV/16 3.1.4:322,<br>357, 485, 601,<br>694, 696 |
| 5233 | C <sub>7</sub> H <sub>8</sub> O<br>108.14<br>694-71-3    |  | bicyclo[2.2.1]hept-2-en-7-one   | II/14a 2.5.2:667;<br>II/14a 2.6.3.2:331   |
| 5234 | C <sub>7</sub> H <sub>8</sub> O<br>108.14<br>822-80-0    |  | bicyclo[2.2.1]hepta-2,5-dien-7-ol   | II/19b 2.5.2:617;<br>II/19c 2.6.4.2:240   |
| 5235 | C <sub>7</sub> H <sub>8</sub> O<br>108.14<br>51736-74-4  |  | bicyclo[2.2.1]hept-2-en-5-one   | II/14a 2.5.2:664;<br>II/14a 2.6.3.2:329   |
| 5236 | C <sub>7</sub> H <sub>8</sub> O<br>108.14<br>695-05-6    |  | tricyclo[2.2.1.0 <sup>2,6</sup> ]heptan-3-one   | II/14a 2.5.2:566  |
| 5237 | C <sub>7</sub> H <sub>8</sub> OS<br>140.21<br>13679-75-9 |  | 1-(thiophen-2-yl)-propan-1-one  | IV/16 2.1.7:1172  |

|      |  |   |  |   |
|------|--|---|--|---|
| 5238 | C <sub>7</sub> H <sub>8</sub> O <sub>2</sub><br>124.14<br>3194-15-8    |    | 1-furan-2-yl-propan-1-one  | III/38b 2.1:3666  |
| 5239 | C <sub>7</sub> H <sub>8</sub> O <sub>2</sub><br>124.14<br>150-76-5     |    | 4-methoxyphenol  | IV/6 2.1.3:899;<br>IV/16 2.1.7:1175   |
| 5240 | C <sub>7</sub> H <sub>8</sub> O <sub>2</sub><br>124.14<br>150-19-6     |    | 3-methoxyphenol  | III/38b 2.1:3668;<br>IV/6 2.1.3:898;<br>IV/16 2.1.7:1174  |
| 5241 | C <sub>7</sub> H <sub>8</sub> O <sub>2</sub><br>124.14<br>90-05-1      |    | 2-methoxyphenol  | III/38b 2.1:3667;<br>IV/6 2.1.3:897;<br>IV/16 2.1.7:1173;<br>Mixtures:<br>III/38a 3.1:591,<br>636, 708, 749,<br>755, 825, 852-854;<br>IV/16 3.1.4:324,<br>359, 487, 603 |
| 5242 | C <sub>7</sub> H <sub>8</sub> O <sub>2</sub><br>124.14<br>452-86-8     |    | 4-methyl-benzene-1,2-diol  | III/38b 2.1:3669  |
| 5243 | C <sub>7</sub> H <sub>8</sub> O <sub>2</sub> S<br>156.21<br>2810-04-0  |  | ethyl thiophene-2-carboxylate;<br>thiophene-2-carboxylic acid ethyl ester  | III/38b 2.1:3670;<br>IV/6 2.1.3:901;<br>IV/16 2.1.7:1176  |
| 5244 | C <sub>7</sub> H <sub>8</sub> O <sub>2</sub> S<br>156.21<br>3112-85-4  |  | methyl phenyl sulfone  | IV/6 2.1.3:900  |
| 5245 | C <sub>7</sub> H <sub>8</sub> O <sub>2</sub> S<br>156.21<br>52911-98-5 |  | 6-methyl-4-methoxy-2H-pyran-2-thion  | IV/20a 3.2:388  |
| 5246 | C <sub>7</sub> H <sub>8</sub> O <sub>2</sub> S<br>156.21<br>52911-99-6 |  | 2-methyl-6-(methylthio)-4H-pyran-4-one;<br>4H-pyran-4-one, 2-methyl-6-(methylthio)-  | IV/20a 3.2:387  |
| 5247 | C <sub>7</sub> H <sub>8</sub> O <sub>3</sub><br>140.14<br>623-17-6     |  | 2-acetoxymethyl-furan;<br>2-furyl acetate  | III/38b 2.1:3671;<br>IV/6 2.1.3:902   |
| 5248 | C <sub>7</sub> H <sub>8</sub> O <sub>3</sub><br>140.14<br>614-99-3     |  | ethyl furan-2-carboxylate;<br>furan-2-carboxylic acid ethyl ester  | III/38b 2.1:3672;<br>IV/6 2.1.3:903   |
| 5249 | C <sub>7</sub> H <sub>8</sub> S<br>124.21<br>100-53-8                  |  | benzenemethanethiol; benzyl mercaptan;<br>benzylthiol; (mercaptopethyl)benzene;<br>$\alpha$ -mercaptopotoluene; phenylmethanethiol | III/38b 2.1:3676;<br>IV/6 2.1.3:904;<br>IV/20a 3.2:393  |

|      |  |  |   |   |
|------|--|--|---|---|
| 5250 | C <sub>7</sub> H <sub>8</sub> S<br>124.21<br>100-68-5  |  | methyl phenyl sulfide;<br>(methylthio)benzene;<br>1-phenyl-1-thiaethane;<br>phenyl methyl sulfide;<br>thioanisole     | III/38b 2.1:3675;<br>IV/6 2.1.3:906;<br>IV/8a 3.5.4,p.171;<br>IV/16 2.1.7:1177;<br>IV/20a 3.2:392 |
| 5251 | C <sub>7</sub> H <sub>8</sub> S<br>124.21<br>106-45-6  |  | (4-methyl)thiophenol; 4-methylbenzenethiol;<br>4-methylphenylmercaptan; <i>p</i> -thiocresol;<br>4-toluenethiol       | IV/6 2.1.3:905;<br>IV/20a 3.2:391   |
| 5252 | C <sub>7</sub> H <sub>8</sub> S<br>124.21<br>108-40-7  |  | 3-methylbenzenethiol;<br><i>m</i> -methylthiophenol;<br>3-thiocresol; <i>m</i> -thiocresol;<br><i>m</i> -toluenethiol | III/38b 2.1:3674;<br>IV/20a 3.2:390   |
| 5253 | C <sub>7</sub> H <sub>8</sub> S<br>124.21<br>137-06-4  |  | 2-methylbenzenethiol;<br>2-methylthiophenol;<br><i>o</i> -thiocresol;<br><i>o</i> -toluenethiol                       | III/38b 2.1:3673;<br>IV/20a 3.2:389   |
| 5254 | C <sub>7</sub> H <sub>8</sub> S <sub>3</sub><br>188.33<br>698-42-0                               |  | 4,5,6,7-tetrahydro-1,3-benzodithiol-2-thione  | IV/20a 3.2:394  |
| 5255 | C <sub>7</sub> H <sub>8</sub> Se<br>171.10<br>4346-64-9  |  | methyl phenyl selenide  | IV/20a 3.3:38   |
| 5256 | C <sub>7</sub> H <sub>9</sub> Cl<br>128.60<br>819-44-3   |  | 5-chloro-5-methyl-hex-1-en-3-yne  | III/38b 2.1:3677  |
| 5257 | C <sub>7</sub> H <sub>9</sub> Cl<br>128.60<br>17294-44-9   |  | 4-chlorotricyclo[2.2.1.0^2,6]heptane  | II/6 2.4:83a;<br>II/6 2.7.2:29a;<br>II/14a 2.4.2:95;<br>II/14a 2.7.2.2:40                         |
| 5258 | C <sub>7</sub> H <sub>9</sub> F <sub>3</sub> N <sub>2</sub> O <sub>4</sub><br>242.16<br>433-33-0 |  | N-[N-(trifluoro-acetyl)glycyl]glycine methyl ester  | IV/20a 4.5:1249   |
| 5259 | C <sub>7</sub> H <sub>9</sub> F <sub>3</sub> O <sub>2</sub><br>182.14<br>65909-64-0              |  | 3-pentenyl trifluoroacetate   | II/14a 2.5.2:337  |
| 5260 | C <sub>7</sub> H <sub>9</sub> F <sub>3</sub> O <sub>4</sub><br>214.14                            |  | trifluoroacetic acid-isobutene carboxylic acid (1/1)  | II/14a 2.5.2:578;<br>II/14a 2.6.3.2:283   |
| 5261 | C <sub>7</sub> H <sub>9</sub> F <sub>3</sub> O <sub>4</sub><br>214.14                            |  | trifluoroacetic acid-cyclobutanecarboxylic acid (1/1)   | II/14a 2.5.2:580  |
| 5262 | C <sub>7</sub> H <sub>9</sub> F <sub>5</sub> O <sub>2</sub><br>220.14<br>680-28-4                |  | butyl pentafluoropropanoate;<br>butyl pentafluoropropionate;<br>propanoic acid, pentafluoro-, butyl ester             | IV/20a 4.5:1250   |
| 5263 | C <sub>7</sub> H <sub>9</sub> F <sub>9</sub> N <sub>2</sub> OSSi<br>368.30<br>62609-67-0         |  | 1,1,1-trifluoro-N-[2,2,2-trifluoro-1-(trifluoromethane-sulfonamide)ethyl]silane                                       | IV/20a 3.2:395;<br>IV/20a 4.5:1251  |

|      |  |  |   |   |
|------|--|--|---|---|
| 5264 | C <sub>7</sub> H <sub>9</sub> N<br>107.16<br>1855-63-6 |  | 1-cyanocyclohexene  | II/19b 2.5.2:618;<br>II/19c 2.7.4.2:202   |
| 5265 | C <sub>7</sub> H <sub>9</sub> N<br>107.16<br>100-46-9  |  | benzylamine   | III/38b 2.1:3678;<br>IV/6 2.1.3:912;<br>IV/16 2.1.7:1178;<br>Mixtures:<br>III/38a 3.1:446,<br>670-671, 826, 840,<br>852, 855  |
| 5266 | C <sub>7</sub> H <sub>9</sub> N<br>107.16<br>100-61-8  |  | N-methylaniline   | II/14a 2.5.2:680;<br>III/38b 2.1:3688;<br>IV/6 2.1.3:917;<br>IV/16 2.1.7:1187;<br>Mixtures:<br>III/38a 3.1:175,<br>319, 498, 626,<br>841-843, 856;<br>IV/6 3.1:453,<br>896-897;<br>IV/16 3.1.4:154,<br>446, 580, 604, 637 |
| 5267 | C <sub>7</sub> H <sub>9</sub> N<br>107.16<br>536-75-4  |  | 4-ethylpyridine   | III/38b 2.1:3687;<br>IV/6 2.1.3:916;<br>IV/16 2.1.7:1186  |
| 5268 | C <sub>7</sub> H <sub>9</sub> N<br>107.16<br>100-71-0  |  | 2-ethylpyridine   | III/38b 2.1:3685;<br>IV/6 2.1.3:915;<br>IV/16 2.1.7:1184  |
| 5269 | C <sub>7</sub> H <sub>9</sub> N<br>107.16<br>536-78-7  |  | 3-ethylpyridine   | III/38b 2.1:3686;<br>IV/16 2.1.7:1185   |
| 5270 | C <sub>7</sub> H <sub>9</sub> N<br>107.16<br>589-93-5  |  | 2,5-dimethylpyridine;<br>2,5-lutidine   | III/38b 2.1:3681;<br>IV/8a 3.5.4,p.172;<br>IV/16 2.1.7:1181   |
| 5271 | C <sub>7</sub> H <sub>9</sub> N<br>107.16<br>106-49-0  |  | 4-aminotoluene;<br><i>p</i> -aminotoluene;<br>4-methylaniline;<br>4-methylbenzenamine;<br>4-methylphenylamine;<br>4-toluidine;<br><i>p</i> -toluidine | III/38b 2.1:3691;<br>IV/6 2.1.3:920;<br>IV/8a 3.5.4,p.173;<br>IV/16 2.1.7:1190;<br>Mixtures:<br>III/38a 3.1:448,<br>672-673;<br>IV/6 3.1:365, 640,<br>771;<br>IV/16 3.1.4:606   |
| 5272 | C <sub>7</sub> H <sub>9</sub> N<br>107.16<br>591-22-0  |  | 3,5-dimethylpyridine;<br>3,5-lutidine   | III/38b 2.1:3684;<br>IV/8a 3.5.4,p.172;<br>IV/16 2.1.7:1183   |

|      |  |  |   |  |
|------|--|--|---|--|
| 5273 | C <sub>7</sub> H <sub>9</sub> N<br>107.16<br>95-53-4   |  | 2-amino-1-methylbenzene;<br>1-amino-2-methylbenzene;<br>2-aminotoluene;<br>2-methyl-1-aminobenzene;<br>2-methylaniline;<br>2-methylbenzenamine;<br>2-methylphenylamine;<br>2-toluidine;<br>o-tolylamine | III/38b 2.1:3689;<br>IV/6 2.1.3:918;<br>IV/8a 3.5.4,p.172;<br>IV/16 2.1.7:1188;<br><b>Mixtures:</b><br>III/38a 3.1:176,<br>320, 354, 407,<br>447, 499;<br>IV/6 3.1:364, 638;<br>IV/16 3.1.4:155,<br>288, 376, 447,<br>605, 646, 666,<br>685, 694 |
| 5274 | C <sub>7</sub> H <sub>9</sub> N<br>107.16<br>108-44-1  |  | 1-amino-3-methylbenzene;<br>3-aminotoluene;<br><i>m</i> -aminotoluene;<br>benzeneamine, 3-methyl-;<br>3-methylaniline;<br>3-methylbenzenamine;<br>3-toluidine;<br><i>m</i> -toluidine                   | III/38b 2.1:3690;<br>IV/6 2.1.3:919;<br>IV/8a 3.5.4,p.173;<br>IV/16 2.1.7:1189;<br><b>Mixtures:</b><br>III/38a 3.1:177,<br>321, 355, 408,<br>500;<br>IV/6 3.1:363, 639;<br>IV/16 3.1.4:156,<br>289, 377, 448                                     |
| 5275 | C <sub>7</sub> H <sub>9</sub> N<br>107.16<br>583-61-9  |  | 2,3-dimethylpyridine;<br>2,3-lutidine   | III/38b 2.1:3679;<br>IV/8a 3.5.4,p.171;<br>IV/16 2.1.7:1179  |
| 5276 | C <sub>7</sub> H <sub>9</sub> N<br>107.16<br>108-48-5  |  | 2,6-dimethylpyridine;<br>2,6-lutidine   | III/38b 2.1:3682;<br>IV/6 2.1.3:914;<br>IV/8a 3.5.4,p.172;<br>IV/16 2.1.7:1182;<br><b>Mixtures:</b><br>III/38a 3.1:269;<br>IV/16 3.1.3:97  |
| 5277 | C <sub>7</sub> H <sub>9</sub> N<br>107.16<br>108-47-4  |  | 2,4-dimethylpyridine;<br>$\alpha,\gamma$ -dimethylpyridine;<br>2,4-lutidine   | III/38b 2.1:3680;<br>IV/6 2.1.3:913;<br>IV/8a 3.5.4,p.171;<br>IV/16 2.1.7:1180;<br><b>Mixtures:</b><br>III/38a 3.1:57  |
| 5278 | C <sub>7</sub> H <sub>9</sub> N<br>107.16<br>583-58-4  |  | 3,4-dimethylpyridine;<br>3,4-lutidine   | III/38b 2.1:3683;<br>IV/8a 3.5.4,p.172   |
| 5279 | C <sub>7</sub> H <sub>9</sub> NO<br>123.16<br>932-16-1 |  | 1-(1-methyl-pyrrol-2-yl)-ethanone   | III/38b 2.1:3697   |
| 5280 | C <sub>7</sub> H <sub>9</sub> NO<br>123.16<br>823-75-6 |  | 1-(3-methyl-pyrrol-1-yl)-ethanone   | III/38b 2.1:3696   |

|      |  |  |  |   |
|------|--|--|--|---|
| 5281 | C <sub>7</sub> H <sub>9</sub> NO<br>123.16<br>90-04-0                  |  | 2-methoxy-benzenamine;<br>2-methoxyaniline   | III/38b 2.1:3693;<br>IV/6 2.1.3:907;<br>IV/16 2.1.7:1191;<br>Mixtures:<br>IV/6 3.1:362, 637 |
| 5282 | C <sub>7</sub> H <sub>9</sub> NO<br>123.16<br>536-90-3                 |  | 3-methoxy-benzenamine;<br>3-methoxyaniline   | III/38b 2.1:3694;<br>IV/6 2.1.3:908;<br>IV/16 2.1.7:1192                                    |
| 5283 | C <sub>7</sub> H <sub>9</sub> NO<br>123.16<br>104-94-9                 |  | 4-methoxy-benzenamine;<br>4-methoxyaniline   | III/38b 2.1:3695;<br>IV/6 2.1.3:909;<br>IV/16 2.1.7:1193                                    |
| 5284 | C <sub>7</sub> H <sub>9</sub> NO<br>123.16<br>1073-23-0                |  | 2,6-dimethylpyridine-1-oxide   | III/38b 2.1:3692;<br>IV/6 2.1.3:910   |
| 5285 | C <sub>7</sub> H <sub>9</sub> NO <sub>2</sub> S<br>171.12<br>5183-78-8 |  | N-methylbenzenesulfonamide   | III/38b 2.1:3698;<br>IV/6 2.1.3:911   |
| 5286 | C <sub>7</sub> H <sub>9</sub> NS<br>139.22<br>104-96-1                 |  | 4-methylsulfanyl-aniline   | III/38b 2.1:3699  |
| 5287 | C <sub>7</sub> H <sub>10</sub><br>94.16<br>17679-93-5                  |  | <i>trans,trans</i> -hepta-1,3,5-triene;<br>(E,E)-1,3,5-heptatriene;<br><i>trans-trans</i> -1,3,5-heptatriene | III/38b 2.1:3703;<br>IV/8c 5.1:1177   |
| 5288 | C <sub>7</sub> H <sub>10</sub><br>94.16<br>2196-23-8                   |  | hepta-1,3,5-triene   | III/38b 2.1:3705  |
| 5289 | C <sub>7</sub> H <sub>10</sub><br>94.16<br>24587-25-5                  |  | <i>trans,cis</i> -hepta-1,3,5-triene;<br>(E,Z)-1,3,5-heptatriene   | III/38b 2.1:3704;<br>IV/8c 5.1:1178   |
| 5290 | C <sub>7</sub> H <sub>10</sub><br>94.16<br>30915-44-7                  |  | <i>cis,cis</i> -hepta-1,3,5-triene   | III/38b 2.1:3702  |
| 5291 | C <sub>7</sub> H <sub>10</sub><br>94.16<br>2384-73-8                   |  | hept-1-en-3-yne  | III/38b 2.1:3701  |
| 5292 | C <sub>7</sub> H <sub>10</sub><br>94.16<br>14272-54-9                  |  | 3-ethyl-pent-3-en-1-yne  | III/38b 2.1:3700  |
| 5293 | C <sub>7</sub> H <sub>10</sub><br>94.16<br>62839-54-7                  |  | 3-methyl-3-hexen-1-yne   | IV/8c 5.1:1179  |
| 5294 | C <sub>7</sub> H <sub>10</sub><br>94.16<br>22516-12-7                  |  | cyclopentadiene, 2-ethyl-;<br>2-ethyl-1,3-cyclopentadiene;<br>2-ethylcyclopentadiene                         | IV/8d 4.2.1:681   |
| 5295 | C <sub>7</sub> H <sub>10</sub><br>94.16<br>28638-58-6                  |  | cyclopentene, 1-ethenyl-;<br>1-ethenylcyclopentene   | IV/8d 4.2.1:680   |













|      |   |                          |  |   |
|------|---|--------------------------|--|---|
| 5296 | C <sub>7</sub> H <sub>10</sub><br>94.16<br>930-51-8                 |                          | cyclopentylacetylene;<br>cyclopentylethyne;<br>ethynylcyclopentane   | II/19b 2.5.2:620;<br>IV/8d 4.2.1:682  |
| 5297 | C <sub>7</sub> H <sub>10</sub><br>94.16<br>116781-86-3              |                          | (±)-5-methyl-cyclohexa-1,3-diene   | III/38b 2.1:3707  |
| 5298 | C <sub>7</sub> H <sub>10</sub><br>94.16<br>19656-98-5               |                          | 5-methyl-1,3-cyclohexadiene;<br>5-methyl-cyclohexa-1,3-diene   | III/38b 2.1:3708;<br>IV/8d 4.2.2:685  |
| 5299 | C <sub>7</sub> H <sub>10</sub><br>94.16<br>78939-20-5               |                          | 1,3-cyclohexadiene, 5-methyl-, (R)-;<br>(R)-5-methyl-1,3-cyclohexadiene;<br>(+)-5-methyl-cyclohexa-1,3-diene | III/38b 2.1:3706;<br>IV/8d 4.2.2:686  |
| 5300 | C <sub>7</sub> H <sub>10</sub><br>94.16<br>4313-57-9                |                          | 2,5-dihydrotoluene;<br>1-methyl-1,4-cyclohexadiene;<br>2-methyl-1,4-cyclohexadiene                           | IV/8d 4.2.2:683   |
| 5301 | C <sub>7</sub> H <sub>10</sub><br>94.16<br>1489-57-2                |                          | 4,5-dihydrotoluene;<br>2-methyl-1,3-cyclohexadiene   | IV/8d 4.2.2:684   |
| 5302 | C <sub>7</sub> H <sub>10</sub><br>94.16<br>13407-18-6               |                          | 4-methylenecyclohexene   | II/19b 2.5.2:621  |
| 5303 | C <sub>7</sub> H <sub>10</sub><br>94.16<br>6577-10-2                |                          | 1,2-cycloheptadiene  | IV/8d 4.2.3:687   |
| 5304 | C <sub>7</sub> H <sub>10</sub><br>94.16<br>4054-38-0                |                          | 1,3-cycloheptadiene  | II/14a 2.5.2:658;<br>II/14a 2.6.3.2:325;<br>IV/8d 4.2.3:688   |
| 5305 | C <sub>7</sub> H <sub>10</sub><br>94.16<br>16554-83-9               |                          | bicyclo[4.1.0]hept-3-ene;<br>3-norcarene;<br>δ3-norcarene  | IV/20a 2.1:143  |
| 5306 | C <sub>7</sub> H <sub>10</sub><br>94.16<br>4927-03-1                |                          | bicyclo[3.2.0]hept-6-ene   | II/14a 2.5.2:666;<br>II/14a 2.6.3.2:330;<br>II/19b 2.5.2:619  |
| 5307 | C <sub>7</sub> H <sub>10</sub><br>94.16<br>498-66-8                 |                          | bicyclo[2.2.1]-2-heptene;<br>norbornene;<br>norbornylene;<br>norcamphene;<br>8,9,10-trinor-2-bornene         | II/14a 2.5.2:663;<br>II/14a 2.6.3.2:328;<br>IV/8f 5.2.1:668;<br>IV/20a 2.1:142;<br>Mixtures:<br>III/38a 3.1:709,<br>827, 857, 858 |
| 5308 | C <sub>7</sub> H <sub>10</sub><br>94.16<br>279-19-6                 |                          | nortricyclen;<br>nortricyclene;<br>tricyclo[2, 2, 1, 0 <sup>2,6</sup> ] heptane                              | IV/20a 2.1:144,<br>145  |
| 5309 | C <sub>7</sub> H <sub>10</sub><br>94.16<br>187-26-8                 |                          | tricyclo[4.1.0.0 <sup>2,4</sup> ]heptane   | IV/20a 2.1:146  |
| 5310 | C <sub>7</sub> H <sub>10</sub> N <sub>2</sub><br>122.17<br>646-20-8 | NC—<br>—<br>—<br>—<br>CN | heptanedinitrile   | III/38b 2.1:3709;<br>IV/16 2.1.7:1194   |
| 5311 | C <sub>7</sub> H <sub>10</sub> N <sub>2</sub><br>122.17<br>618-40-6 |                          | 1-methyl-1-phenylhydrazine;<br>N-methyl-N-phenyl-hydrazine   | III/38b 2.1:3710;<br>IV/6 2.1.3:921   |

|      |  |  |  |   |
|------|--|--|--|---|
| 5312 | C <sub>7</sub> H <sub>10</sub> N <sub>2</sub><br>122.17<br>1122-58-3                 |  | N,N-dimethyl-4-aminopyridine   | II/19b 2.5.2:622                        |
| 5313 | C <sub>7</sub> H <sub>10</sub> N <sub>2</sub> O<br>138.17<br>25926-99-2              |  | 6,7-diazatricyclo[3.2.2.0 <sup>2.4</sup> ]non-6-ene N-oxide                                  | IV/8a 3.5.4,p.173                       |
| 5314 | C <sub>7</sub> H <sub>10</sub> N <sub>2</sub> O <sub>2</sub><br>154.17<br>4401-71-2  |  | 1,3-dimethylthymine;<br>1,3,5-trimethyl-2,4(1H,3H)-pyrimidinedione;<br>1,2,5-trimethyluracil | IV/8a 3.5.4,p.173                       |
| 5315 | C <sub>7</sub> H <sub>10</sub> N <sub>2</sub> O <sub>2</sub><br>154.17<br>13509-52-9 |  | 1,3,6-trimethyl-2,4(1H,3H)-pyrimidinedione;<br>1,3,6-trimethyluracil                         | IV/8a 3.5.4,p.174                       |
| 5316 | C <sub>7</sub> H <sub>10</sub> O<br>110.16<br>4229-91-8                              |  | 2-propyl-furan   | III/38b 2.1:3718                        |
| 5317 | C <sub>7</sub> H <sub>10</sub> O<br>110.16<br>1192-88-7                              |  | cyclohexene-1-carboxaldehyde   | III/38b 2.1:3711                        |
| 5318 | C <sub>7</sub> H <sub>10</sub> O<br>110.16<br>100-50-5                               |  | cyclohex-3-enecarbaldehyde   | III/38b 2.1:3712                        |
| 5319 | C <sub>7</sub> H <sub>10</sub> O<br>110.16<br>7214-50-8                              |  | (±)-5-methyl-cyclohex-2-enone  | III/38b 2.1:3716                        |
| 5320 | C <sub>7</sub> H <sub>10</sub> O<br>110.16<br>54307-74-3                             |  | (R)-5-methyl-cyclohex-2-enone  | III/38b 2.1:3717                        |
| 5321 | C <sub>7</sub> H <sub>10</sub> O<br>110.16<br>5515-76-4                              |  | 4-methyl-cyclohex-2-enone  | III/38b 2.1:3715                        |
| 5322 | C <sub>7</sub> H <sub>10</sub> O<br>110.16<br>1193-18-6                              |  | 3-methyl-cyclohex-2-enone  | III/38b 2.1:3714                        |
| 5323 | C <sub>7</sub> H <sub>10</sub> O<br>110.16<br>1121-18-2                              |  | 2-methyl-cyclohex-2-enone  | III/38b 2.1:3713                        |
| 5324 | C <sub>7</sub> H <sub>10</sub> O<br>110.16<br>1121-66-0                              |  | 2-cyclohepten-1-one  | II/14a 2.5.2:656;<br>II/14a 2.6.3.2:323 |
| 5325 | C <sub>7</sub> H <sub>10</sub> O<br>110.16<br>29268-42-6                             |  | bicyclo[2.2.1]heptan-2-one   | II/14a 2.5.2:563;<br>II/14a 2.6.3.2:274 |

|      |   |  |  |   |
|------|---|--|--|---|
| 5326 | C <sub>7</sub> H <sub>10</sub> O<br>110.16<br>10218-02-7              |  | bicyclo[2.2.1]heptan-7-one                   | II/14a 2.5.2:571;<br>II/14a 2.6.3.2:278 |
| 5327 | C <sub>7</sub> H <sub>10</sub> O<br>110.16<br>278-74-0                |  | 3-oxatricyclo[3.2.1.0^2,4]octane             | II/14a 2.5.2:564                        |
| 5328 | C <sub>7</sub> H <sub>10</sub> OS<br>142.22<br>20905-98-0             |  | 3-(thiophen-2-yl)-propan-1-ol                | IV/16 2.1.7:1195                        |
| 5329 | C <sub>7</sub> H <sub>10</sub> O <sub>2</sub><br>126.16<br>1515-80-6  |  | hexa-2,4-dienoic acid methyl ester           | III/38b 2.1:3726                        |
| 5330 | C <sub>7</sub> H <sub>10</sub> O <sub>2</sub><br>126.16<br>689-89-4   |  | hexa-2,4-dienoic acid methyl ester           | III/38b 2.1:3730                        |
| 5331 | C <sub>7</sub> H <sub>10</sub> O <sub>2</sub><br>126.16<br>30361-31-0 |  | trans,cis-hexa-2,4-dienoic acid methyl ester | III/38b 2.1:3727                        |
| 5332 | C <sub>7</sub> H <sub>10</sub> O <sub>2</sub><br>126.16<br>6932-46-3  |  | cis,trans-hexa-2,4-dienoic acid methyl ester | III/38b 2.1:3728                        |
| 5333 | C <sub>7</sub> H <sub>10</sub> O <sub>2</sub><br>126.16<br>53892-48-1 |  | cis,cis-hexa-2,4-dienoic acid methyl ester   | III/38b 2.1:3729                        |
| 5334 | C <sub>7</sub> H <sub>10</sub> O <sub>2</sub><br>126.16<br>20474-93-5 |  | but-2-enoic acid allyl ester                 | III/38b 2.1:3720                        |
| 5335 | C <sub>7</sub> H <sub>10</sub> O <sub>2</sub><br>126.16<br>63093-41-4 |  | pent-4-ynoic acid ethyl ester                | IV/16 2.1.7:1197                        |
| 5336 | C <sub>7</sub> H <sub>10</sub> O <sub>2</sub><br>126.16<br>1932-93-0  |  | butanoic acid prop-2-ynyl ester              | III/38b 2.1:3719;<br>IV/16 2.1.7:1196   |
| 5337 | C <sub>7</sub> H <sub>10</sub> O <sub>2</sub><br>126.16<br>5453-44-1  |  | trans-but-2-enoic acid allyl ester           | III/38b 2.1:3721                        |
| 5338 | C <sub>7</sub> H <sub>10</sub> O <sub>2</sub><br>126.16<br>6270-56-0  |  | ethyl furfuryl ether                         | III/38b 2.1:3725                        |
| 5339 | C <sub>7</sub> H <sub>10</sub> O <sub>2</sub><br>126.16<br>636-82-8   |  | cyclohex-1-enecarboxylic acid                | III/38b 2.1:3723                        |

|      |  |  |   |                                       |
|------|--|--|---|---------------------------------------|
| 5340 | C <sub>7</sub> H <sub>10</sub> O <sub>2</sub><br>126.16<br>4771-80-6 |  | cyclohex-3-enecarboxylic acid   | III/38b 2.1:3724                      |
| 5341 | C <sub>7</sub> H <sub>10</sub> O <sub>2</sub><br>126.16<br>1194-18-9 |  | cycloheptane-1,3-dione  | III/38b 2.1:3722                      |
| 5342 | C <sub>7</sub> H <sub>10</sub> O <sub>3</sub><br>142.16<br>1118-84-9 |  | 3-oxo-butyric acid allyl ester  | III/38b 2.1:3731                      |
| 5343 | C <sub>7</sub> H <sub>10</sub> O <sub>3</sub><br>142.16<br>6153-39-5 |  | 3,5-dihydroxytoluene, monohydrate;<br>resorcinol, 5-methyl-, monohydrate;<br>resorcinol monohydrate | IV/8a 3.5.4,p.174                     |
| 5344 | C <sub>7</sub> H <sub>10</sub> O <sub>3</sub><br>142.16<br>281-32-3  |  | 2,4,9-trioxatricyclo[3.3.1.1 <sup>3,7</sup> ]decane   | II/14a 2.4.2:94;<br>II/14a 2.6.2.2:66 |
| 5345 | C <sub>7</sub> H <sub>10</sub> O <sub>4</sub><br>158.15<br>615-79-2  |  | 2,4-dioxo-pentanoic acid ethyl ester  | III/38b 2.1:3736                      |
| 5346 | C <sub>7</sub> H <sub>10</sub> O <sub>4</sub><br>158.15<br>869-29-4  |  | 3,3-diacetoxy-propene   | III/38b 2.1:3735                      |
| 5347 | C <sub>7</sub> H <sub>10</sub> O <sub>4</sub><br>158.15<br>617-53-8  |  | trans-2-methyl-but-2-enoic acid dimethyl ester;<br>methylfumaric acid dimethyl ester                | III/38b 2.1:3737;<br>IV/16 2.1.7:1200 |
| 5348 | C <sub>7</sub> H <sub>10</sub> O <sub>4</sub><br>158.15<br>617-54-9  |  | cis-2-methyl-but-2-enoic acid dimethyl ester;<br>methylmaleic acid dimethyl ester                   | III/38b 2.1:3738;<br>IV/16 2.1.7:1199 |
| 5349 | C <sub>7</sub> H <sub>10</sub> O <sub>4</sub><br>158.15<br>6914-71-2 |  | cyclopropane-1,1-dicarboxylic acid dimethyl ester   | IV/16 2.1.7:1198                      |
| 5350 | C <sub>7</sub> H <sub>10</sub> O <sub>4</sub><br>158.15<br>702-28-3  |  | cyclopropane-1,2-dicarboxylic acid dimethyl ester   | III/38b 2.1:3734                      |
| 5351 | C <sub>7</sub> H <sub>10</sub> O <sub>4</sub><br>158.15<br>826-34-6  |  | cyclopropane-cis-1,2-dicarboxylic acid dimethyl ester   | III/38b 2.1:3733                      |

|      |   |  |   |  |
|------|---|--|---|--|
| 5352 | C <sub>7</sub> H <sub>10</sub> O <sub>4</sub><br>158.15<br>826-35-7   |  | cyclopropane- <i>trans</i> -1,2-dicarboxylic acid dimethyl ester                      | III/38b 2.1:3732   |
| 5353 | C <sub>7</sub> H <sub>10</sub> S<br>126.22<br>1551-27-5               |  | 2-propylthiophene   | III/38b 2.1:3739;<br>IV/16 2.1.7:1201;<br>IV/20a 3.2:397 |
| 5354 | C <sub>7</sub> H <sub>10</sub> S<br>126.22<br>1518-75-8               |  | 3-propyl-thiophene  | III/38b 2.1:3740   |
| 5355 | C <sub>7</sub> H <sub>10</sub> S<br>126.22<br>4095-22-1               |  | 2-isopropylthiophene;<br>2-(1-methylethyl)thiophene;<br>thiophene, 2-(1-methylethyl)- | IV/20a 3.2:396   |
| 5356 | C <sub>7</sub> H <sub>10</sub> S<br>126.22<br>1795-05-7               |  | 2,3,5-trimethyl-thiophene   | III/38b 2.1:3741   |
| 5357 | C <sub>7</sub> H <sub>10</sub> Si<br>122.24<br>766-08-5               |  | methyl-phenyl-silane  | III/38a 2.1.5:376  |
| 5358 | C <sub>7</sub> H <sub>11</sub> Br<br>175.07<br>18495-26-6             |  | 1-bromo-hept-2-yne  | III/38b 2.1:3743   |
| 5359 | C <sub>7</sub> H <sub>11</sub> Br<br>175.07<br>19821-84-2             |  | 1-bromo-hept-1-yne  | III/38b 2.1:3742   |
| 5360 | C <sub>7</sub> H <sub>11</sub> BrO <sub>4</sub><br>239.07<br>685-87-0 |  | 2-bromo-propanedioic acid diethyl ester   | IV/16 2.1.7:1202   |
| 5361 | C <sub>7</sub> H <sub>11</sub> Cl<br>130.62<br>70396-13-3             |  | 7-chloro-hept-2-yne   | III/38b 2.1:3747   |
| 5362 | C <sub>7</sub> H <sub>11</sub> Cl<br>130.62<br>51575-85-0             |  | 7-chloro-hept-3-yne   | III/38b 2.1:3749   |
| 5363 | C <sub>7</sub> H <sub>11</sub> Cl<br>130.62<br>116530-71-3            |  | 1-chloro-hept-3-yne   | III/38b 2.1:3748   |
| 5364 | C <sub>7</sub> H <sub>11</sub> Cl<br>130.62<br>100859-51-6            |  | 1-chloro-hept-2-yne   | III/38b 2.1:3746   |
| 5365 | C <sub>7</sub> H <sub>11</sub> Cl<br>130.62<br>51556-10-6             |  | 1-chloro-hept-1-yne   | III/38b 2.1:3745   |
| 5366 | C <sub>7</sub> H <sub>11</sub> Cl<br>130.62<br>116530-74-6            |  | 1-chloro-5-methyl-hexa-2,4-diene  | III/38b 2.1:3750   |

|      |   |   |  |  |
|------|---|---|--|--|
| 5367 | C <sub>7</sub> H <sub>11</sub> Cl<br>130.62<br>6080-79-1                              |    | 3-chloro-3-ethyl-pent-1-yne  | III/38b 2.1:3744   |
| 5368 | C <sub>7</sub> H <sub>11</sub> ClO<br>146.62<br>2719-27-9                             |    | cyclohexanecarbonyl chloride   | III/38b 2.1:3751   |
| 5369 | C <sub>7</sub> H <sub>11</sub> ClO <sub>4</sub><br>194.62<br>98431-22-2               |    | 1,3-diacetoxy-2-chloro-propane   | III/38b 2.1:3754   |
| 5370 | C <sub>7</sub> H <sub>11</sub> ClO <sub>4</sub><br>194.62<br>14064-10-9               |    | 2-chloro-malonic acid diethyl ester  | III/38b 2.1:3755   |
| 5371 | C <sub>7</sub> H <sub>11</sub> ClO <sub>4</sub><br>194.62<br>869-50-1                 |   | 1,2-diacetoxy-3-chloro-propane   | III/38b 2.1:3753   |
| 5372 | C <sub>7</sub> H <sub>11</sub> ClO <sub>4</sub><br>194.62<br>13086-97-0               |  | 1,1-diacetoxy-3-chloro-propane   | III/38b 2.1:3752   |
| 5373 | C <sub>7</sub> H <sub>11</sub> ClO <sub>5</sub><br>210.62                             |  | (2-chloroethyl)-[(1-methoxy-carbonyl)-ethyl]-carbonate   | IV/20a 4.5:1252  |
| 5374 | C <sub>7</sub> H <sub>11</sub> Cl <sub>3</sub> O <sub>2</sub><br>233.52<br>33972-81-5 |  | trichloroacetic acid pentyl ester  | III/38b 2.1:3759;<br>IV/16 2.1.7:1204  |
| 5375 | C <sub>7</sub> H <sub>11</sub> Cl <sub>3</sub> O <sub>2</sub><br>233.52<br>76266-29-0 |  | trichloro-acetic acid (L)-2-methyl-butyl ester   | III/38b 2.1:3757   |
| 5376 | C <sub>7</sub> H <sub>11</sub> Cl <sub>3</sub> O <sub>2</sub><br>233.52<br>57392-56-0 |  | ethanoic acid, trichloro-, 2,2-dimethylpropyl ester;<br>trichloro-acetic acid neopentyl ester;<br>trichloroacetic acid, 2,2-dimethylpropyl ester | III/38b 2.1:3758;<br>IV/20a 4.5:1253   |
| 5377 | C <sub>7</sub> H <sub>11</sub> Cl <sub>3</sub> O <sub>2</sub><br>233.52<br>57392-55-9 |  | 3-methyl-1-butyl trichloroacetate;<br>trichloro-acetic acid isopentyl ester;<br>trichloroacetic acid 3-methylbutyl ester                         | III/38b 2.1:3756;<br>IV/6 2.1.3:923;<br>IV/16 2.1.7:1203;<br>Mixtures:<br>IV/6 3.1:898 |
| 5378 | C <sub>7</sub> H <sub>11</sub> F <sub>3</sub><br>152.16<br>401-75-2                   |  | (trifluoromethyl)cyclohexane   | III/38b 2.1:3760;<br>IV/6 2.1.3:922  |

|      |   |                               |  |  |
|------|---|-------------------------------|--|--|
| 5379 | C <sub>7</sub> H <sub>11</sub> F <sub>3</sub> O <sub>2</sub><br>184.16<br>7556-79-8 |                               | 2,2-dimethylpropyl trifluoroacetate                  | II/14a 2.5.2:453   |
| 5380 | C <sub>7</sub> H <sub>11</sub> F <sub>3</sub> O <sub>4</sub><br>216.16              | <br>see also: 598(S), 3480(S) | trifluoroacetic acid-tert-butylcarboxylic acid (1/1) | II/14a 2.5.2:576;<br>II/14a 2.6.3.2:281                    |
| 5381 | C <sub>7</sub> H <sub>11</sub> I<br>222.07<br>54573-13-6                            |                               | 1-iodo-hept-1-yne                                    | III/38b 2.1:3761   |
| 5382 | C <sub>7</sub> H <sub>11</sub> N<br>109.17<br>1551-08-2                             |                               | 2-propyl-pyrrole                                     | III/38b 2.1:3767   |
| 5383 | C <sub>7</sub> H <sub>11</sub> N<br>109.17<br>1551-09-3                             |                               | 3-propyl-pyrrole                                     | III/38b 2.1:3768   |
| 5384 | C <sub>7</sub> H <sub>11</sub> N<br>109.17<br>5145-64-2                             |                               | 1-propyl-pyrrole                                     | III/38b 2.1:3766   |
| 5385 | C <sub>7</sub> H <sub>11</sub> N<br>109.17<br>7696-51-7                             |                               | 2-isopropyl-pyrrole                                  | III/38b 2.1:3764   |
| 5386 | C <sub>7</sub> H <sub>11</sub> N<br>109.17<br>7696-52-8                             |                               | 3-isopropyl-pyrrole                                  | III/38b 2.1:3765   |
| 5387 | C <sub>7</sub> H <sub>11</sub> N<br>109.17<br>488-92-6                              |                               | 3-ethyl-4-methyl-pyrrole                             | III/38b 2.1:3763   |
| 5388 | C <sub>7</sub> H <sub>11</sub> N<br>109.17<br>766-05-2                              |                               | cyanohexane;<br>cyclohexanecarbonitrile              | II/14a 2.5.2:525;<br>III/38b 2.1:3762;<br>IV/16 2.1.7:1205 |
| 5389 | C <sub>7</sub> H <sub>11</sub> NO<br>125.17<br>4602-33-9                            |                               | 4,4-dimethyl-2-oxopentanenitrile                     | II/14b 5.2.5:448d  |
| 5390 | C <sub>7</sub> H <sub>11</sub> NO<br>125.17<br>3173-53-3                            |                               | isocyanatocyclohexane                                | II/14a 2.5.2:527   |
| 5391 | C <sub>7</sub> H <sub>11</sub> NO <sub>2</sub><br>141.17<br>5459-58-5               |                               | cyanoacetic acid butyl ester                         | IV/16 2.1.7:1206   |
| 5392 | C <sub>7</sub> H <sub>11</sub> NO <sub>2</sub><br>141.17<br>13361-31-4              |                               | cyanoacetic acid 2-methylpropyl ester                | IV/16 2.1.7:1207   |

|      |  |  |  |  |
|------|--|--|--|--|
| 5393 | C <sub>7</sub> H <sub>11</sub> NO <sub>2</sub><br>141.17<br>63934-50-9 |  | 2,2-dimethylpropyl cyanoformate  | II/14a 2.5.2:452   |
| 5394 | C <sub>7</sub> H <sub>11</sub> NS<br>141.24<br>1122-82-3               |  | isothiocyanatocyclohexane  | II/14a 2.5.2:528   |
| 5395 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>2586-89-2                   |  | 1-ethyl-2-propylacetylene;<br>hept-3-yne;<br>3-heptyne                   | III/38b 2.1:3785;<br>IV/8c 4.1:1108;<br>IV/20a 2.1:166                       |
| 5396 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>3070-53-9                   |  | hepta-1,6-diene;<br>1,6-heptadiene                                       | III/38b 2.1:3781;<br>IV/6 2.1.3:925;<br>IV/8c 3.1:923                        |
| 5397 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>1541-23-7                   |  | hepta-1,5-diene;<br>1,5-heptadiene;<br>1-methyldiallyl                   | III/38b 2.1:3780;<br>IV/8c 3.1:922   |
| 5398 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>5675-22-9                   |  | hepta-1,4-diene;<br>1,4-heptadiene                                       | III/38b 2.1:3779;<br>IV/8c 3.1:921   |
| 5399 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>2384-90-9                   |  | butylallene;<br>1,2-heptadiene   | IV/8c 3.1:919  |
| 5400 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>628-72-8                    |  | hepta-2,4-diene;<br>2,4-heptadiene                                       | III/38b 2.1:3782;<br>IV/8c 3.1:924   |
| 5401 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>1002-26-2                   |  | 1,3-heptadiene   | IV/8c 3.1:920  |
| 5402 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>628-71-7                    |  | hept-1-yne;<br>1-heptyne   | III/38b 2.1:3783;<br>IV/8c 4.1:1106;<br>IV/16 2.1.7:1209;<br>IV/20a 2.1:164  |
| 5403 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>1119-65-9                   |  | hept-2-yne;<br>2-heptyne;<br>1-methyl-2-butylacetylene                   | III/38b 2.1:3784;<br>IV/8c 4.1:1107;<br>IV/20a 2.1:165                       |
| 5404 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>53566-37-3                  |  | 5-methyl-2-hexyne;<br>1-methyl-2-isobutylacetylene;<br>2-methyl-4-hexyne | III/38b 2.1:3796;<br>IV/8a 3.5.4,p.174;<br>IV/8c 4.1:1112;<br>IV/20a 2.1:177 |
| 5405 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>20198-49-6                  |  | 4-methyl-2-hexyne  | IV/8c 4.1:1110;<br>IV/20a 2.1:175  |
| 5406 | C <sub>7</sub> H <sub>12</sub><br>96.17                                |  | 4-methyl-1,3-hexadiene   | IV/8c 3.1:932  |
| 5407 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>1116-90-1                   |  | 4-methyl-1,4-hexadiene   | IV/8c 3.1:933  |
| 5408 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>27477-37-8                  |  | hexadiene, 2-methyl-;<br>2-methyl-hexadiene                              | IV/8c 3.1:925  |

|      |   |  |  |  |
|------|---|--|--|--|
| 5409 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>2203-80-7  |  | 5-methyl-1-hexyne;<br>5-methyl-hex-1-yne   | III/38b 2.1:3795;<br>IV/8c 4.1:1111;<br>IV/20a 2.1:176 |
| 5410 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>763-88-2   |  | 5-methyl-1,4-hexadiene   | IV/8c 3.1:934  |
| 5411 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>28823-42-9 |  | 3-methyl-2,4-hexadiene   | IV/8c 3.1:931  |
| 5412 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>14145-45-0 |  | 3-methyl-1,3-hexadiene   | IV/8c 3.1:929  |
| 5413 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>29212-09-7 |  | 2-methyl-2,3-hexadiene   | IV/8c 3.1:927  |
| 5414 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>36566-80-0 |  | 1-ethyl-2-isopropylacetylene;<br>2-methyl-3-hexyne;<br>2-methyl-hex-3-yne            | III/38b 2.1:3797;<br>IV/8c 4.1:1109;<br>IV/20a 2.1:172 |
| 5415 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>761-75-1   |  | 2-ethyl-1,4-pentadiene   | IV/8c 3.1:916  |
| 5416 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>687-79-6   |  | 3-ethyl-1,3-pentadiene   | IV/8c 3.1:918  |
| 5417 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>21020-26-8 |  | 3-ethyl-1-pentyne;<br>3-ethyl-pent-1-yne   | III/38b 2.1:3778;<br>IV/8c 4.1:1102;<br>IV/20a 2.1:163 |
| 5418 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>2384-96-5  |  | 1,1-diethylallene;<br>3-ethyl-1,2-pentadiene   | IV/8c 3.1:917  |
| 5419 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>4049-81-4  |  | 2-methyl-1,5-hexadiene;<br>2-methyldiallyl;<br>5-methyldiallyl                       | III/38b 2.1:3793;<br>IV/8c 3.1:926                     |
| 5420 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>52713-81-2 |  | 4-methyl-1-hexyne;<br>4-methylhex-1-yne  | IV/20a 2.1:174   |
| 5421 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>40276-93-5 |  | 3-methyl-1-hexyne  | IV/20a 2.1:173   |
| 5422 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>28823-41-8 |  | 2-methyl-2,4-hexadiene;<br>2-methyl-hexa-2,4-diene;<br>1,1,4-trimethyl-1,3-butadiene | III/38b 2.1:3794;<br>IV/8c 3.1:928, 936                |
| 5423 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>13361-63-2 |  | 4,4-dimethyl-1-pentyne;<br>neopentylacetylene;<br>3-tert-butylprop-1-yne             | III/38b 2.1:3773;<br>IV/8c 4.1:1104;<br>IV/20a 2.1:159 |

|      |   |  |  |  |
|------|---|--|--|--|
| 5424 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>999-78-0   |  | 2,2-dimethyl-3-pentyne;<br>1-tert-butyl-1-propyne;<br>tert-butylmethylacetylene                    | III/38b 2.1:3774;<br>IV/8c 4.1:1105;<br>IV/20a 2.1:160 |
| 5425 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>918-82-1   |  | 3,3-dimethyl-1-pentyne   | IV/8c 4.1:1103;<br>IV/20a 2.1:157                      |
| 5426 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>1541-33-9  |  | 3-methyl-1,5-hexadiene   | IV/8c 3.1:930  |
| 5427 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>61064-08-2 |  | 3,4-dimethyl-1-pentyne   | IV/20a 2.1:158   |
| 5428 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>5731-99-7  |  | 2-isopropyl-1,3-butadiene;<br>2-isopropylbutadiene;<br>4-methyl-3-methylene-1-pentene              | IV/8c 3.1:935  |
| 5429 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>1000-87-9  |  | 2,4-dimethyl-2,3-pentadiene;<br>tetramethylallene;<br>1,1,3,3-tetramethylallene                    | IV/8c 3.1:915  |
| 5430 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>1000-86-8  |  | 2,4-dimethyl-1,3-pentadiene;<br>2,4-dimethyl-penta-1,3-diene;<br>1,1,3-trimethylbutadiene          | III/38b 2.1:3772;<br>IV/8c 3.1:914                     |
| 5431 | C <sub>7</sub> H <sub>12</sub><br>96.17               |  | (1-methyl-1-propenyl)cyclopropane  | IV/8d 3.3:441  |
| 5432 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>5809-54-1  |  | cyclopropane, (1-ethylvinyl)-;<br>2-cyclopropyl-1-butene;<br>(1-propylethenyl)cyclopropane         | IV/8d 3.3:442  |
| 5433 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>1528-22-9  |  | isopropylidenedecyclobutane;<br>(1-methylethyldiene)cyclobutane;<br>1-methylethyldenedecyclobutane | IV/8d 3.3:443  |
| 5434 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>2146-38-5  |  | 1-ethyl-1-cyclopentene;<br>1-ethylcyclopentene   | III/38b 2.1:3775;<br>IV/8d 3.3:450;<br>IV/20a 2.1:161  |
| 5435 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>2146-37-4  |  | ethylenecyclopentane   | IV/8a 3.5.4,p.174;<br>IV/8d 3.3:452                    |
| 5436 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>3742-34-5  |  | ethenylcyclopentane;<br>vinylcyclopentane  | IV/8d 3.3:449  |
| 5437 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>694-35-9   |  | 3-ethyl-1-cyclopentene;<br>1-ethyl-2-cyclopentene;<br>3-ethylcyclopentene                          | III/38b 2.1:3777;<br>IV/8d 3.3:451;<br>IV/20a 2.1:162  |














|      |  |  |   |  |
|------|--|--|---|--|
| 5438 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>108055-96-5 |  | (S)-3-ethyl-cyclopentene  | III/38b 2.1:3776   |
| 5439 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>58049-91-5  |  | cyclopentene, 3,3-dimethyl-;<br>3,3-dimethylcyclopentene                              | IV/8d 3.3:447;<br>IV/20a 2.1:155   |
| 5440 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>19037-72-0  |  | cyclopentene, 4,4-dimethyl-;<br>4,4-dimethylcyclopentene                              | IV/20a 2.1:156   |
| 5441 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>16491-15-9  |  | 1,2-dimethyl-2-cyclopentene;<br>1,5-dimethylcyclopentene;<br>2,3-dimethylcyclopentene | IV/8d 3.3:446;<br>IV/20a 2.1:154   |
| 5442 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>19550-48-2  |  | cyclopentene, 1,4-dimethyl-;<br>1,4-dimethylcyclopentene                              | IV/8d 3.3:445;<br>IV/20a 2.1:153   |
| 5443 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>62184-82-1  |  | 1,3-dimethylcyclopentene  | III/38b 2.1:3771;<br>IV/20a 2.1:152  |
| 5444 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>7459-71-4   |  | cyclopentene, 3,5-dimethyl-;<br>3,5-dimethylcyclopentene                              | IV/8d 3.3:448  |
| 5445 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>53366-56-6  |  | 3-methyl-1-methylenecyclopentane;<br>1-methyl-3-methylenecyclopentane                 | IV/8d 3.3:453  |
| 5446 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>765-47-9    |  | 1,2-dimethyl-1-cyclopentene;<br>1,2-dimethylcyclopentene                              | III/38b 2.1:3770;<br>IV/8d 3.3:444;<br>IV/20a 2.1:151  |
| 5447 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>591-48-0    |  | (±)-3-methyl-cyclohexene;<br>3-methyl-1-cyclohexene                                   | III/38b 2.1:3787,<br>3789;<br>IV/8d 3.3:457;<br>IV/20a 2.1:169   |
| 5448 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>23713-56-6  |  | (+)-(R)-3-methyl-cyclohexene  | III/38b 2.1:3788;<br>IV/8d 3.3:456   |
| 5449 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>591-47-9    |  | (±)-4-methyl-cyclohexene;<br>4-methyl-1-cyclohexene;<br>4-methylcyclohex-1-ene        | III/38b 2.1:3790,<br>3792;<br>IV/8d 3.3:459;<br>IV/20a 2.1:170   |
| 5450 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>5710-02-1   |  | (R)-4-methyl-cyclohexene  | III/38b 2.1:3791   |
| 5451 | C <sub>7</sub> H <sub>12</sub><br>96.17                |  | (+)-(R)-4-methylcyclohexene   | IV/8d 3.3:458  |
| 5452 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>1192-37-6   |  | methylenehexane   | II/19b 2.5.2:623;<br>II/19c 2.6.4.2:241;<br>III/38b 2.1:3798;<br>IV/8d 3.3:454;<br>IV/16 2.1.7:1211;<br>IV/20a 2.1:171 |

|      |   |  |   |   |
|------|---|--|---|---|
| 5453 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>591-49-1                     |  | 1-methyl-1-cyclohexene;<br>1-methylcyclohexene  | III/38b 2.1:3786;<br>IV/8a 3.5.4,p.174;<br>IV/8d 3.3:455;<br>IV/16 2.1.7:1210;<br>IV/20a 2.1:168                    |
| 5454 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>628-92-2                     |  | cycloheptene;<br><i>cis</i> -cycloheptene   | III/38b 2.1:3769;<br>IV/6 2.1.3:924;<br>IV/8a 3.5.4,p.174;<br>IV/8d 3.3:460;<br>IV/16 2.1.7:1208;<br>IV/20a 2.1:150 |
| 5455 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>5685-47-2                    |  | cyclopropane, 1,1'-methylenebis-;<br>dicyclopropylmethane   | IV/8f 2.1.1:1   |
| 5456 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>185-49-9                     |  | spiro[4.2]heptane   | IV/8f 4.1:474   |
| 5457 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>4625-24-5                    |  | bicyclo[3.1.0]hexane, 1-methyl-;<br>1-methylbicyclo[3.1.0]hexane  | IV/8f 5.1.1:498;<br>IV/20a 2.1:167  |
| 5458 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>286-08-8                     |  | bicyclo[4.1.0]heptane;<br>norcarane;<br>8,9,10-trinorcarane   | IV/8f 5.1.1:497;<br>IV/20a 2.1:148,<br>149  |
| 5459 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>12622-04-7                   |  | bicycloheptane  | IV/8f 5.1.1:496   |
| 5460 | C <sub>7</sub> H <sub>12</sub><br>96.17<br>279-23-2                     |  | bicyclo[2.2.1]heptane; norbornane;<br>norbornylane; norcamphane; norfenchane;<br>norsantane; 8,9,10-trinorbornane | II/14a 2.5.2:562;<br>II/14a 2.6.3.2:273;<br>IV/20a 2.1:147  |
| 5461 | C <sub>7</sub> H <sub>12</sub> Br <sub>2</sub><br>255.99<br>29974-68-3  |  | dibromocycloheptane;<br>1,2-dibromocycloheptane   | IV/20a 4.5:1254   |
| 5462 | C <sub>7</sub> H <sub>12</sub> CINO<br>161.63<br>13654-91-6             |  | 6-chlorohexyl isocyanate  | IV/20a 4.5:1255   |
| 5463 | C <sub>7</sub> H <sub>12</sub> CIN <sub>5</sub><br>201.66<br>122-34-9   |  | 2-chloro-4,6-bis(ethylamino)-1,3,5-triazine   | IV/8a 3.5.4,p.174;<br>IV/20a 4.5:1256   |
| 5464 | C <sub>7</sub> H <sub>12</sub> Cl <sub>2</sub> O <sub>2</sub><br>199.08 |  | neopentyl dichloroethanoate   | IV/20a 4.5:1257   |
| 5465 | C <sub>7</sub> H <sub>12</sub> Cl <sub>2</sub> S<br>199.14              |  | 2-chlorocyclopentyl 2-chloroethyl sulfide;<br>(2-chloroethyl)(2-chlorocyclopentyl)-sulfide                        | IV/20a 3.2:398;<br>IV/20a 4.5:1258  |
| 5466 | C <sub>7</sub> H <sub>12</sub> Cl <sub>4</sub><br>237.99<br>3922-36-9   |  | heptane, 1,1,1,7-tetrachloro-;<br>1,1,1,7-tetrachloroheptane  | IV/20a 4.5:1259   |

|      |  |  |                               |                  |
|------|--|--|-------------------------------|------------------|
| 5467 | C <sub>7</sub> H <sub>12</sub> O<br>112.17<br>1002-36-4  |  | hept-2-yn-1-ol                | III/38b 2.1:3819 |
| 5468 | C <sub>7</sub> H <sub>12</sub> O<br>112.17<br>1119-44-4  |  | hept-3-en-2-one               | III/38b 2.1:3805 |
| 5469 | C <sub>7</sub> H <sub>12</sub> O<br>112.17<br>5609-09-6  |  | trans-hept-3-en-2-one         | III/38b 2.1:3803 |
| 5470 | C <sub>7</sub> H <sub>12</sub> O<br>112.17<br>69668-88-8 |  | cis-hept-3-en-2-one           | III/38b 2.1:3804 |
| 5471 | C <sub>7</sub> H <sub>12</sub> O<br>112.17<br>5638-26-6  |  | hepta-1,5-dien-4-ol           | III/38b 2.1:3818 |
| 5472 | C <sub>7</sub> H <sub>12</sub> O<br>112.17<br>81027-99-8 |  | (±)-trans-hepta-1,5-dien-4-ol | III/38b 2.1:3817 |
| 5473 | C <sub>7</sub> H <sub>12</sub> O<br>112.17<br>5075-33-2  |  | 2-methyl-hex-3-yn-2-ol        | III/38b 2.1:3824 |
| 5474 | C <sub>7</sub> H <sub>12</sub> O<br>112.17<br>4339-05-3  |  | 3-methyl-hex-1-yn-3-ol        | III/38b 2.1:3823 |
| 5475 | C <sub>7</sub> H <sub>12</sub> O<br>112.17<br>3240-09-3  |  | 5-methyl-hex-5-en-2-one       | III/38b 2.1:3822 |
| 5476 | C <sub>7</sub> H <sub>12</sub> O<br>112.17<br>53252-19-0 |  | 2-methyl-hex-4-en-3-one       | III/38b 2.1:3821 |
| 5477 | C <sub>7</sub> H <sub>12</sub> O<br>112.17<br>50396-90-2 |  | trans-2-methyl-hex-4-en-3-one | III/38b 2.1:3820 |
| 5478 | C <sub>7</sub> H <sub>12</sub> O<br>112.17<br>1482-15-1  |  | 3,4-dimethyl-pent-1-yn-3-ol   | III/38b 2.1:3802 |
| 5479 | C <sub>7</sub> H <sub>12</sub> O<br>112.17<br>6004-60-0  |  | 1-cyclopentyl-ethanone        | III/38b 2.1:3801 |

|      |   |  |  |   |
|------|---|--|--|---|
| 5480 | C <sub>7</sub> H <sub>12</sub> O<br>112.17<br>2043-61-0               |  | cyclohexanecarbaldehyde; cyclohexanecarboxaldehyde | II/14a 2.5.2:529;<br>III/38b 2.1:3800   |
| 5481 | C <sub>7</sub> H <sub>12</sub> O<br>112.17<br>591-24-2                |  | (±)-3-methyl-cyclohexanone                         | II/19b 2.5.2:624;<br>III/38b 2.1:3809,<br>3812;<br>IV/6 2.1.3:927;<br>IV/16 2.1.7:1214                                      |
| 5482 | C <sub>7</sub> H <sub>12</sub> O<br>112.17<br>24965-87-5              |  | (S)-3-methyl-cyclohexanone                         | III/38b 2.1:3811  |
| 5483 | C <sub>7</sub> H <sub>12</sub> O<br>112.17<br>13368-65-5              |  | (R)-3-methyl-cyclohexanone                         | III/38b 2.1:3810  |
| 5484 | C <sub>7</sub> H <sub>12</sub> O<br>112.17<br>583-60-8                |  | (±)-2-methyl-cyclohexanone                         | III/38b 2.1:3806,<br>3808;<br>IV/6 2.1.3:926;<br>IV/16 2.1.7:1213   |
| 5485 | C <sub>7</sub> H <sub>12</sub> O<br>112.17<br>22554-27-4              |  | (S)-2-methyl-cyclohexanone                         | III/38b 2.1:3807  |
| 5486 | C <sub>7</sub> H <sub>12</sub> O<br>112.17<br>22031-97-6              |  | (±)-trans-1-methyl-cyclohex-3-en-5-ol              | III/38b 2.1:3815  |
| 5487 | C <sub>7</sub> H <sub>12</sub> O<br>112.17<br>22049-46-3              |  | (±)-cis-5-methyl-cyclohex-2-en-1-ol                | III/38b 2.1:3814  |
| 5488 | C <sub>7</sub> H <sub>12</sub> O<br>112.17<br>3718-55-6               |  | 1-methyl-cyclohex-3-en-5-ol                        | III/38b 2.1:3816  |
| 5489 | C <sub>7</sub> H <sub>12</sub> O<br>112.17<br>589-92-4                |  | 4-methylcyclohexanone                              | II/19b 2.5.2:625;<br>III/38b 2.1:3813;<br>IV/6 2.1.3:928;<br>IV/16 2.1.7:1215;<br>Mixtures:<br>III/38a 3.1:781,<br>859, 860 |
| 5490 | C <sub>7</sub> H <sub>12</sub> O<br>112.17<br>502-42-1                |  | cycloheptanone                                     | II/14a 2.5.2:545;<br>III/38b 2.1:3799;<br>IV/6 2.1.3:929;<br>IV/16 2.1.7:1212   |
| 5491 | C <sub>7</sub> H <sub>12</sub> O<br>112.17<br>185-70-6                |  | 1-oxaspiro[2.5]octane                              | II/19b 2.5.2:626  |
| 5492 | C <sub>7</sub> H <sub>12</sub> O<br>112.17<br>1632-68-4               |  | 2-hydroxybicyclo[2.2.1]heptane                     | II/14a 2.5.2:562a;<br>II/14a 2.6.3.2:273a   |
| 5493 | C <sub>7</sub> H <sub>12</sub> O <sub>2</sub><br>128.17<br>65909-61-7 |  | 5-hexenyl formate                                  | II/14a 2.5.2:338  |

|      |   |  |  |   |
|------|---|--|--|---|
| 5494 | C <sub>7</sub> H <sub>12</sub> O <sub>2</sub><br>128.17<br>34456-25-2 |  | but-3-enoic acid propyl ester  | IV/16 2.1.7:1219  |
| 5495 | C <sub>7</sub> H <sub>12</sub> O <sub>2</sub><br>128.17<br>10160-87-9 |  | 3,3-diethoxy-propyne   | III/38b 2.1:3831  |
| 5496 | C <sub>7</sub> H <sub>12</sub> O <sub>2</sub><br>128.17<br>2051-78-7  |  | butanoic acid prop-2-enyl ester;<br>butyric acid allyl ester                                       | III/38b 2.1:3829;<br>IV/16 2.1.7:1217                     |
| 5497 | C <sub>7</sub> H <sub>12</sub> O <sub>2</sub><br>128.17<br>141-32-2   |  | acrylic acid, butyl ester;<br>butyl 2-propenoate; 1-butyl acrylate;<br>propenoic acid, butyl ester | III/38b 2.1:3825;<br>IV/6 2.1.3:930;<br>IV/8a 3.5.4,p.175 |
| 5498 | C <sub>7</sub> H <sub>12</sub> O <sub>2</sub><br>128.17<br>10352-87-1 |  | but-2-enoic acid propyl ester  | IV/16 2.1.7:1218  |
| 5499 | C <sub>7</sub> H <sub>12</sub> O <sub>2</sub><br>128.17<br>5837-78-5  |  | 2-methyl- <i>trans</i> -but-2-enoic acid ethyl ester   | III/38b 2.1:3838  |
| 5500 | C <sub>7</sub> H <sub>12</sub> O <sub>2</sub><br>128.17<br>16509-44-7 |  | 2-methyl- <i>cis</i> -but-2-enoic acid ethyl ester   | III/38b 2.1:3837  |
| 5501 | C <sub>7</sub> H <sub>12</sub> O <sub>2</sub><br>128.17<br>97961-66-5 |  | <i>trans</i> -2-methyl-hex-2-enoic acid  | III/38b 2.1:3840  |
| 5502 | C <sub>7</sub> H <sub>12</sub> O <sub>2</sub><br>128.17<br>28897-58-7 |  | 2-methyl-hex-2-enoic acid  | III/38b 2.1:3839  |
| 5503 | C <sub>7</sub> H <sub>12</sub> O <sub>2</sub><br>128.17               |  | <i>cis</i> -2-methyl-hex-2-enoic acid  | III/38b 2.1:3841  |
| 5504 | C <sub>7</sub> H <sub>12</sub> O <sub>2</sub><br>128.17<br>106-63-8   |  | acrylic acid isobutyl ester  | III/38b 2.1:3827  |
| 5505 | C <sub>7</sub> H <sub>12</sub> O <sub>2</sub><br>128.17<br>2998-08-5  |  | acrylic acid sec-butyl ester   | III/38b 2.1:3826  |
| 5506 | C <sub>7</sub> H <sub>12</sub> O <sub>2</sub><br>128.17<br>2210-28-8  |  | methacrylic acid propyl ester  | III/38b 2.1:3835  |

|      |   |   |  |  |
|------|---|---|--|--|
| 5507 | C <sub>7</sub> H <sub>12</sub> O <sub>2</sub><br>128.17<br>1663-39-4    |    | acrylic acid tert-butyl ester  | III/38b 2.1:3828   |
| 5508 | C <sub>7</sub> H <sub>12</sub> O <sub>2</sub><br>128.17<br>1540-34-7    |    | 3-ethyl-pentane-2,4-dione  | III/38b 2.1:3833   |
| 5509 | C <sub>7</sub> H <sub>12</sub> O <sub>2</sub><br>128.17<br>4655-34-9    |    | methacrylic acid isopropyl ester   | III/38b 2.1:3836   |
| 5510 | C <sub>7</sub> H <sub>12</sub> O <sub>2</sub><br>128.17<br>3142-58-3    |    | 3,3-dimethyl-pentane-2,4-dione   | III/38b 2.1:3832   |
| 5511 | C <sub>7</sub> H <sub>12</sub> O <sub>2</sub><br>128.17<br>60128-01-0   |    | cyclopropanecarboxylic acid propyl ester   | IV/16 2.1.7:1221   |
| 5512 | C <sub>7</sub> H <sub>12</sub> O <sub>2</sub><br>128.17<br>14924-53-9   |    | cyclobutanecarboxylic acid ethyl ester   | IV/16 2.1.7:1220   |
| 5513 | C <sub>7</sub> H <sub>12</sub> O <sub>2</sub><br>128.17<br>933-05-1     |  | acetic acid cyclopentyl ester  | IV/16 2.1.7:1216   |
| 5514 | C <sub>7</sub> H <sub>12</sub> O <sub>2</sub><br>128.17<br>4351-54-6    |  | cyclohexyl formate; formic acid cyclohexyl ester   | III/38b 2.1:3834;<br>IV/6 2.1.3:931;<br>IV/16 2.1.7:1222 |
| 5515 | C <sub>7</sub> H <sub>12</sub> O <sub>2</sub><br>128.17<br>98-89-5      |  | cyclohexanecarboxylic acid   | III/38b 2.1:3830,<br>4011;<br>IV/6 2.1.3:972             |
| 5516 | C <sub>7</sub> H <sub>12</sub> O <sub>2</sub> S<br>160.24<br>18342-42-2 |  | ethyl tetrahydro-thiophene-2-carboxylate; tetrahydro-thiophene-2-carboxylic acid ethyl ester | III/38b 2.1:3842;<br>IV/6 2.1.3:932                      |
| 5517 | C <sub>7</sub> H <sub>12</sub> O <sub>3</sub><br>144.17<br>539-88-8     |  | 4-oxo-pentanoic acid ethyl ester   | III/38b 2.1:3847   |
| 5518 | C <sub>7</sub> H <sub>12</sub> O <sub>3</sub><br>144.17<br>4949-44-4    |  | 3-oxo-pentanoic acid ethyl ester   | III/38b 2.1:3846   |
| 5519 | C <sub>7</sub> H <sub>12</sub> O <sub>3</sub><br>144.17<br>609-14-3     |  | 2-methyl-3-oxo-butyric acid ethyl ester  | III/38b 2.1:3845   |

|      |   |  |   |  |
|------|---|--|---|--|
| 5520 | C <sub>7</sub> H <sub>12</sub> O <sub>3</sub><br>144.17<br>637-64-9   |  | acetic acid tetrahydro-furfuryl ester;<br>2-tetrahydrofurfuryl acetate              | III/38b<br>2.1:3843-3844;<br>IV/6 2.1.3:933              |
| 5521 | C <sub>7</sub> H <sub>12</sub> O <sub>4</sub><br>160.17<br>111-16-0   |  | heptanedioic acid;<br>1,7-heptanedioic acid;<br>pimelic acid                        | IV/8a 3.5.4,p.175  |
| 5522 | C <sub>7</sub> H <sub>12</sub> O <sub>4</sub><br>160.17<br>627-91-8   |  | hexanedioic acid monomethyl ester;<br>monomethyl adipate                            | III/38b 2.1:3850;<br>IV/6 2.1.3:934                      |
| 5523 | C <sub>7</sub> H <sub>12</sub> O <sub>4</sub><br>160.17<br>105-53-3   |  | diethyl malonate;<br>malonic acid diethyl ester;<br>propanedioic acid diethyl ester | III/38b 2.1:3851;<br>IV/6 2.1.3:936;<br>IV/16 2.1.7:1227 |
| 5524 | C <sub>7</sub> H <sub>12</sub> O <sub>4</sub><br>160.17<br>1119-40-0  |  | dimethyl glutarate;<br>pentanedioic acid dimethyl ester                             | III/38b 2.1:3852;<br>IV/6 2.1.3:935;<br>IV/16 2.1.7:1226 |
| 5525 | C <sub>7</sub> H <sub>12</sub> O <sub>4</sub><br>160.17<br>628-66-0   |  | 1,3-diacetoxy-propane   | III/38b 2.1:3849   |
| 5526 | C <sub>7</sub> H <sub>12</sub> O <sub>4</sub><br>160.17<br>1604-11-1  |  | 2-methyl-butanedioic acid dimethyl ester  | IV/16 2.1.7:1225   |
| 5527 | C <sub>7</sub> H <sub>12</sub> O <sub>4</sub><br>160.17<br>26717-67-9 |  | 2-ethyl-propanedioic acid dimethyl ester  | IV/16 2.1.7:1224   |
| 5528 | C <sub>7</sub> H <sub>12</sub> O <sub>4</sub><br>160.17<br>623-84-7   |  | 1,2-diacetoxy-propane   | III/38b 2.1:3848   |
| 5529 | C <sub>7</sub> H <sub>12</sub> O <sub>4</sub><br>160.17<br>6065-54-9  |  | 2,2-dimethyl-propanedioic acid dimethyl ester                                       | IV/16 2.1.7:1223   |
| 5530 | C <sub>7</sub> H <sub>12</sub> O <sub>5</sub><br>176.17<br>105-70-4   |  | 1,3-diacetoxy-propan-2-ol;<br>1,2,3-propanetriol 1,3-diacetate                      | III/38b 2.1:3854;<br>IV/6 2.1.3:938                      |
| 5531 | C <sub>7</sub> H <sub>12</sub> O <sub>5</sub><br>176.17<br>102-62-5   |  | 2,3-diacetoxy-propan-1-ol;<br>1,2,3-propanetriol 1,2-diacetate                      | III/38b 2.1:3853;<br>IV/6 2.1.3:937                      |
| 5532 | C <sub>7</sub> H <sub>12</sub> S<br>128.24<br>185-78-4                |  | 1-thiaspiro[2.5]octane  | II/19b 2.5.2:627   |

|      |  |  |  |                                       |
|------|--|--|--|---------------------------------------|
| 5533 | C <sub>7</sub> H <sub>13</sub> Br<br>177.09<br>2550-36-9               |  | bromomethyl-cyclohexane                    | III/38b 2.1:3858                      |
| 5534 | C <sub>7</sub> H <sub>13</sub> Br<br>177.09<br>931-77-1                |  | 1-bromo-1-methyl-cyclohexane               | III/38b 2.1:3856                      |
| 5535 | C <sub>7</sub> H <sub>13</sub> Br<br>177.09<br>13905-48-1              |  | 1-bromo-3-methyl-cyclohexane               | III/38b 2.1:3857                      |
| 5536 | C <sub>7</sub> H <sub>13</sub> Br<br>177.09<br>2404-35-5               |  | bromo-cycloheptane                         | III/38b 2.1:3855;<br>IV/16 2.1.7:1228 |
| 5537 | C <sub>7</sub> H <sub>13</sub> BrO<br>193.09<br>5927-93-5              |  | trans-1-bromo-2-methoxy-cyclohexane        | III/38b 2.1:3859                      |
| 5538 | C <sub>7</sub> H <sub>13</sub> BrO<br>193.09<br>24618-31-3             |  | 1-bromo-2-methoxy-cyclohexane              | III/38b 2.1:3860                      |
| 5539 | C <sub>7</sub> H <sub>13</sub> BrO <sub>2</sub><br>209.09<br>6973-79-1 |  | 3-bromo-propionic acid butyl ester         | III/38b 2.1:3864                      |
| 5540 | C <sub>7</sub> H <sub>13</sub> BrO <sub>2</sub><br>209.09<br>2624-01-3 |  | 2-bromo-heptanoic acid                     | III/38b 2.1:3861                      |
| 5541 | C <sub>7</sub> H <sub>13</sub> BrO <sub>2</sub><br>209.09<br>615-83-8  |  | 2-bromo-pentanoic acid ethyl ester         | III/38b 2.1:3863                      |
| 5542 | C <sub>7</sub> H <sub>13</sub> BrO <sub>2</sub><br>209.09<br>609-12-1  |  | 2-bromo-3-methyl-butyrlic acid ethyl ester | III/38b 2.1:3862                      |
| 5543 | C <sub>7</sub> H <sub>13</sub> Cl<br>132.63<br>2384-75-0               |  | 1-chloro-hept-1-ene                        | III/38b 2.1:3867                      |
| 5544 | C <sub>7</sub> H <sub>13</sub> Cl<br>132.63<br>53268-67-0              |  | trans-1-chloro-hept-1-ene                  | III/38b 2.1:3865                      |
| 5545 | C <sub>7</sub> H <sub>13</sub> Cl<br>132.63<br>53268-66-9              |  | cis-1-chloro-hept-1-ene                    | III/38b 2.1:3866                      |
| 5546 | C <sub>7</sub> H <sub>13</sub> Cl<br>132.63<br>2431-24-5               |  | 4-chloro-hept-3-ene                        | III/38b 2.1:3870                      |
| 5547 | C <sub>7</sub> H <sub>13</sub> Cl<br>132.63<br>99591-54-5              |  | 4-chloro-hept-1-ene                        | III/38b 2.1:3869                      |

|      |  |  |   |                                      |
|------|--|--|---|--------------------------------------|
| 5548 | C <sub>7</sub> H <sub>13</sub> Cl<br>132.63<br>65786-11-0                |  | 2-chloro-hept-1-ene   | III/38b 2.1:3868                     |
| 5549 | C <sub>7</sub> H <sub>13</sub> ClO<br>148.63<br>41055-92-9               |  | 1-chloro-heptan-2-one   | III/38b 2.1:3871                     |
| 5550 | C <sub>7</sub> H <sub>13</sub> ClO<br>148.63<br>2528-61-2                |  | heptanoyl chloride  | III/38b 2.1:3873;<br>IV/20a 4.5:1262 |
| 5551 | C <sub>7</sub> H <sub>13</sub> ClO<br>148.63<br>57323-93-0               |  | 3-methyl-hexanoyl chloride  | III/38b 2.1:3874                     |
| 5552 | C <sub>7</sub> H <sub>13</sub> ClO<br>148.63<br>64687-38-3               |  | (S)-3-methyl-hexanoyl chloride  | III/38b 2.1:3875                     |
| 5553 | C <sub>7</sub> H <sub>13</sub> ClO<br>148.63<br>15673-02-6               |  | 4,4-dimethyl-pentanoyl chloride                                       | III/38b 2.1:3872                     |
| 5554 | C <sub>7</sub> H <sub>13</sub> ClO <sub>2</sub><br>164.63<br>2323-81-1   |  | 5-chloro-pentanoic acid ethyl ester                                   | III/38b 2.1:3881                     |
| 5555 | C <sub>7</sub> H <sub>13</sub> ClO <sub>2</sub><br>164.63<br>27387-79-7  |  | 3-chloro-propionic acid butyl ester                                   | III/38b 2.1:3885                     |
| 5556 | C <sub>7</sub> H <sub>13</sub> ClO <sub>2</sub><br>164.63<br>70786-82-2  |  | 4-chloro-pentanoic acid ethyl ester                                   | III/38b 2.1:3880                     |
| 5557 | C <sub>7</sub> H <sub>13</sub> ClO <sub>2</sub><br>164.63<br>62108-68-3  |  | 3-chloro-propionic acid isobutyl ester                                | III/38b 2.1:3886                     |
| 5558 | C <sub>7</sub> H <sub>13</sub> ClO <sub>2</sub><br>164.63<br>6513-13-9   |  | 3-chloro-pentanoic acid ethyl ester                                   | III/38b 2.1:3879                     |
| 5559 | C <sub>7</sub> H <sub>13</sub> ClO <sub>2</sub><br>164.63<br>118688-48-5 |  | 2-chloro-pentanoic acid ethyl ester                                   | III/38b 2.1:3878                     |
| 5560 | C <sub>7</sub> H <sub>13</sub> ClO <sub>2</sub><br>164.63<br>5326-92-1   |  | chloro-acetic acid isopentyl ester;<br>3-methyl-1-butyl chloroacetate | III/38b 2.1:3876;<br>IV/6 2.1.3:939  |
| 5561 | C <sub>7</sub> H <sub>13</sub> ClO <sub>2</sub><br>164.63<br>54819-86-2  |  | 2-chloro-propionic acid butyl ester                                   | III/38b 2.1:3882                     |

|      |   |  |  |   |
|------|---|--|--|---|
| 5562 | C <sub>7</sub> H <sub>13</sub> ClO <sub>2</sub><br>164.63<br>126176-76-9            |  | chloro-acetic acid neopentyl ester;<br>neopentyl chloroacetate;<br>neopentyl chloroethanoate   | III/38b 2.1:3877;<br>IV/20a 4.5:1263  |
| 5563 | C <sub>7</sub> H <sub>13</sub> ClO <sub>2</sub><br>164.63<br>62108-67-2             |  | 2-chloro-propionic acid isobutyl ester   | III/38b 2.1:3883  |
| 5564 | C <sub>7</sub> H <sub>13</sub> ClO <sub>2</sub><br>164.63<br>114489-96-2            |  | (R)-2-chloro-propionic acid isobutyl ester   | III/38b 2.1:3884  |
| 5565 | C <sub>7</sub> H <sub>13</sub> FO <sub>2</sub><br>148.18<br>334-28-1                |  | 7-fluoro-heptanoic acid  | III/38b 2.1:3887  |
| 5566 | C <sub>7</sub> H <sub>13</sub> F <sub>3</sub> O <sub>3</sub><br>202.18<br>2339-51-7 |  | orthoformic acid, tris(2-fluoroethyl)ester   | IV/20a 4.5:1264   |
| 5567 | C <sub>7</sub> H <sub>13</sub> LiO <sub>2</sub><br>136.12<br>16761-13-0             |  | heptanoic acid, lithium salt;<br>lithium heptanoate  | IV/8a 3.5.4,p.178   |
| 5568 | C <sub>7</sub> H <sub>13</sub> N<br>111.19<br>629-08-3                              |  | heptanenitrile   | III/38b 2.1:3888;<br>IV/16 2.1.7:1229   |
| 5569 | C <sub>7</sub> H <sub>13</sub> N<br>111.19<br>100-76-5                              |  | 1-azabicyclo[2.2.2]octane;<br>1,4-ethanopiperidine;<br>1,4-ethylidinepiperidine;<br>quinuclidine   | II/4 2.4:102;<br>II/6 2.4:83;<br>II/19a 2.4.2:88;<br>II/19c 2.7.3.2:49;<br>IV/8a 3.5.4,p.175  |
| 5570 | C <sub>7</sub> H <sub>13</sub> NO<br>127.19<br>6959-71-3                            |  | 3-butoxy-propionitrile   | IV/16 2.1.7:1230  |
| 5571 | C <sub>7</sub> H <sub>13</sub> NO<br>127.19<br>54007-26-0                           |  | 3-pentanoneoxime O-vinylether  | III/38b 2.1:3890;<br>IV/6 2.1.3:941   |
| 5572 | C <sub>7</sub> H <sub>13</sub> NO<br>127.19<br>25114-81-2                           |  | hexahydro-1H-azepine-1-carboxaldehyde  | IV/16 2.1.7:1231  |
| 5573 | C <sub>7</sub> H <sub>13</sub> NO<br>127.19<br>2556-73-2                            |  | N-methyl 6-aminohexanoic lactame;<br>1-methyl-azepan-2-one;<br>1-methyl-azepan-2-one (N-methyl-caprolactam);<br>N-methyl-caprolactam               | III/38b 2.1:3889;<br>IV/6 2.1.3:940;<br>IV/16 2.1.7:1232;<br>Mixtures:<br>III/38a 3.1:710,<br>861-862;<br>IV/6 3.1:641, 772;<br>IV/16 3.1.4:340,<br>505 |
| 5574 | C <sub>7</sub> H <sub>13</sub> NO<br>127.19<br>673-66-5                             |  | 7-aminoheptanoic acid lactam;<br>2-azacyclooctanone; cycloheptanone<br>isooxime; $\omega$ -enantholactam;<br>7-heptanelactam; perhydro-2-azocinone | IV/8a 3.5.4,p.175   |

|      |  |  |   |   |
|------|--|--|---|---|
| 5575 | C <sub>7</sub> H <sub>13</sub> NO <sub>2</sub><br>143.19<br>62507-45-3                 |  | 2-butoxyethyl isocyanate;<br>2-(n-butoxyethyl) isocyanate                               | IV/6 2.1.3:942  |
| 5576 | C <sub>7</sub> H <sub>13</sub> NO <sub>2</sub><br>143.19<br>23288-01-9                 |  | 3-butyl-oxazolidin-2-one;<br>3-(1-butyl)-oxazolidine-2-one                              | III/38b 2.1:3891;<br>IV/6 2.1.3:943   |
| 5577 | C <sub>7</sub> H <sub>13</sub> NO <sub>2</sub><br>143.19<br>40482-46-0                 |  | 3-(2-methyl-2-propyl)-oxazolidine-2-one;<br>3-tert-butyl-oxazolidin-2-one               | III/38b 2.1:3892;<br>IV/6 2.1.3:944   |
| 5578 | C <sub>7</sub> H <sub>13</sub> NO <sub>2</sub><br>143.19<br>2971-79-1                  |  | methyl piperidine-4-carboxylate;<br>piperidine-4-carboxylic acid methyl ester           | III/38b 2.1:3893;<br>IV/6 2.1.3:945   |
| 5579 | C <sub>7</sub> H <sub>13</sub> N <sub>3</sub> O <sub>3</sub> S<br>219.26<br>23135-22-0 |  | N,N-dimethyl-3-methylcarbamoyloxyimino-<br>2-(methylthio)acetamide;<br>oxamyl           | IV/8a 3.5.4,p.175   |
| 5580 | C <sub>7</sub> H <sub>13</sub> O <sub>2</sub> Tl<br>333.55<br>34244-91-2               |  | heptanoic acid, thallium(1+) salt;<br>thallium(1+) heptanoate;<br>thallium(I)heptanoate | IV/8a 3.5.4,p.180   |
| 5581 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>592-78-9                                    |  | hept-3-ene;<br>3-heptene;<br>3-heptene, ( <i>cis</i> + <i>trans</i> )                   | III/38b 2.1:3929;<br>IV/8c 2.2:539  |
| 5582 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>14686-14-7                                  |  | <i>trans</i> -hept-3-ene;<br>(E)-3-heptene;<br><i>trans</i> -3-heptene                  | III/38b 2.1:3927;<br>IV/8c 2.2:540;<br>IV/20a 2.1:203   |
| 5583 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>7642-10-6                                   |  | <i>cis</i> -hept-3-ene;<br><i>cis</i> -3-heptene;<br>(Z)-3-heptene                      | III/38b 2.1:3928;<br>IV/8c 2.2:541;<br>IV/20a 2.1:204   |
| 5584 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>14686-13-6                                  |  | <i>trans</i> -hept-2-ene;<br>(E)-2-heptene;<br><i>trans</i> -2-heptene                  | III/38b 2.1:3924;<br>IV/8c 2.2:537;<br>IV/20a 2.1:201   |
| 5585 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>592-77-8                                    |  | hept-2-ene;<br>2-heptene  | III/38b 2.1:3926;<br>IV/8c 2.2:536  |
| 5586 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>6443-92-1                                   |  | <i>cis</i> -hept-2-ene;<br><i>cis</i> -2-heptene;<br>(Z)-2-heptene                      | III/38b 2.1:3925;<br>IV/8c 2.2:538;<br>IV/20a 2.1:202   |
| 5587 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>592-76-7                                    |  | hept-1-ene;<br>1-heptene  | III/38b 2.1:3923;<br>IV/6 2.1.3:948;<br>IV/8a 3.5.4,p.177;<br>IV/8c 2.2:535;<br>IV/16 2.1.7:1237;<br>IV/20a 2.1:200 |
| 5588 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>17618-77-8                                  |  | 3-methyl-2-hexene;<br>3-methyl-hex-2-ene  | III/38b 2.1:3936;<br>IV/8c 2.2:547  |

|      |   |  |  |   |
|------|---|--|--|---|
| 5589 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>20710-38-7 |  | (E)-3-methyl-2-hexene;<br><i>trans</i> -3-methyl-2-hexene;<br><i>trans</i> -3-methyl-hex-2-ene | III/38b 2.1:3937;<br>IV/8c 2.2:548;<br>IV/20a 2.1:210                       |
| 5590 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>10574-36-4 |  | <i>cis</i> -3-methyl-2-hexene;<br>(Z)-3-methyl-2-hexene;<br><i>cis</i> -3-methyl-hex-2-ene     | III/38b 2.1:3938;<br>IV/8c 2.2:549;<br>IV/20a 2.1:211                       |
| 5591 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>7385-82-2  |  | 2-hexene, 5-methyl-, (E)-;<br>(E)-5-methyl-2-hexene;<br><i>trans</i> -5-methyl-2-hexene        | IV/8a 3.5.4,p.178;<br>IV/8c 2.2:556;<br>IV/20a 2.1:218                      |
| 5592 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>13151-17-2 |  | 2-hexene, 5-methyl-, (Z)-;<br><i>cis</i> -5-methyl-2-hexene;<br>(Z)-5-methyl-2-hexene          | IV/8c 2.2:557;<br>IV/20a 2.1:219  |
| 5593 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>692-24-0   |  | 3-hexene, 2-methyl-, (E)-;<br>(E)-2-methyl-3-hexene;<br><i>trans</i> -2-methyl-3-hexene        | IV/8c 2.2:544   |
| 5594 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>15840-60-5 |  | 3-hexene, 2-methyl-, (Z)-;<br><i>cis</i> -2-methyl-3-hexene;<br>(Z)-2-methyl-3-hexene          | IV/8c 2.2:545;<br>IV/20a 2.1:208  |
| 5595 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>3404-65-7  |  | 3-methyl-hex-3-ene   | III/38b 2.1:3946  |
| 5596 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>3899-36-3  |  | (E)-3-methyl-3-hexene;<br><i>trans</i> -3-methyl-3-hexene;<br>3-methyl- <i>trans</i> -3-hexene | III/38b 2.1:3944;<br>IV/8a 3.5.4,p.178;<br>IV/8c 2.2:550;<br>IV/20a 2.1:212 |
| 5597 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>4914-89-0  |  | <i>cis</i> -3-methyl-3-hexene;<br>(Z)-3-methyl-3-hexene;<br><i>cis</i> -3-methyl-hex-3-ene     | III/38b 2.1:3945;<br>IV/8c 2.2:551;<br>IV/20a 2.1:213                       |
| 5598 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>3404-71-5  |  | 2-ethyl-1-pentene;<br>2-ethyl-pent-1-ene   | III/38b 2.1:3920;<br>IV/8c 2.2:532;<br>IV/20a 2.1:197                       |
| 5599 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>4038-04-4  |  | 3-ethyl-1-pentene;<br>3-ethyl-pent-1-ene   | III/38b 2.1:3921;<br>IV/6 2.1.3:947;<br>IV/8c 2.2:533;<br>IV/20a 2.1:198    |
| 5600 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>6094-02-6  |  | 2-methyl-1-hexene;<br>2-methyl-hex-1-ene   | III/38b 2.1:3931;<br>IV/8c 2.2:542;<br>IV/20a 2.1:206                       |
| 5601 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>816-79-5   |  | 3-ethyl-2-pentene;<br>3-ethyl-pent-2-ene   | III/38b 2.1:3922;<br>IV/8c 2.2:534;<br>IV/16 2.1.7:1236;<br>IV/20a 2.1:199  |
| 5602 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>3404-61-3  |  | 3-methyl-1-hexene;<br>3-methyl-hex-1-ene   | III/38b 2.1:3932;<br>IV/8c 2.2:546;<br>IV/20a 2.1:209                       |

|      |   |  |  |   |
|------|---|--|--|---|
| 5603 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>3769-23-1  |  | 4-methyl-1-hexene;<br>4-methyl-hex-1-ene   | III/38b 2.1:3933;<br>IV/8c 2.2:552;<br>IV/20a 2.1:214                       |
| 5604 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>16197-41-4 |  | (S)-4-methyl-hex-1-ene   | III/38b 2.1:3934  |
| 5605 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>3683-22-5  |  | 2-hexene, 4-methyl-, (E)-;<br>(E)-4-methyl-2-hexene;<br><i>trans</i> -4-methyl-2-hexene;<br><i>trans</i> -4-methyl-hex-2-ene | III/38b 2.1:3940;<br>IV/8a 3.5.4,p.178;<br>IV/8c 2.2:553;<br>IV/20a 2.1:215 |
| 5606 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>3404-55-5  |  | 4-methyl-hex-2-ene   | III/38b 2.1:3943  |
| 5607 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>29751-22-2 |  | <i>trans</i> -(S)-4-methyl-hex-2-ene   | III/38b 2.1:3939  |
| 5608 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>3683-19-0  |  | cis-4-methyl-2-hexene;<br>(Z)-4-methyl-2-hexene;<br>cis-4-methyl-hex-2-ene   | III/38b 2.1:3942;<br>IV/8c 2.2:554;<br>IV/20a 2.1:216                       |
| 5609 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>29751-21-1 |  | cis-(S)-4-methyl-hex-2-ene   | III/38b 2.1:3941  |
| 5610 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>2738-19-4  |  | 2-methyl-2-hexene;<br>2-methyl-hex-2-ene   | III/38b 2.1:3935;<br>IV/6 2.1.3:950;<br>IV/8c 2.2:543;<br>IV/20a 2.1:207    |
| 5611 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>3524-73-0  |  | 5-methyl-1-hexene  | IV/8c 2.2:555;<br>IV/20a 2.1:217  |
| 5612 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>3404-73-7  |  | 3,3-dimethyl-1-pentene;<br>3,3-dimethyl-pent-1-ene   | III/38b 2.1:3907;<br>IV/8a 3.5.4,p.177;<br>IV/8c 2.2:522;<br>IV/20a 2.1:188 |
| 5613 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>762-62-9   |  | 4,4-dimethyl-1-pentene;<br>4,4-dimethyl-pent-1-ene;<br>neoamylethylene   | III/38b 2.1:3909;<br>IV/8c 2.2:527;<br>IV/20a 2.1:192                       |
| 5614 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>26232-98-4 |  | 4,4-dimethyl-2-pentene;<br>2,2-dimethyl-3-pentene;<br>4,4-dimethyl-pent-2-ene  | III/38b 2.1:3915;<br>IV/8c 2.2:528  |
| 5615 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>690-08-4   |  | (E)-4,4-dimethyl-2-pentene;<br><i>trans</i> -4,4-dimethyl-2-pentene;<br><i>trans</i> -1-tert-butyl-2-methylethylene          | III/38b 2.1:3916;<br>IV/8c 2.2:529;<br>IV/20a 2.1:193                       |
| 5616 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>762-63-0   |  | <i>cis</i> -4,4-dimethyl-2-pentene;<br>(Z)-4,4-dimethyl-2-pentene;<br><i>cis</i> -1-tert-butyl-2-methylethylene              | III/38b 2.1:3917;<br>IV/8c 2.2:530;<br>IV/20a 2.1:194                       |
| 5617 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>2213-32-3  |  | 2,4-dimethyl-1-pentene;<br>2,4-dimethyl-pent-1-ene   | III/38b 2.1:3906;<br>IV/8a 3.5.4,p.177;<br>IV/8c 2.2:520;<br>IV/20a 2.1:186 |

|      |   |  |  |   |
|------|---|--|--|---|
| 5618 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>3404-72-6  |  | 2,3-dimethyl-1-pentene;<br>2,3-dimethyl-pent-1-ene   | III/38b 2.1:3905;<br>IV/8c 2.2:518;<br>IV/20a 2.1:184                       |
| 5619 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>7357-93-9  |  | 2-ethyl-3-methyl-1-butene;<br>2-ethyl-3-methyl-but-1-ene;<br>3-methyl-2-ethyl-1-butene   | III/38b 2.1:3919;<br>IV/8c 2.2:531;<br>IV/20a 2.1:196                       |
| 5620 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>7385-78-6  |  | 3,4-dimethyl-1-pentene;<br>3,4-dimethyl-pent-1-ene   | III/38b 2.1:3908;<br>IV/8c 2.2:523;<br>IV/20a 2.1:189                       |
| 5621 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>24910-63-2 |  | 3,4-dimethyl-2-pentene;<br><i>cis/trans</i> -3,4-dimethyl-2-pentene  | III/38b 2.1:3914;<br>IV/8c 2.2:524  |
| 5622 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>4914-92-5  |  | <i>trans</i> -3,4-dimethyl-2-pentene;<br>(E)-2,3-dimethyl-3-pentene;<br>3,4-dimethyl- <i>trans</i> -2-pentene;<br>2-pentene, 3,4-dimethyl-, (E)- | III/38b 2.1:3912;<br>IV/8a 3.5.4,p.177;<br>IV/8c 2.2:525;<br>IV/20a 2.1:190 |
| 5623 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>4914-91-4  |  | <i>cis</i> -3,4-dimethyl-2-pentene;<br>(Z)-3,4-dimethyl-2-pentene;<br><i>cis</i> -3,4-dimethyl-pent-2-ene  | III/38b 2.1:3913;<br>IV/8a 3.5.4,p.177;<br>IV/8c 2.2:526;<br>IV/20 2.1:191  |
| 5624 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>625-65-0   |  | 2,4-dimethyl-2-pentene;<br>2,4-dimethyl-pent-2-ene;<br>2-pentene, 2,4-dimethyl-  | III/38b 2.1:3911;<br>IV/8c 2.2:521;<br>IV/20a 2.1:187                       |
| 5625 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>10574-37-5 |  | 2,3-dimethyl-2-pentene;<br>2,3-dimethyl-pent-2-ene;<br>2-pentene, 2,3-dimethyl-  | III/38b 2.1:3910;<br>IV/8c 2.2:519;<br>IV/20a 2.1:185                       |
| 5626 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>594-56-9   |  | 1-tert-butyl-1-methylethylene;<br>2,3,3-trimethyl-1-butene;<br>triptene  | III/38b 2.1:3947;<br>IV/8c 2.2:558;<br>IV/20a 2.1:220                       |
| 5627 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>930-57-4   |  | butylcyclopropane;<br>cyclopropane, butyl-   | IV/8d 2.3.1:25  |
| 5628 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>1003-19-6  |  | cyclopropane, 1,1-diethyl-;<br>1,1-diethylcyclopropane;<br>gem-diethylcyclopropane   | IV/8d 2.3.1:26  |
| 5629 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>13150-79-3 |  | 1-isopropyl-1-methylcyclopropane;<br>1-methyl-1-isopropylcyclopropane;<br>propane, 2-(1-methylcyclopropyl)-                                      | IV/8d 2.3.1:30  |
| 5630 | C <sub>7</sub> H <sub>14</sub><br>98.19               |  | <i>cis</i> -1-methyl-2-propylcyclopropane;<br>propane, 1-(2-methylcyclopropyl)-, <i>cis</i> -  | IV/8d 2.3.1:34  |

|      |   |  |  |   |
|------|---|--|--|---|
| 5631 | C <sub>7</sub> H <sub>14</sub><br>98.19               |  | trans-1-methyl-2-propylcyclopropane;<br>propane, 1-(2-methylcyclopropyl)-,trans-                                 | IV/8d 2.3.1:35  |
| 5632 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>19217-48-2 |  | cyclopropane, 1-methyl-2-propyl-;<br>1-methyl-2-propylcyclopropane;<br>propane, 1-(2-methylcyclopropyl)-         | IV/8d 2.3.1:33  |
| 5633 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>41845-47-0 |  | 1,1-dimethyl-2-ethylcyclopropane;<br>2-ethyl-1,1-dimethylcyclopropane;<br>1-ethyl-2,2-dimethylcyclopropane       | IV/8d 2.3.1:27  |
| 5634 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>4127-47-3  |  | cyclopropane, 1,1,2,2-tetramethyl-;<br>1,1,2,2-tetramethylcyclopropane   | IV/8d 2.3.1:36  |
| 5635 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>5750-02-7  |  | 2-cyclopropylbutane;<br>(1-methylpropyl)cyclopropane;<br>sec-butylcyclopropane                                   | IV/8d 2.3.1:32  |
| 5636 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>78757-65-0 |  | 1-isopropyl-2-methylcyclopropane;<br>1-methyl-2-(1-methylethyl)cyclopropane;<br>1-methyl-2-isopropylcyclopropane | IV/8d 2.3.1:31  |
| 5637 | C <sub>7</sub> H <sub>14</sub><br>98.19               |  | cyclopropane, 1-ethyl-2,3-dimethyl-, cis-;<br>cis-1-ethyl-2,3-dimethylcyclopropane                               | IV/8d 2.3.1:28  |
| 5638 | C <sub>7</sub> H <sub>14</sub><br>98.19               |  | cyclopropane, 1-ethyl-2,3-dimethyl-, trans-;<br>trans-1-ethyl-2,3-dimethylcyclopropane                           | IV/8d 2.3.1:29  |
| 5639 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>4806-62-6  |  | 1-cyclobutylpropane;<br>propane, 1-cyclobutyl-;<br>propylcyclobutane   | IV/8d 2.3.2:40  |
| 5640 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>872-56-0   |  | isopropylcyclobutane;<br>(1-methylethyl)cyclobutane  | IV/8d 2.3.2:39  |
| 5641 | C <sub>7</sub> H <sub>14</sub><br>98.19               |  | cis-1-ethyl-3-methylcyclobutane  | IV/8d 2.3.2:37  |
| 5642 | C <sub>7</sub> H <sub>14</sub><br>98.19               |  | trans-1-ethyl-3-methylcyclobutane  | IV/8d 2.3.2:38  |
| 5643 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>1640-89-7  |  | ethylcyclopentane  | III/38b 2.1:3918;<br>IV/8a 3.5.4,p.177;<br>IV/8d 2.3.3:41;<br>IV/16 2.1.7:1235;<br>IV/20a 2.1:195 |
| 5644 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>1638-26-2  |  | 1,1-dimethylcyclopentane   | III/38b 2.1:3895;<br>IV/8a 3.5.4,p.176;<br>IV/8d 2.3.3:42;<br>IV/16 2.1.7:1234;<br>IV/20a 2.1:179 |

|      |  |  |   |   |
|------|--|--|---|---|
| 5645 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>1192-18-3     |  | cyclopentane, 1, <i>cis</i> -2-dimethyl-; 1, <i>cis</i> -2-dimethylcyclopentane; <i>cis</i> -1,2-dimethylcyclopentane       | III/38b 2.1:3896;<br>IV/8a 3.5.4,p.176;<br>IV/8d 2.3.3:44;<br>IV/20a 2.1:180  |
| 5646 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>822-50-4      |  | cyclopentane, 1, <i>trans</i> -2-dimethyl-; 1, <i>trans</i> -2-dimethylcyclopentane; <i>trans</i> -1,2-dimethylcyclopentane | III/38b 2.1:3897;<br>IV/8a 3.5.4,p.176;<br>IV/8d 2.3.3:45;<br>IV/20a 2.1:181  |
| 5647 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>2452-99-5     |  | 1,2-dimethylcyclopentane  | III/38b 2.1:3899;<br>IV/8d 2.3.3:43   |
| 5648 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>134932-08-4   |  | (1S)- <i>trans</i> -1,2-dimethyl-cyclopentane   | III/38b 2.1:3898  |
| 5649 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>1759-58-6     |  | cyclopentane, 1, <i>trans</i> -3-dimethyl-; 1, <i>trans</i> -3-dimethylcyclopentane; <i>trans</i> -1,3-dimethylcyclopentane | III/38b 2.1:3901;<br>IV/8a 3.5.4,p.177;<br>IV/8d 2.3.3:48;<br>IV/20a 2.1:183  |
| 5650 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>2532-58-3     |  | cyclopentane, 1, <i>cis</i> -3-dimethyl-; 1, <i>cis</i> -3-dimethylcyclopentane; <i>cis</i> -1,3-dimethylcyclopentane       | III/38b 2.1:3900;<br>IV/8a 3.5.4,p.176;<br>IV/8d 2.3.3:47;<br>IV/20a 2.1:182  |
| 5651 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>2453-00-1     |  | 1,3-dimethylcyclopentane  | III/38b 2.1:3904;<br>IV/8d 2.3.3:46   |
| 5652 | C <sub>7</sub> H <sub>14</sub><br>98.19                  |  | (1S)- <i>trans</i> -1,3-dimethyl-cyclopentane   | III/38b 2.1:3902  |
| 5653 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>930-58-5      |  | (1R)- <i>trans</i> -1,3-dimethyl-cyclopentane   | III/38b 2.1:3903  |
| 5654 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>108-87-2      |  | hexahydrodoluene;<br>hexahydrotoluene;<br>methylcyclohexane   | III/38b 2.1:3930;<br>IV/6 2.1.3:949;<br>IV/8a 3.5.4,p.178;<br>IV/8d 2.3.4:49;<br>IV/16 2.1.7:1238;<br>IV/20a 2.1:205;<br>Mixtures:<br>III/38a 3.1:97, 457,<br>501, 767, 828,<br>863;<br>IV/6 3.1:899;<br>IV/16 3.1.4:127,<br>298, 325, 449,<br>544, 581, 607,<br>653, 681, 686, 698 |
| 5655 | C <sub>7</sub> H <sub>14</sub><br>98.19<br>291-64-5      |  | cycloheptane  | III/38b 2.1:3894;<br>IV/6 2.1.3:946;<br>IV/8a 3.5.4,p.175;<br>IV/8d 2.3.4:50;<br>IV/16 2.1.7:1233;<br>IV/20a 2.1:178  |
| 5656 | C <sub>7</sub> H <sub>14</sub> BrF<br>197.10<br>334-42-9 |  | 1-bromo-7-fluoro-heptane  | III/38b 2.1:3948  |

|      |  |  |  |  |
|------|--|--|--|--|
| 5657 | C <sub>7</sub> H <sub>14</sub> Br <sub>2</sub><br>258.01<br>4549-31-9  |  | 1,7-dibromo-heptane                            | III/38b 2.1:3950;<br>IV/16 2.1.7:1239  |
| 5658 | C <sub>7</sub> H <sub>14</sub> Br <sub>2</sub><br>258.01<br>59104-79-9 |  | 1,1-dibromoheptane;<br>heptane, 1,1-dibromo-   | IV/20a 4.5:1265  |
| 5659 | C <sub>7</sub> H <sub>14</sub> Br <sub>2</sub><br>258.01<br>42474-21-5 |  | dibromoheptane;<br>1,2-dibromoheptane          | III/38b 2.1:3949;<br>IV/6 2.1.3:952;<br>IV/20a 4.5:1266  |
| 5660 | C <sub>7</sub> H <sub>14</sub> Br <sub>2</sub><br>258.01<br>21266-88-6 |  | 2,3-dibromoheptane                             | III/38b 2.1:3951;<br>IV/6 2.1.3:953  |
| 5661 | C <sub>7</sub> H <sub>14</sub> Br <sub>2</sub><br>258.01<br>21266-90-0 |  | 3,4-dibromoheptane                             | III/38b 2.1:3952;<br>IV/6 2.1.3:954  |
| 5662 | C <sub>7</sub> H <sub>14</sub> ClF<br>152.64<br>334-43-0               |  | 1-chloro-7-fluoro-heptane                      | III/38b 2.1:3953   |
| 5663 | C <sub>7</sub> H <sub>14</sub> CINO<br>163.65<br>32322-78-4            |  | 2-chloro-N-pentyl-acetamide                    | III/38b 2.1:3954   |
| 5664 | C <sub>7</sub> H <sub>14</sub> Cl <sub>2</sub><br>169.10<br>821-76-1   |  | 1,7-dichloroheptane                            | III/38b 2.1:3960;<br>IV/6 2.1.3:951;<br>IV/16 2.1.7:1240;<br>IV/20a 4.5:1269;<br>Mixtures:<br>IV/6 3.1:823 |
| 5665 | C <sub>7</sub> H <sub>14</sub> Cl <sub>2</sub><br>169.10<br>821-25-0   |  | 1,1-dichloroheptane;<br>heptane, 1,1-dichloro- | IV/20a 4.5:1267  |
| 5666 | C <sub>7</sub> H <sub>14</sub> Cl <sub>2</sub><br>169.10<br>10575-87-8 |  | 1,2-dichloroheptane                            | III/38b 2.1:3958;<br>IV/20a 4.5:1268   |
| 5667 | C <sub>7</sub> H <sub>14</sub> Cl <sub>2</sub><br>169.10<br>65786-09-6 |  | 2,2-dichloro-heptane                           | III/38b 2.1:3959   |
| 5668 | C <sub>7</sub> H <sub>14</sub> Cl <sub>2</sub><br>169.10<br>62496-53-1 |  | 1,5-dichloro-3,3-dimethyl-pentane              | III/38b 2.1:3956   |
| 5669 | C <sub>7</sub> H <sub>14</sub> Cl <sub>2</sub><br>169.10<br>6065-90-3  |  | 1,2-dichloro-4,4-dimethyl-pentane              | III/38b 2.1:3955   |
| 5670 | C <sub>7</sub> H <sub>14</sub> Cl <sub>2</sub><br>169.10<br>33553-93-4 |  | 2,4-dichloro-2,4-dimethyl-pentane              | III/38b 2.1:3957   |
| 5671 | C <sub>7</sub> H <sub>14</sub> F <sub>2</sub><br>136.19<br>407-96-5    |  | 1,1-difluoroheptane;<br>heptane, 1,1-difluoro- | IV/20a 4.5:1270  |

|      |  |   |  |   |
|------|--|---|--|---|
| 5672 | C <sub>7</sub> H <sub>14</sub> I <sub>2</sub><br>352.00<br>51526-03-5                | I | 1,7-diido-heptane  | III/38b 2.1:3961;<br>IV/16 2.1.7:1241   |
| 5673 | C <sub>7</sub> H <sub>14</sub> NO <sub>5</sub> P<br>223.17<br>6923-22-4              |   | apadrin; azodrin; corophos; 3-hydroxy-N-methyl-cis-crotonamide dimethyl phosphate; monocil; monocos; monocron; monocrotophos; nuvacron   | IV/8a 3.5.4,p.178   |
| 5674 | C <sub>7</sub> H <sub>14</sub> N <sub>2</sub><br>126.20<br>693-51-6                  |   | 3-(butylamino)-propionitrile   | IV/16 2.1.7:1242  |
| 5675 | C <sub>7</sub> H <sub>14</sub> N <sub>2</sub><br>126.20<br>5351-04-2                 |   | N-(2-cyanoethyl)diethylamine; 3-(diethylamino)propanenitrile; 3-(diethylamino)propionitrile  | IV/8a 3.5.4,p.179;<br>IV/16 2.1.7:1243  |
| 5676 | C <sub>7</sub> H <sub>14</sub> N <sub>2</sub><br>126.20<br>693-13-0                  |   | isopropyl-(isopropylimino-methylene)-amine   | IV/16 2.1.7:1244  |
| 5677 | C <sub>7</sub> H <sub>14</sub> N <sub>2</sub> O <sub>2</sub><br>158.20<br>37933-88-3 |   | N-acetyl-L-valinamide; (S)-2-(acetylamino)-3-methylbutanamide; butanamide, 2-(acetylamino)-3-methyl-, (S)-                               | IV/8a 3.5.4,p.179   |
| 5678 | C <sub>7</sub> H <sub>14</sub> N <sub>2</sub> O <sub>2</sub> S<br>190.27<br>116-06-3 |   | aldicarb; 2-methyl-2-(methylthio)propanal O-[(methylamino)carbonyl]oxime; 2-methyl-2-(methylthio)propionaldehyde, O-methylcarbamoyloxime | IV/8a 3.5.4,p.179   |
| 5679 | C <sub>7</sub> H <sub>14</sub> N <sub>2</sub> O <sub>6</sub><br>222.20<br>3457-94-1  |   | 1,7-bis-nitryloxy-heptane  | IV/16 2.1.7:1245  |
| 5680 | C <sub>7</sub> H <sub>14</sub> O<br>114.19<br>22104-77-4                             |   | hept-2-en-1-ol   | III/38b 2.1:3973  |
| 5681 | C <sub>7</sub> H <sub>14</sub> O<br>114.19<br>33467-76-4                             |   | trans-hept-2-en-1-ol   | III/38b 2.1:3971  |
| 5682 | C <sub>7</sub> H <sub>14</sub> O<br>114.19<br>55454-22-3                             |   | cis-2-hepten-1-ol  | III/38b 2.1:3972  |
| 5683 | C <sub>7</sub> H <sub>14</sub> O<br>114.19<br>5363-63-3                              |   | 1-(ethenyloxy)-pentane   | IV/16 2.1.7:1259  |
| 5684 | C <sub>7</sub> H <sub>14</sub> O<br>114.19<br>111-71-7                               |   | enanthaldehyde; heptaldehyde; heptanal; heptyl aldehyde; 1-hexanecarbaldehyde  | III/38b 2.1:3967;<br>IV/6 2.1.3:959;<br>IV/8a 3.5.4,p.179;<br>IV/16 2.1.7:1251;<br>Mixtures:<br>III/38a 3.1:356,<br>434 |
| 5685 | C <sub>7</sub> H <sub>14</sub> O<br>114.19<br>19269-28-4                             |   | 3-methyl-hexanal   | III/38b 2.1:3996  |

|      |   |  |  |   |
|------|---|--|--|---|
| 5686 | C <sub>7</sub> H <sub>14</sub> O<br>114.19<br>39782-38-2  |  | (3-methyl-butoxy)-ethene                     | III/38b 2.1:3977  |
| 5687 | C <sub>7</sub> H <sub>14</sub> O<br>114.19<br>133646-94-3 |  | (±)-trans-hept-2-en-4-ol                     | III/38b 2.1:3974  |
| 5688 | C <sub>7</sub> H <sub>14</sub> O<br>114.19<br>4798-59-8   |  | hept-2-en-4-ol                               | III/38b 2.1:3975  |
| 5689 | C <sub>7</sub> H <sub>14</sub> O<br>114.19<br>123-19-3    |  | heptan-4-one;<br>4-heptanone                 | III/38b 2.1:3970;<br>IV/6 2.1.3:957;<br>IV/16 2.1.7:1254                                  |
| 5690 | C <sub>7</sub> H <sub>14</sub> O<br>114.19<br>106-35-4    |  | heptan-3-one;<br>3-heptanone                 | III/38b 2.1:3969;<br>IV/6 2.1.3:956;<br>IV/16 2.1.7:1253                                  |
| 5691 | C <sub>7</sub> H <sub>14</sub> O<br>114.19<br>110-43-0    |  | heptan-2-one;<br>2-heptanone                 | III/38b 2.1:3968;<br>IV/6 2.1.3:955;<br>IV/16 2.1.7:1252;<br>Mixtures:<br>III/38a 3.1:322 |
| 5692 | C <sub>7</sub> H <sub>14</sub> O<br>114.19<br>2550-21-2   |  | 3-methyl-hexan-2-one                         | III/38b 2.1:3997  |
| 5693 | C <sub>7</sub> H <sub>14</sub> O<br>114.19<br>105-42-0    |  | 4-methyl-hexan-2-one                         | III/38b 2.1:3998  |
| 5694 | C <sub>7</sub> H <sub>14</sub> O<br>114.19<br>7379-12-6   |  | 2-methyl-hexan-3-one                         | III/38b 2.1:4000  |
| 5695 | C <sub>7</sub> H <sub>14</sub> O<br>114.19<br>110-12-3    |  | 5-methyl-2-hexanone;<br>5-methyl-hexan-2-one | III/38b 2.1:3999;<br>IV/6 2.1.3:958;<br>Mixtures:<br>III/38a 3.1:323                      |
| 5696 | C <sub>7</sub> H <sub>14</sub> O<br>114.19<br>17042-16-9  |  | 4-methyl-hexan-3-one                         | III/38b 2.1:4001  |
| 5697 | C <sub>7</sub> H <sub>14</sub> O<br>114.19<br>623-56-3    |  | 5-methyl-hexan-3-one                         | III/38b 2.1:4002  |
| 5698 | C <sub>7</sub> H <sub>14</sub> O<br>114.19<br>564-04-5    |  | 2,2-dimethyl-pentan-3-one                    | III/38b 2.1:3965  |

|      |  |  |  |  |
|------|--|--|--|--|
| 5699 | C <sub>7</sub> H <sub>14</sub> O<br>114.19<br>565-80-0   |  | diisopropyl ketone;<br>2,4-dimethyl-3-pentanone;<br>isobutyron | III/38b 2.1:3966;<br>IV/8a 3.5.4,p.179;<br>Mixtures:<br>III/38a 3.1:864                                    |
| 5700 | C <sub>7</sub> H <sub>14</sub> O<br>114.19<br>3208-22-8  |  | 2-propyl-tetrahydro-furan                                      | III/38b 2.1:4003   |
| 5701 | C <sub>7</sub> H <sub>14</sub> O<br>114.19<br>766-00-7   |  | 2-cyclopentyl-ethanol  | III/38b 2.1:3964   |
| 5702 | C <sub>7</sub> H <sub>14</sub> O<br>114.19<br>26306-40-1 |  | ethoxy-cyclopentane  | IV/16 2.1.7:1247   |
| 5703 | C <sub>7</sub> H <sub>14</sub> O<br>114.19<br>100-49-2   |  | cyclohexyl methanol  | III/38b 2.1:3963;<br>IV/6 2.1.3:960;<br>Mixtures:<br>IV/6 3.1:70, 642,<br>773                              |
| 5704 | C <sub>7</sub> H <sub>14</sub> O<br>114.19<br>931-56-6   |  | methoxy-cyclohexane  | III/38b 2.1:3976;<br>IV/16 2.1.7:1255  |
| 5705 | C <sub>7</sub> H <sub>14</sub> O<br>114.19<br>590-67-0   |  | 1-methyl-cyclohexanol  | III/38b 2.1:3978   |
| 5706 | C <sub>7</sub> H <sub>14</sub> O<br>114.19<br>7443-52-9  |  | (±)- <i>trans</i> -2-methyl-cyclohexanol                       | III/38b 2.1:3982   |
| 5707 | C <sub>7</sub> H <sub>14</sub> O<br>114.19<br>7443-70-1  |  | (±)- <i>cis</i> -2-methyl-cyclohexanol                         | III/38b 2.1:3979   |
| 5708 | C <sub>7</sub> H <sub>14</sub> O<br>114.19<br>583-59-5   |  | 2-methylcyclohexanol   | III/38b 2.1:3985;<br>IV/6 2.1.3:961;<br>IV/16 2.1.7:1248,<br>1256;<br>Mixtures:<br>IV/16 3.1.4:206,<br>608 |
| 5709 | C <sub>7</sub> H <sub>14</sub> O<br>114.19<br>19043-02-8 |  | (1R)- <i>cis</i> -2-methyl-cyclohexanol                        | III/38b 2.1:3980   |
| 5710 | C <sub>7</sub> H <sub>14</sub> O<br>114.19<br>19043-03-9 |  | (1R)- <i>trans</i> -2-methyl-cyclohexanol                      | III/38b 2.1:3983   |
| 5711 | C <sub>7</sub> H <sub>14</sub> O<br>114.19<br>15963-37-8 |  | (1S)- <i>trans</i> -2-methyl-cyclohexanol                      | III/38b 2.1:3984   |

|      |  |  |  |   |
|------|--|--|--|---|
| 5712 | C <sub>7</sub> H <sub>14</sub> O<br>114.19<br>15963-35-6               |  | (1S)- <i>cis</i> -2-methyl-cyclohexanol    | III/38b 2.1:3981  |
| 5713 | C <sub>7</sub> H <sub>14</sub> O<br>114.19<br>7443-55-2                |  | (±)- <i>trans</i> -3-methyl-cyclohexanol   | III/38b 2.1:3989  |
| 5714 | C <sub>7</sub> H <sub>14</sub> O<br>114.19<br>5454-79-5                |  | (±)- <i>cis</i> -3-methyl-cyclohexanol     | III/38b 2.1:3986  |
| 5715 | C <sub>7</sub> H <sub>14</sub> O<br>114.19<br>591-23-1                 |  | 3-methylcyclohexanol                       | III/38b 2.1:3992;<br>IV/6 2.1.3:962;<br>IV/16 2.1.7:1249,<br>1257;<br>Mixtures:<br>IV/16 3.1.4:207,<br>609                  |
| 5716 | C <sub>7</sub> H <sub>14</sub> O<br>114.19<br>24965-91-1               |  | (1R)- <i>cis</i> -3-methyl-cyclohexanol    | III/38b 2.1:3988  |
| 5717 | C <sub>7</sub> H <sub>14</sub> O<br>114.19<br>24965-94-4               |  | (1R)- <i>trans</i> -3-methyl-cyclohexanol  | III/38b 2.1:3991  |
| 5718 | C <sub>7</sub> H <sub>14</sub> O<br>114.19<br>50538-78-8               |  | (1S)- <i>trans</i> -3-methyl-cyclohexanol  | III/38b 2.1:3990  |
| 5719 | C <sub>7</sub> H <sub>14</sub> O<br>114.19<br>24965-92-2               |  | (1S)- <i>cis</i> -3-methyl-cyclohexanol    | III/38b 2.1:3987  |
| 5720 | C <sub>7</sub> H <sub>14</sub> O<br>114.19<br>7731-28-4                |  | <i>cis</i> -4-methyl-cyclohexanol          | III/38b 2.1:3993  |
| 5721 | C <sub>7</sub> H <sub>14</sub> O<br>114.19<br>7731-29-5                |  | <i>trans</i> -4-methyl-cyclohexanol        | III/38b 2.1:3994  |
| 5722 | C <sub>7</sub> H <sub>14</sub> O<br>114.19<br>589-91-3                 |  | 4-methylcyclohexanol                       | III/38b 2.1:3995;<br>IV/6 2.1.3:963;<br>IV/16 2.1.7:1250,<br>1258;<br>Mixtures:<br>IV/6 3.1:712;<br>IV/16 3.1.4:208,<br>610 |
| 5723 | C <sub>7</sub> H <sub>14</sub> O<br>114.19<br>502-41-0                 |  | cycloheptanol                              | III/38b 2.1:3962;<br>IV/8a 3.5.4,p.179;<br>IV/16 2.1.7:1246   |
| 5724 | C <sub>7</sub> H <sub>14</sub> OS <sub>2</sub><br>178.32<br>59864-58-3 |  | dithiocarbonic acid O-butyl, S-ethyl ester | IV/16 2.1.7:1260  |
| 5725 | C <sub>7</sub> H <sub>14</sub> OS <sub>2</sub><br>178.32               |  | dithiocarbonic acid O,S-dipropyl ester     | IV/16 2.1.7:1262  |

|      |   |  |   |   |
|------|---|--|---|---|
| 5726 | C <sub>7</sub> H <sub>14</sub> OS <sub>2</sub><br>178.32<br>2594-90-3 |  | dithiocarbonic acid S-butyl, O-ethyl ester  | IV/16 2.1.7:1261  |
| 5727 | C <sub>7</sub> H <sub>14</sub> O <sub>2</sub><br>130.19<br>629-33-4   |  | formic acid hexyl ester   | III/38b 2.1:4017;<br>IV/16 2.1.7:1268   |
| 5728 | C <sub>7</sub> H <sub>14</sub> O <sub>2</sub><br>130.19<br>111-14-8   |  | enanthic acid;<br>heptanoic acid;<br>heptylic acid  | III/38b 2.1:4018;<br>IV/6 2.1.3:971;<br>IV/8a 3.5.4,p.180;<br>IV/16 2.1.7:1269;<br>Mixtures:<br>III/38a 3.1:592,<br>865;<br>IV/16 3.1.4:174,<br>523 |
| 5729 | C <sub>7</sub> H <sub>14</sub> O <sub>2</sub><br>130.19<br>106-70-7   |  | caproic acid, methyl ester;<br>hexanoic acid, methyl ester;<br>methyl caproate;<br>methyl hexanoate | III/38b 2.1:4019;<br>IV/6 2.1.3:964;<br>IV/8a 3.5.4,p.180;<br>IV/16 2.1.7:1270;<br>Mixtures:<br>IV/6 3.1:120  |
| 5730 | C <sub>7</sub> H <sub>14</sub> O <sub>2</sub><br>130.19<br>3054-95-3  |  | 3,3-diethoxy-propene  | III/38b 2.1:4012  |
| 5731 | C <sub>7</sub> H <sub>14</sub> O <sub>2</sub><br>130.19<br>628-63-7   |  | acetic acid pentyl ester;<br>1-pentyl acetate   | III/38b 2.1:4005;<br>IV/6 2.1.3:968;<br>IV/16 2.1.7:1264;<br>Mixtures:<br>IV/6 3.1:900;<br>IV/16 3.1.4:450,<br>488                                  |
| 5732 | C <sub>7</sub> H <sub>14</sub> O <sub>2</sub><br>130.19<br>539-82-2   |  | ethyl pentanoate;<br>pentanoic acid ethyl ester   | III/38b 2.1:4031;<br>IV/6 2.1.3:965;<br>IV/16 2.1.7:1275  |
| 5733 | C <sub>7</sub> H <sub>14</sub> O <sub>2</sub><br>130.19<br>105-66-8   |  | butanoic acid propyl ester;<br>butyric acid propyl ester;<br>1-propyl butanoate                     | III/38b 2.1:4010;<br>IV/6 2.1.3:967;<br>IV/16 2.1.7:1265  |
| 5734 | C <sub>7</sub> H <sub>14</sub> O <sub>2</sub><br>130.19<br>590-01-2   |  | 1-butyl propanoate;<br>propanoic acid butyl ester;<br>propionic acid butyl ester                    | III/38b 2.1:4032;<br>IV/6 2.1.3:973;<br>IV/16 2.1.7:1276  |
| 5735 | C <sub>7</sub> H <sub>14</sub> O <sub>2</sub><br>130.19<br>638-11-9   |  | butyric acid isopropyl ester  | III/38b 2.1:4009  |
| 5736 | C <sub>7</sub> H <sub>14</sub> O <sub>2</sub><br>130.19<br>7452-79-1  |  | 2-methyl-butyric acid ethyl ester   | III/38b 2.1:4023  |
| 5737 | C <sub>7</sub> H <sub>14</sub> O <sub>2</sub><br>130.19<br>10307-61-6 |  | (S)-2-methyl-butyric acid ethyl ester   | III/38b 2.1:4022  |

|      |   |  |   |   |
|------|---|--|---|---|
| 5738 | C <sub>7</sub> H <sub>14</sub> O <sub>2</sub><br>130.19<br>4536-23-6  |  | 2-methyl-hexanoic acid  | III/38b 2.1:4026  |
| 5739 | C <sub>7</sub> H <sub>14</sub> O <sub>2</sub><br>130.19<br>51703-97-0 |  | (R)-2-methyl-hexanoic acid  | III/38b 2.1:4025  |
| 5740 | C <sub>7</sub> H <sub>14</sub> O <sub>2</sub><br>130.19<br>1561-11-1  |  | 4-methyl-hexanoic acid  | III/38b 2.1:4029  |
| 5741 | C <sub>7</sub> H <sub>14</sub> O <sub>2</sub><br>130.19<br>52745-93-4 |  | (R)-4-methyl-hexanoic acid  | III/38b 2.1:4028  |
| 5742 | C <sub>7</sub> H <sub>14</sub> O <sub>2</sub><br>130.19<br>1730-89-8  |  | (S)-4-methyl-hexanoic acid  | III/38b 2.1:4027  |
| 5743 | C <sub>7</sub> H <sub>14</sub> O <sub>2</sub><br>130.19<br>108-64-5   |  | ethyl 3-methylbutanoate;<br>3-methyl-butyric acid ethyl ester;<br>3-methylbutanoic acid ethyl ester | III/38b 2.1:4024;<br>IV/6 2.1.3:970;<br>IV/16 2.1.7:1271;<br>Mixtures:<br>III/38a 3.1:775           |
| 5744 | C <sub>7</sub> H <sub>14</sub> O <sub>2</sub><br>130.19<br>816-11-5   |  | 2-ethyl-butyric acid methyl ester   | III/38b 2.1:4015  |
| 5745 | C <sub>7</sub> H <sub>14</sub> O <sub>2</sub><br>130.19<br>628-46-6   |  | 5-methyl-hexanoic acid  | III/38b 2.1:4030  |
| 5746 | C <sub>7</sub> H <sub>14</sub> O <sub>2</sub><br>130.19<br>123-92-2   |  | acetic acid 3-methylbutyl ester;<br>3-methyl-1-butyl acetate  | III/38b 2.1:4004;<br>IV/6 2.1.3:969;<br>IV/16 2.1.7:1263;<br>Mixtures:<br>IV/6 3.1:119, 901,<br>903 |
| 5747 | C <sub>7</sub> H <sub>14</sub> O <sub>2</sub><br>130.19<br>58888-87-2 |  | 3-ethyl-pentanoic acid  | III/38b 2.1:4016  |
| 5748 | C <sub>7</sub> H <sub>14</sub> O <sub>2</sub><br>130.19<br>626-38-0   |  | acetic acid 2-pentyl ester  | III/38b 2.1:4006  |
| 5749 | C <sub>7</sub> H <sub>14</sub> O <sub>2</sub><br>130.19<br>620-11-1   |  | acetic acid 3-pentyl ester  | III/38b 2.1:4007  |
| 5750 | C <sub>7</sub> H <sub>14</sub> O <sub>2</sub><br>130.19<br>540-42-1   |  | propanoic acid 2-methylpropyl ester;<br>propionic acid isobutyl ester                               | III/38b 2.1:4034;<br>IV/16 2.1.7:1277   |

|      |   |  |  |                                       |
|------|---|--|--|---------------------------------------|
| 5751 | C <sub>7</sub> H <sub>14</sub> O <sub>2</sub><br>130.19<br>644-49-5   |  | isobutyric acid propyl ester;<br>2-methylpropanoic acid propyl ester | III/38b 2.1:4021;<br>IV/16 2.1.7:1274 |
| 5752 | C <sub>7</sub> H <sub>14</sub> O <sub>2</sub><br>130.19<br>591-34-4   |  | propionic acid sec-butyl ester                                       | III/38b 2.1:4033                      |
| 5753 | C <sub>7</sub> H <sub>14</sub> O <sub>2</sub><br>130.19<br>3938-95-2  |  | 2,2-dimethyl-propionic acid ethyl ester                              | III/38b 2.1:4014                      |
| 5754 | C <sub>7</sub> H <sub>14</sub> O <sub>2</sub><br>130.19<br>625-16-1   |  | acetic acid tert-pentyl ester  | III/38b 2.1:4008                      |
| 5755 | C <sub>7</sub> H <sub>14</sub> O <sub>2</sub><br>130.19<br>1185-39-3  |  | 2,2-dimethyl pentanoic acid  | III/38b 2.1:4013;<br>IV/6 2.1.3:966   |
| 5756 | C <sub>7</sub> H <sub>14</sub> O <sub>2</sub><br>130.19<br>617-50-5   |  | isobutyric acid isopropyl ester                                      | III/38b 2.1:4020                      |
| 5757 | C <sub>7</sub> H <sub>14</sub> O <sub>2</sub><br>130.19<br>35194-55-9 |  | cis-2-ethyl-5-methyl-1,3-dioxane                                     | IV/16 2.1.7:1266                      |
| 5758 | C <sub>7</sub> H <sub>14</sub> O <sub>2</sub><br>130.19<br>35194-54-8 |  | trans-2-ethyl-5-methyl-1,3-dioxane                                   | IV/16 2.1.7:1267                      |
| 5759 | C <sub>7</sub> H <sub>14</sub> O <sub>2</sub><br>130.19<br>25924-90-7 |  | cis-2-methyl-5-ethyl-1,3-dioxane                                     | IV/16 2.1.7:1272                      |
| 5760 | C <sub>7</sub> H <sub>14</sub> O <sub>2</sub><br>130.19<br>25924-91-8 |  | trans-2-methyl-5-ethyl-1,3-dioxane                                   | IV/16 2.1.7:1273                      |
| 5761 | C <sub>7</sub> H <sub>14</sub> O <sub>3</sub><br>146.19<br>4890-38-4  |  | 3-hydroxy-propanoic acid butyl ester                                 | IV/16 2.1.7:1283                      |
| 5762 | C <sub>7</sub> H <sub>14</sub> O <sub>3</sub><br>146.19<br>14144-39-9 |  | 3-propoxy-propanoic acid methyl ester                                | IV/16 2.1.7:1285                      |
| 5763 | C <sub>7</sub> H <sub>14</sub> O <sub>3</sub><br>146.19<br>30714-78-4 |  | carbonic acid butyl ethyl ester                                      | IV/16 2.1.7:1279                      |
| 5764 | C <sub>7</sub> H <sub>14</sub> O <sub>3</sub><br>146.19<br>763-69-9   |  | 3-ethoxy-propanoic acid ethyl ester                                  | IV/16 2.1.7:1281                      |
| 5765 | C <sub>7</sub> H <sub>14</sub> O <sub>3</sub><br>146.19<br>623-96-1   |  | carbonic acid dipropyl ester   | III/38b 2.1:4036;<br>IV/16 2.1.7:1280 |

|      |   |  |   |  |
|------|---|--|---|--|
| 5766 | C <sub>7</sub> H <sub>14</sub> O <sub>3</sub><br>146.19<br>5349-56-4                                |  | 3-methoxy-propanoic acid propyl ester   | IV/16 2.1.7:1284   |
| 5767 | C <sub>7</sub> H <sub>14</sub> O <sub>3</sub><br>146.19<br>10228-54-3                               |  | butoxyacetic acid methyl ester  | IV/16 2.1.7:1278   |
| 5768 | C <sub>7</sub> H <sub>14</sub> O <sub>3</sub><br>146.19<br>138-22-7                                 |  | 2-hydroxy-propanoic acid butyl ester;<br>lactic acid butyl ester                    | III/38b 2.1:4037;<br>IV/16 2.1.7:1282  |
| 5769 | C <sub>7</sub> H <sub>14</sub> O <sub>3</sub><br>146.19<br>6482-34-4                                |  | carbonic acid diisopropyl ester   | III/38b 2.1:4035   |
| 5770 | C <sub>7</sub> H <sub>14</sub> O <sub>4</sub><br>162.19<br>557-25-5                                 |  | butanoic acid 2,3-dihydroxypropyl ester   | III/38b 2.1:4039   |
| 5771 | C <sub>7</sub> H <sub>14</sub> O <sub>4</sub><br>162.19<br>5309-42-2                                |  | butanoic acid (R)-2,3-dihydroxypropyl ester   | III/38b 2.1:4038   |
| 5772 | C <sub>7</sub> H <sub>14</sub> O <sub>5</sub><br>178.19<br>626-84-6                                 |  | carbonic acid bis-(2-methoxy-ethyl ester)   | III/38b 2.1:4040   |
| 5773 | C <sub>7</sub> H <sub>14</sub> S<br>130.25<br>37850-75-2  |  | allyl tert-butyl sulfide;<br>butyl 2-propenyl sulfide;<br>3-(tert-butylthio)propene | IV/20a 3.2:399   |
| 5774 | C <sub>7</sub> H <sub>14</sub> S<br>130.25<br>1151-34-4   |  | 2-propyl-tetrahydrothiophene  | IV/16 2.1.7:1286   |
| 5775 | C <sub>7</sub> H <sub>14</sub> Si<br>126.28   |  | 1-silabicyclo[2.2.2]octane  | II/14a 2.4.2:93a   |
| 5776 | C <sub>7</sub> H <sub>15</sub> B <sub>3</sub> F <sub>3</sub> N <sub>3</sub><br>230.65<br>20453-68-3 |  | 1,2,3,4,5-pentamethyl-6-(trifluorovinyl)borazine                                    | IV/20a 4.5:1271  |
| 5777 | C <sub>7</sub> H <sub>15</sub> Br<br>179.11<br>629-04-9   |  | 1-bromoheptane;<br>heptyl bromide   | III/38b 2.1:4041;<br>IV/6 2.1.3:978;<br>IV/8a 3.5.4,p.181;<br>IV/16 2.1.7:1287;<br>IV/20a 4.5:1272;<br>Mixtures:<br>III/38a 3.1:866;<br>IV/6 3.1:934 |
| 5778 | C <sub>7</sub> H <sub>15</sub> Br<br>179.11<br>998-93-6   |  | 4-bromoheptane  | III/38b 2.1:4044;<br>IV/6 2.1.3:981  |











|      |  |  |   |  |
|------|--|--|---|--|
| 5779 | C <sub>7</sub> H <sub>15</sub> Br<br>179.11<br>1974-04-5   |  | 2-bromoheptane;<br>2-heptyl bromide                       | III/38b 2.1:4042;<br>IV/6 2.1.3:979;<br>IV/20a 4.5:1273                      |
| 5780 | C <sub>7</sub> H <sub>15</sub> Br<br>179.11<br>1974-05-6   |  | 3-bromoheptane  | III/38b 2.1:4043;<br>IV/6 2.1.3:980  |
| 5781 | C <sub>7</sub> H <sub>15</sub> BrO<br>195.11               |  | 1-bromo-2-ethoxypentane                                   | IV/6 2.1.3:982   |
| 5782 | C <sub>7</sub> H <sub>15</sub> BrO<br>195.11               |  | 3-bromo-2-ethoxypentane                                   | IV/6 2.1.3:984   |
| 5783 | C <sub>7</sub> H <sub>15</sub> BrO<br>195.11               |  | 2-bromo-3-ethoxypentane                                   | IV/6 2.1.3:983   |
| 5784 | C <sub>7</sub> H <sub>15</sub> Cl<br>134.65<br>629-06-1    |  | 1-chloroheptane;<br>heptyl chloride;<br>n-heptyl chloride | III/38b 2.1:4050;<br>IV/6 2.1.3:974;<br>IV/16 2.1.7:1289;<br>IV/20a 4.5:1274 |
| 5785 | C <sub>7</sub> H <sub>15</sub> Cl<br>134.65<br>101257-63-0 |  | 1-chloro-3-methyl-hexane                                  | III/38b 2.1:4054   |
| 5786 | C <sub>7</sub> H <sub>15</sub> Cl<br>134.65<br>1001-89-4   |  | 2-chloroheptane;<br>(±)-2-chloroheptane                   | III/38b 2.1:4051;<br>IV/20a 4.5:1275   |
| 5787 | C <sub>7</sub> H <sub>15</sub> Cl<br>134.65<br>52356-94-2  |  | 2-chloroheptane   | IV/6 2.1.3:975   |
| 5788 | C <sub>7</sub> H <sub>15</sub> Cl<br>134.65<br>998-95-8    |  | 4-chloroheptane   | III/38b 2.1:4053;<br>IV/6 2.1.3:977  |
| 5789 | C <sub>7</sub> H <sub>15</sub> Cl<br>134.65<br>999-52-0    |  | 3-chloroheptane   | III/38b 2.1:4052;<br>IV/6 2.1.3:976  |
| 5790 | C <sub>7</sub> H <sub>15</sub> Cl<br>134.65<br>994-25-2    |  | 3-chloro-3-ethyl-pentane                                  | III/38b 2.1:4049;<br>IV/16 2.1.7:1288  |
| 5791 | C <sub>7</sub> H <sub>15</sub> Cl<br>134.65<br>43197-78-0  |  | 3-chloro-3-methyl-hexane                                  | III/38b 2.1:4056;<br>IV/16 2.1.7:1291  |
| 5792 | C <sub>7</sub> H <sub>15</sub> Cl<br>134.65<br>4398-65-6   |  | 2-chloro-2-methyl-hexane                                  | III/38b 2.1:4055;<br>IV/16 2.1.7:1290  |

|      |   |  |  |   |
|------|---|--|--|---|
| 5793 | C <sub>7</sub> H <sub>15</sub> Cl<br>134.65<br>116632-16-7  |  | 2-chloro-3-ethyl-pentane   | III/38b 2.1:4048  |
| 5794 | C <sub>7</sub> H <sub>15</sub> Cl<br>134.65<br>59889-45-1   |  | 2-chloro-2,3-dimethyl-pentane  | III/38b 2.1:4045  |
| 5795 | C <sub>7</sub> H <sub>15</sub> Cl<br>134.65<br>595-38-0   |  | 3-chloro-2,3-dimethyl-pentane  | III/38b 2.1:4047  |
| 5796 | C <sub>7</sub> H <sub>15</sub> Cl<br>134.65<br>35951-33-8   |  | 2-chloro-2,4-dimethyl-pentane  | III/38b 2.1:4046  |
| 5797 | C <sub>7</sub> H <sub>15</sub> ClO<br>150.65<br>41589-74-6  |  | (2-chloro-ethyl)-pentyl ether  | III/38b 2.1:4057  |
| 5798 | C <sub>7</sub> H <sub>15</sub> ClO<br>150.65<br>55944-70-2  |  | 7-chloro-heptan-1-ol   | III/38b 2.1:4059  |
| 5799 | C <sub>7</sub> H <sub>15</sub> ClO<br>150.65<br>53660-21-2  |  | 1-chloro-heptan-2-ol   | III/38b 2.1:4058  |
| 5800 | C <sub>7</sub> H <sub>15</sub> Cl <sub>2</sub> N<br>184.11<br>621-68-1                              |  | N-propylbis(2-chloroethyl)amine  | IV/20a 4.5:1277   |
| 5801 | C <sub>7</sub> H <sub>15</sub> Cl <sub>2</sub> N<br>184.11<br>52802-03-6                            |  | N-ethylbis(2-chloroethyl)amine   | IV/20a 4.5:1276   |
| 5802 | C <sub>7</sub> H <sub>15</sub> Cl <sub>2</sub> N <sub>2</sub> O <sub>2</sub> P<br>261.09<br>50-18-0 |  | 2-[bis(2-chloroethylamino)]-tetrahydro-2H-1,3,2-oxazaphosphorine-2-oxide; cyclophosphamide | IV/8a 3.5.4,p.181   |
| 5803 | C <sub>7</sub> H <sub>15</sub> F<br>118.20<br>661-11-0  |  | 1-fluoroheptane; n-heptyl fluoride   | III/38b 2.1:4060;<br>IV/16 2.1.7:1292;<br>IV/20a 4.5:1278   |
| 5804 | C <sub>7</sub> H <sub>15</sub> FO<br>134.20<br>408-16-2   |  | 7-fluoro-heptan-1-ol   | III/38b 2.1:4061  |
| 5805 | C <sub>7</sub> H <sub>15</sub> I<br>226.10<br>4282-40-0   |  | heptyl iodide; 1-iodoheptane   | III/38b 2.1:4062;<br>IV/6 2.1.3:985;<br>IV/16 2.1.7:1293;<br>IV/20a 4.5:1279;<br>Mixtures:<br>IV/6 3.1:1077 |
| 5806 | C <sub>7</sub> H <sub>15</sub> I<br>226.10<br>18589-29-2  |  | 2-iodo-heptane   | III/38b 2.1:4063  |

|      |  |  |                               |                                     |
|------|--|--|-------------------------------|-------------------------------------|
| 5807 | C <sub>7</sub> H <sub>15</sub> I<br>226.10<br>31294-92-5 |  | 3-iodoheptane                 | III/38b 2.1:4064;<br>IV/6 2.1.3:986 |
| 5808 | C <sub>7</sub> H <sub>15</sub> N<br>113.20<br>100-60-7   |  | cyclohexyl-methyl-amine       | III/38b 2.1:4065                    |
| 5809 | C <sub>7</sub> H <sub>15</sub> N<br>113.20<br>3230-23-7  |  | 4-ethyl-piperidine            | III/38b 2.1:4080                    |
| 5810 | C <sub>7</sub> H <sub>15</sub> N<br>113.20<br>13603-10-6 |  | 3-ethyl-piperidine            | III/38b 2.1:4079                    |
| 5811 | C <sub>7</sub> H <sub>15</sub> N<br>113.20<br>1484-80-6  |  | 2-ethyl-piperidine            | III/38b 2.1:4078                    |
| 5812 | C <sub>7</sub> H <sub>15</sub> N<br>113.20<br>766-09-6   |  | 1-ethyl-piperidine            | III/38b 2.1:4077                    |
| 5813 | C <sub>7</sub> H <sub>15</sub> N<br>113.20<br>4045-30-1  |  | 4,4-dimethyl-piperidine       | III/38b 2.1:4076                    |
| 5814 | C <sub>7</sub> H <sub>15</sub> N<br>113.20<br>1193-12-0  |  | 3,3-dimethyl-piperidine       | III/38b 2.1:4075                    |
| 5815 | C <sub>7</sub> H <sub>15</sub> N<br>113.20<br>766-17-6   |  | cis-2,6-dimethyl-piperidine   | III/38b 2.1:4072                    |
| 5816 | C <sub>7</sub> H <sub>15</sub> N<br>113.20<br>10066-29-2 |  | trans-2,6-dimethyl-piperidine | III/38b 2.1:4073                    |
| 5817 | C <sub>7</sub> H <sub>15</sub> N<br>113.20<br>504-03-0   |  | 2,6-dimethyl-piperidine       | III/38b 2.1:4074                    |
| 5818 | C <sub>7</sub> H <sub>15</sub> N<br>113.20<br>671-36-3   |  | 1,2-dimethyl-piperidine       | III/38b 2.1:4067                    |
| 5819 | C <sub>7</sub> H <sub>15</sub> N<br>113.20<br>52305-66-5 |  | (S)-1,2-dimethyl-piperidine   | III/38b 2.1:4066                    |
| 5820 | C <sub>7</sub> H <sub>15</sub> N<br>113.20<br>19683-91-1 |  | cis-2,4-dimethyl-piperidine   | III/38b 2.1:4068                    |















|      |  |  |  |                                     |
|------|--|--|--|-------------------------------------|
| 5821 | C <sub>7</sub> H <sub>15</sub> N<br>113.20<br>6287-19-0    |  | 2,4-dimethyl-piperidine                                | III/38b 2.1:4069                    |
| 5822 | C <sub>7</sub> H <sub>15</sub> N<br>113.20<br>32452-45-2   |  | trans-2,5-dimethyl-piperidine                          | III/38b 2.1:4070                    |
| 5823 | C <sub>7</sub> H <sub>15</sub> N<br>113.20<br>34893-50-0   |  | 2,5-dimethyl-piperidine                                | III/38b 2.1:4071                    |
| 5824 | C <sub>7</sub> H <sub>15</sub> NO<br>129.20<br>629-31-2    |  | heptanal oxime   | IV/16 2.1.7:1295                    |
| 5825 | C <sub>7</sub> H <sub>15</sub> NO<br>129.20<br>2524-60-9   |  | N-pentyl-acetamide;<br>N-(1-pentyl)acetamide           | III/38b 2.1:4088;<br>IV/6 2.1.3:991 |
| 5826 | C <sub>7</sub> H <sub>15</sub> NO<br>129.20                |  | pentan-2-one O-ethyloxime                              | IV/16 2.1.7:1297                    |
| 5827 | C <sub>7</sub> H <sub>15</sub> NO<br>129.20<br>2955-67-1   |  | N-butyl-propionamide;<br>N-(1-butyl)propionicamide     | III/38b 2.1:4081;<br>IV/6 2.1.3:987 |
| 5828 | C <sub>7</sub> H <sub>15</sub> NO<br>129.20<br>101154-33-0 |  | butan-2-one O-propyloxime                              | IV/16 2.1.7:1294                    |
| 5829 | C <sub>7</sub> H <sub>15</sub> NO<br>129.20                |  | pentan-3-one O-ethyloxime                              | IV/16 2.1.7:1298                    |
| 5830 | C <sub>7</sub> H <sub>15</sub> NO<br>129.20<br>628-62-6    |  | heptanamide  | III/38b 2.1:4087                    |
| 5831 | C <sub>7</sub> H <sub>15</sub> NO<br>129.20<br>6282-00-4   |  | N,N-di(1-propyl)formamide;<br>N,N-dipropyl-formamide   | III/38b 2.1:4086;<br>IV/6 2.1.3:989 |
| 5832 | C <sub>7</sub> H <sub>15</sub> NO<br>129.20<br>5129-73-7   |  | N-(1-propyl)butanoicamide;<br>N-propyl-butyramide      | III/38b 2.1:4089;<br>IV/6 2.1.3:992 |
| 5833 | C <sub>7</sub> H <sub>15</sub> NO<br>129.20<br>1188-63-2   |  | heptan-4-one oxime                                     | IV/16 2.1.7:1296                    |
| 5834 | C <sub>7</sub> H <sub>15</sub> NO<br>129.20<br>6225-06-5   |  | N,N-dimethyl-valeramide;<br>N,N-dimethylpentanoicamide | III/38b 2.1:4085;<br>IV/6 2.1.3:988 |
| 5835 | C <sub>7</sub> H <sub>15</sub> NO<br>129.20<br>1620-14-0   |  | 1-diethylamino-propan-2-one                            | III/38b 2.1:4082                    |

|      |  |   |   |   |
|------|--|---|---|---|
| 5836 | C <sub>7</sub> H <sub>15</sub> NO<br>129.20<br>1114-51-8               |   | N,N-diethyl-propionamide                                | III/38b 2.1:4083  |
| 5837 | C <sub>7</sub> H <sub>15</sub> NO<br>129.20<br>2700-30-3               |   | N,N-di(2-propyl)formamide;<br>N,N-diisopropyl-formamide | III/38b 2.1:4084;<br>IV/6 2.1.3:990   |
| 5838 | C <sub>7</sub> H <sub>15</sub> NOSn<br>247.89<br>757-36-8              |   | triethyl-isocyanato-stannane                            | IV/16 2.1.2:134   |
| 5839 | C <sub>7</sub> H <sub>15</sub> NO <sub>2</sub><br>145.20<br>629-43-6   |   | nitrous acid heptyl ester                               | III/38b 2.1:4093  |
| 5840 | C <sub>7</sub> H <sub>15</sub> NO <sub>2</sub><br>145.20<br>693-39-0   |   | 1-nitro-heptane   | III/38b 2.1:4092  |
| 5841 | C <sub>7</sub> H <sub>15</sub> NO <sub>2</sub><br>145.20<br>539-89-9   |   | isobutyl-carbamic acid ethyl ester                      | III/38b 2.1:4090  |
| 5842 | C <sub>7</sub> H <sub>15</sub> NO <sub>2</sub><br>145.20<br>2109-66-2  |   | 1-morpholin-4-yl-propan-2-ol                            | III/38b 2.1:4091  |
| 5843 | C <sub>7</sub> H <sub>15</sub> O <sub>3</sub> P<br>178.17<br>6156-16-7 |   | 2-butoxy-4-methyl-1,3,2-dioxaphospholane                | IV/16 2.1.6:323   |
| 5844 | C <sub>7</sub> H <sub>16</sub><br>100.21<br>142-82-5                   | C <sub>7</sub> H <sub>16</sub><br><br>see also: 4955(D) | heptane;<br>n-heptane                                   | III/38b 2.1:4099;<br>IV/6 2.1.3:998;<br>IV/8a 3.5.4,p.182;<br>IV/8b 2.2:19;<br>IV/16 2.1.7:1304;<br>IV/20a 2.1:226;<br>Mixtures:<br>III/38a 3.1:98, 132,<br>168, 283, 294,<br>329, 333, 357,<br>391, 418, 462,<br>512, 520, 548-549,<br>638, 661, 712,<br>782, 794, 829,<br>863, 866-873;<br>IV/6 3.1:643, 824,<br>904-944;<br>IV/16 3.1.4:326,<br>385, 399, 410,<br>418, 531, 582,<br>611, 654, 667,<br>678, 687, 699, 704 |

|      |  |   |  |   |
|------|--|---|--|---|
| 5845 | C <sub>7</sub> H <sub>16</sub><br>100.21<br>589-34-4   |    | 3-methylhexane   | III/38b 2.1:4103;<br>IV/6 2.1.3:1000;<br>IV/8b 2.2:21;<br>IV/16 2.1.7:1306;<br>IV/20a 2.1:228   |
| 5846 | C <sub>7</sub> H <sub>16</sub><br>100.21<br>78918-91-9 |    | (R)-3-methyl-hexane  | III/38b 2.1:4102  |
| 5847 | C <sub>7</sub> H <sub>16</sub><br>100.21<br>6131-24-4  |    | (S)-3-methyl-hexane  | III/38b 2.1:4101  |
| 5848 | C <sub>7</sub> H <sub>16</sub><br>100.21<br>591-76-4   |    | 2-methylhexane   | III/38b 2.1:4100;<br>IV/6 2.1.3:999;<br>IV/8a 3.5.4,p.183;<br>IV/8b 2.2:20;<br>IV/16 2.1.7:1305;<br>IV/20a 2.1:227                                  |
| 5849 | C <sub>7</sub> H <sub>16</sub><br>100.21<br>617-78-7   |    | 3-ethylpentane   | III/38b 2.1:4098;<br>IV/6 2.1.3:997;<br>IV/8a 3.5.4,p.182;<br>IV/8b 2.2:18;<br>IV/16 2.1.7:1303;<br>IV/20a 2.1:225                                  |
| 5850 | C <sub>7</sub> H <sub>16</sub><br>100.21<br>590-35-2   |   | 2,2-dimethylpentane  | III/38b 2.1:4094;<br>IV/6 2.1.3:993;<br>IV/8a 3.5.4,p.181;<br>IV/8b 2.2:14;<br>IV/16 2.1.7:1299;<br>IV/20a 2.1:221                                  |
| 5851 | C <sub>7</sub> H <sub>16</sub><br>100.21<br>562-49-2   |  | 3,3-dimethylpentane  | III/38b 2.1:4097;<br>IV/6 2.1.3:996;<br>IV/8a 3.5.4,p.182;<br>IV/8b 2.2:17;<br>IV/16 2.1.7:1302;<br>IV/20a 2.1:224                                  |
| 5852 | C <sub>7</sub> H <sub>16</sub><br>100.21<br>108-08-7   |  | 2,4-dimethylpentane  | III/38b 2.1:4096;<br>IV/6 2.1.3:995;<br>IV/8a 3.5.4,p.181;<br>IV/8b 2.2:16;<br>IV/16 2.1.7:1301;<br>IV/20a 2.1:223;<br>Mixtures:<br>III/38a 3.1:711 |
| 5853 | C <sub>7</sub> H <sub>16</sub><br>100.21<br>565-59-3   |  | 2,3-dimethylpentane  | III/38b 2.1:4095;<br>IV/6 2.1.3:994;<br>IV/8a 3.5.4,p.181;<br>IV/8b 2.2:15;<br>IV/16 2.1.7:1300;<br>IV/20a 2.1:222                                  |
| 5854 | C <sub>7</sub> H <sub>16</sub><br>100.21<br>464-06-2   |  | pentamethylethane;<br>2,2,3-trimethylbutane;<br>2,3,3-trimethylbutane;<br>triptane | III/38b 2.1:4104;<br>IV/6 2.1.3:1001;<br>IV/8a 3.5.4,p.183;<br>IV/8b 2.2:22;<br>IV/16 2.1.7:1307;<br>IV/20a 2.1:229                                 |

|      |   |  |  |   |
|------|---|--|--|---|
| 5855 | C <sub>7</sub> H <sub>16</sub> N <sub>2</sub><br>128.22<br>120-85-4     |  | 1,2,4-trimethyl-piperazine   | III/38b 2.1:4105  |
| 5856 | C <sub>7</sub> H <sub>16</sub> N <sub>2</sub> O<br>144.22<br>14216-18-3 |  | N,N-diethyl-N',N'-dimethyl urea  | III/38b 2.1:4106;<br>IV/6 2.1.3:1015  |
| 5857 | C <sub>7</sub> H <sub>16</sub> N <sub>2</sub> O<br>144.22<br>123-00-2   |  | 3-morpholin-4-yl-propylamine   | III/38b 2.1:4107  |
| 5858 | C <sub>7</sub> H <sub>16</sub> N <sub>2</sub> S<br>160.28<br>26536-60-7 |  | N,N-dipropylthiourea;<br>thiourea, N,N'-dipropyl-  | IV/8a 3.5.4,p.184   |
| 5859 | C <sub>7</sub> H <sub>16</sub> O<br>116.21<br>17952-11-3                |  | 1-ethoxy-pentane;<br>ethyl 1-pentyl ether  | III/38b 2.1:4118;<br>IV/6 2.1.3:1002;<br>IV/16 2.1.7:1309;<br>Mixtures:<br>III/38a 3.1:99, 169,<br>662;<br>IV/6 3.1:121, 499  |
| 5860 | C <sub>7</sub> H <sub>16</sub> O<br>116.21<br>111-70-6                  |  | enanthic alcohol;<br>heptan-1-ol;<br>1-heptanol;<br>heptyl alcohol;<br>n-heptyl alcohol;<br>hexylcarbinol;<br>1-hydroxyheptane | III/38b 2.1:4120;<br>IV/6 2.1.3:1006;<br>IV/8a 3.5.4,p.184;<br>IV/16 2.1.7:1311;<br>Mixtures:<br>III/38a 3.1:150,<br>270, 615, 713,<br>874;<br>IV/6 3.1:71, 190,<br>476, 517, 644,<br>945;<br>IV/16 3.1.4:558,<br>612, 688, 705 |
| 5861 | C <sub>7</sub> H <sub>16</sub> O<br>116.21<br>4747-07-3                 |  | 1-methoxy-hexane   | IV/16 2.1.7:1312  |
| 5862 | C <sub>7</sub> H <sub>16</sub> O<br>116.21<br>543-49-7                  |  | heptan-2-ol  | III/38b 2.1:4121,<br>4123;<br>IV/6 2.1.3:1007   |
| 5863 | C <sub>7</sub> H <sub>16</sub> O<br>116.21<br>6033-23-4                 |  | (S)-heptan-2-ol;<br>L-(-)-2-heptanol   | III/38b 2.1:4122;<br>IV/6 2.1.3:1009  |
| 5864 | C <sub>7</sub> H <sub>16</sub> O<br>116.21<br>6033-24-5                 |  | D-(+)-heptan-2-ol;<br>D-(+)-2-heptanol   | IV/6 2.1.3:1008   |
| 5865 | C <sub>7</sub> H <sub>16</sub> O<br>116.21<br>111768-08-2               |  | (±)-3-methyl-hexan-1-ol  | III/38b 2.1:4129  |
| 5866 | C <sub>7</sub> H <sub>16</sub> O<br>116.21<br>13231-81-7                |  | 3-methyl-hexan-1-ol  | III/38b 2.1:4132  |

|      |   |  |   |  |
|------|---|--|---|--|
| 5867 | C <sub>7</sub> H <sub>16</sub> O<br>116.21<br>70575-26-7  |  | (S)-3-methyl-hexan-1-ol                                   | III/38b 2.1:4130   |
| 5868 | C <sub>7</sub> H <sub>16</sub> O<br>116.21<br>86423-92-9  |  | (R)-3-methyl-hexan-1-ol                                   | III/38b 2.1:4131   |
| 5869 | C <sub>7</sub> H <sub>16</sub> O<br>116.21<br>111768-05-9 |  | (±)-4-methyl-hexan-1-ol                                   | III/38b 2.1:4135   |
| 5870 | C <sub>7</sub> H <sub>16</sub> O<br>116.21<br>818-49-5    |  | 4-methyl-hexan-1-ol                                       | III/38b 2.1:4136   |
| 5871 | C <sub>7</sub> H <sub>16</sub> O<br>116.21<br>53353-04-1  |  | (R)-4-methyl-hexan-1-ol                                   | III/38b 2.1:4133   |
| 5872 | C <sub>7</sub> H <sub>16</sub> O<br>116.21<br>1767-46-0   |  | (S)-4-methyl-hexan-1-ol                                   | III/38b 2.1:4134   |
| 5873 | C <sub>7</sub> H <sub>16</sub> O<br>116.21<br>111768-04-8 |  | (±)-2-methyl-hexan-1-ol                                   | III/38b 2.1:4128   |
| 5874 | C <sub>7</sub> H <sub>16</sub> O<br>116.21<br>66050-99-5  |  | (S)-2-methyl-hexan-1-ol                                   | III/38b 2.1:4127   |
| 5875 | C <sub>7</sub> H <sub>16</sub> O<br>116.21<br>1860-27-1   |  | 1-isopropoxybutane  | III/38b 2.1:4126   |
| 5876 | C <sub>7</sub> H <sub>16</sub> O<br>116.21<br>589-82-2    |  | heptan-3-ol;<br>3-heptanol                                | III/38b 2.1:4124;<br>IV/6 2.1.3:1010                               |
| 5877 | C <sub>7</sub> H <sub>16</sub> O<br>116.21<br>589-55-9    |  | heptan-4-ol;<br>4-heptanol                                | III/38b 2.1:4125;<br>IV/6 2.1.3:1011;<br>Mixtures:<br>IV/6 3.1:945 |
| 5878 | C <sub>7</sub> H <sub>16</sub> O<br>116.21<br>627-98-5    |  | 5-methyl-hexan-1-ol                                       | III/38b 2.1:4137   |
| 5879 | C <sub>7</sub> H <sub>16</sub> O<br>116.21<br>628-04-6    |  | 1-ethoxy-3-methyl-butane;<br>ethyl 3-methyl-1-butyl ether | III/38b 2.1:4116;<br>IV/6 2.1.3:1003                               |
| 5880 | C <sub>7</sub> H <sub>16</sub> O<br>116.21<br>15268-49-2  |  | 2-methyl-1-propoxy-propane                                | III/38b 2.1:4144   |
| 5881 | C <sub>7</sub> H <sub>16</sub> O<br>116.21<br>625-23-0    |  | 2-methyl-2-hexanol;<br>2-methyl-hexan-2-ol                | III/38b 2.1:4138;<br>IV/6 2.1.3:1012;<br>IV/16 2.1.7:1313          |

|      |   |   |  |   |
|------|---|---|--|---|
| 5882 | C <sub>7</sub> H <sub>16</sub> O<br>116.21<br>597-96-6    |    | 3-methyl-3-hexanol;<br>(±)-3-methyl-hexan-3-ol       | III/38b 2.1:4141;<br>IV/6 2.1.3:1014;<br>IV/16 2.1.7:1314;<br>Mixtures:<br>III/38a 3.1:715;<br>IV/6 3.1:646 |
| 5883 | C <sub>7</sub> H <sub>16</sub> O<br>116.21<br>919-94-8    |    | 2-ethoxy-2-methyl-butane                             | III/38b 2.1:4117  |
| 5884 | C <sub>7</sub> H <sub>16</sub> O<br>116.21<br>2370-12-9   |    | 2,2-dimethyl-1-pentanol;<br>2,2-dimethyl-pentan-1-ol | III/38b 2.1:4108;<br>IV/6 2.1.3:1004;<br>IV/16 2.1.7:1308   |
| 5885 | C <sub>7</sub> H <sub>16</sub> O<br>116.21<br>597-49-9    |    | 3-ethyl-3-pentanol;<br>3-ethyl-pentan-3-ol           | III/38b 2.1:4119;<br>IV/6 2.1.3:1005;<br>IV/16 2.1.7:1310   |
| 5886 | C <sub>7</sub> H <sub>16</sub> O<br>116.21<br>2313-65-7   |    | 3-methyl-2-hexanol;<br>3-methyl-hexan-2-ol           | III/38b 2.1:4139;<br>IV/6 2.1.3:1013;<br>Mixtures:<br>III/38a 3.1:714;<br>IV/6 3.1:645                      |
| 5887 | C <sub>7</sub> H <sub>16</sub> O<br>116.21<br>627-59-8    |   | 5-methyl-hexan-2-ol                                  | III/38b 2.1:4140  |
| 5888 | C <sub>7</sub> H <sub>16</sub> O<br>116.21<br>100295-83-8 |  | (±)-5-methyl-hexan-3-ol                              | III/38b 2.1:4143  |
| 5889 | C <sub>7</sub> H <sub>16</sub> O<br>116.21<br>93031-24-4  |  | (S)-5-methyl-hexan-3-ol                              | III/38b 2.1:4142  |
| 5890 | C <sub>7</sub> H <sub>16</sub> O<br>116.21<br>111768-02-6 |  | 2,4-dimethyl-pentan-1-ol                             | III/38b 2.1:4109  |
| 5891 | C <sub>7</sub> H <sub>16</sub> O<br>116.21<br>595-41-5    |  | 2,3-dimethyl-pentan-3-ol                             | III/38b 2.1:4114  |
| 5892 | C <sub>7</sub> H <sub>16</sub> O<br>116.21<br>625-06-9    |  | 2,4-dimethyl-pentan-2-ol                             | III/38b 2.1:4110  |
| 5893 | C <sub>7</sub> H <sub>16</sub> O<br>116.21<br>3970-62-5   |  | 2,2-dimethyl-pentan-3-ol                             | III/38b 2.1:4111  |
| 5894 | C <sub>7</sub> H <sub>16</sub> O<br>116.21<br>38636-37-2  |  | (S)-2,2-dimethyl-pentan-3-ol                         | III/38b 2.1:4112  |
| 5895 | C <sub>7</sub> H <sub>16</sub> O<br>116.21<br>38636-36-1  |  | (R)-2,2-dimethyl-pentan-3-ol                         | III/38b 2.1:4113  |

|      |   |  |   |  |
|------|---|--|---|--|
| 5896 | C <sub>7</sub> H <sub>16</sub> O<br>116.21<br>600-36-2                  |  | 2,4-dimethyl-pentan-3-ol  | III/38b 2.1:4115;<br>Mixtures:<br>III/38a 3.1:864  |
| 5897 | C <sub>7</sub> H <sub>16</sub> O <sub>2</sub><br>132.20<br>505-84-0     |  | 1-propoxymethoxy-propane  | III/38b 2.1:4148;<br>IV/16 2.1.7:1315  |
| 5898 | C <sub>7</sub> H <sub>16</sub> O <sub>2</sub><br>132.20<br>629-30-1     |  | 1,7-dihydroxyheptane;<br>1,7-heptanediol;<br>$\alpha,\omega$ -heptanediol         | III/38b 2.1:4147;<br>IV/8a 3.5.4,p.184   |
| 5899 | C <sub>7</sub> H <sub>16</sub> O <sub>2</sub><br>132.20<br>4744-08-5    |  | 1,1-diethoxy-propane  | III/38b 2.1:4146   |
| 5900 | C <sub>7</sub> H <sub>16</sub> O <sub>2</sub><br>132.20<br>5131-66-8    |  | 1-butoxy-propan-2-ol  | III/38b 2.1:4145   |
| 5901 | C <sub>7</sub> H <sub>16</sub> O <sub>2</sub><br>132.20<br>2568-89-0    |  | diisopropoxy-methane  | IV/16 2.1.7:1316   |
| 5902 | C <sub>7</sub> H <sub>16</sub> O <sub>2</sub> Si<br>160.29<br>5507-44-8 |  | diethoxy-methyl-vinyl-silane  | III/38a 2.1.5:377  |
| 5903 | C <sub>7</sub> H <sub>16</sub> O <sub>3</sub><br>148.20<br>122-51-0     |  | orthoformic acid triethyl ester;<br>triethoxy methane;<br>1,1,1-triethoxy-methane | III/38b 2.1:4150;<br>IV/6 2.1.3:1016;<br>IV/16 2.1.7:1318  |
| 5904 | C <sub>7</sub> H <sub>16</sub> O <sub>3</sub><br>148.20<br>3920-53-4    |  | heptane-1,4,7-triol   | III/38b 2.1:4149   |
| 5905 | C <sub>7</sub> H <sub>16</sub> O <sub>3</sub><br>148.20<br>6881-94-3    |  | 2-(2-propoxyethoxy)-ethanol   | IV/16 2.1.7:1317   |
| 5906 | C <sub>7</sub> H <sub>16</sub> O <sub>3</sub><br>148.20<br>43083-12-1   |  | 1,1,1-trimethoxy-butane   | III/38b 2.1:4151   |
| 5907 | C <sub>7</sub> H <sub>16</sub> O <sub>4</sub><br>164.20<br>112-35-6     |  | 2-[2-(2-methoxyethoxy)-ethoxy]-ethanol  | IV/16 2.1.7:1320   |
| 5908 | C <sub>7</sub> H <sub>16</sub> O <sub>4</sub><br>164.20<br>4431-83-8    |  | 1-methoxy-2-[(2-methoxyethoxy)-methoxy]-ethane                                    | IV/16 2.1.7:1319   |
| 5909 | C <sub>7</sub> H <sub>16</sub> O <sub>7</sub><br>212.20                 |  | glucoheptite  | IV/6 2.1.3:1017  |
| 5910 | C <sub>7</sub> H <sub>16</sub> S<br>132.27<br>1639-09-4                 |  | 1-heptanethiol;<br>heptyl mercaptan;<br>1-mercaptoheptane                         | III/38b 2.1:4152;<br>IV/6 2.1.3:1018;<br>IV/8a 3.5.4,p.184;<br>IV/16 2.1.7:1321;<br>IV/20a 3.2:400 |

|      |   |  |   |                                       |
|------|---|--|---|---------------------------------------|
| 5911 | C <sub>7</sub> H <sub>16</sub> S<br>132.27<br>628-00-2                |  | 2-heptanethiol;<br>2-heptyl mercaptan         | IV/20a 3.2:401                        |
| 5912 | C <sub>7</sub> H <sub>16</sub> S <sub>2</sub><br>164.33<br>62224-02-6 |  | 1,7-heptanedithiol                            | IV/20a 3.2:402                        |
| 5913 | C <sub>7</sub> H <sub>17</sub> CISi<br>164.75<br>18244-34-3           |  | chloro-heptyl-silane                          | III/38a 2.1.5:382                     |
| 5914 | C <sub>7</sub> H <sub>17</sub> CISi<br>164.75<br>42805-31-2           |  | chloromethyl-dipropyl-silane                  | III/38a 2.1.5:387                     |
| 5915 | C <sub>7</sub> H <sub>17</sub> CISi<br>164.75<br>26015-61-2           |  | chloro-hexyl-methyl-silane                    | III/38a 2.1.5:383                     |
| 5916 | C <sub>7</sub> H <sub>17</sub> CISi<br>164.75<br>42805-29-8           |  | (3-chloropropyl)-diethyl-silane               | III/38a 2.1.5:389                     |
| 5917 | C <sub>7</sub> H <sub>17</sub> CISi<br>164.75<br>25938-34-5           |  | chloro-dimethyl-pentyl-silane                 | III/38a 2.1.5:381                     |
| 5918 | C <sub>7</sub> H <sub>17</sub> CISi<br>164.75<br>757-34-6             |  | chloromethyl-triethyl-silane                  | III/38a 2.1.5:388                     |
| 5919 | C <sub>7</sub> H <sub>17</sub> CISi<br>164.75<br>18817-17-9           |  | (1-chloroethyl)-diethylmethylsilane           | III/38a 2.1.5:385;<br>IV/20a 4.5:1280 |
| 5920 | C <sub>7</sub> H <sub>17</sub> CISi<br>164.75<br>995-04-0             |  | chloro-diethyl-propyl-silane                  | III/38a 2.1.5:379                     |
| 5921 | C <sub>7</sub> H <sub>17</sub> CISi<br>164.75<br>18244-33-2           |  | (3-chloropropyl)-dimethyl-ethyl-silane        | III/38a 2.1.5:390                     |
| 5922 | C <sub>7</sub> H <sub>17</sub> CISi<br>164.75<br>3121-75-3            |  | butyl-chloromethyl-dimethyl-silane            | III/38a 2.1.5:378                     |
| 5923 | C <sub>7</sub> H <sub>17</sub> CISi<br>164.75<br>1068-24-2            |  | chloro-methyl-dipropyl-silane                 | III/38a 2.1.5:384                     |
| 5924 | C <sub>7</sub> H <sub>17</sub> CISi<br>164.75<br>18244-32-1           |  | ( $\gamma$ -chloro-isobutyl)-trimethyl-silane | III/38a 2.1.5:386                     |
| 5925 | C <sub>7</sub> H <sub>17</sub> CISi<br>164.75<br>121444-58-4          |  | (1,2-dimethylpropyl) dimethylsilyl chloride   | III/38a 2.1.5:391                     |

|      |   |  |   |   |
|------|---|--|---|---|
| 5926 | C <sub>7</sub> H <sub>17</sub> ClSi<br>164.75<br>3634-57-9                          |  | chloro-diisopropyl-methyl-silane  | III/38a 2.1.5:380   |
| 5927 | C <sub>7</sub> H <sub>17</sub> N<br>115.22<br>111-68-2                              |  | heptylamine   | III/38b 2.1:4156;<br>IV/6 2.1.3:1022;<br>IV/16 2.1.7:1324 |
| 5928 | C <sub>7</sub> H <sub>17</sub> N<br>115.22<br>26153-88-8                            |  | N,N-dimethyl-pentanamine;<br>N,N-dimethyl-pentyl-amine  | III/38b 2.1:4155;<br>IV/16 2.1.7:1322                     |
| 5929 | C <sub>7</sub> H <sub>17</sub> N<br>115.22<br>123-82-0                              |  | 2-amino-heptane;<br>1-methyl-hexylamine   | III/38b 2.1:4153,<br>4157                                 |
| 5930 | C <sub>7</sub> H <sub>17</sub> N<br>115.22<br>66225-40-9                            |  | N-ethyl-N-methyl-butanamine   | IV/16 2.1.7:1323  |
| 5931 | C <sub>7</sub> H <sub>17</sub> N<br>115.22<br>105-41-9                              |  | 1,3-dimethyl-pentylamine  | III/38b 2.1:4154  |
| 5932 | C <sub>7</sub> H <sub>17</sub> NO<br>131.22<br>622-93-5                             |  | 3-diethylamino-propan-1-ol  | III/38b 2.1:4158  |
| 5933 | C <sub>7</sub> H <sub>17</sub> NO<br>131.22<br>4402-32-8                            |  | 1-diethylamino-propan-2-ol  | III/38b 2.1:4159  |
| 5934 | C <sub>7</sub> H <sub>17</sub> NSi<br>143.31<br>18387-12-7                          |  | aziridine, 1-[2-(trimethylsilyl)ethyl]-;<br>N-(b-trimethylsilylethyl)ethylenimine;<br>N-(β-trimethylsilylethyl)ethylenimine | IV/8a 3.5.4,p.184   |
| 5935 | C <sub>7</sub> H <sub>17</sub> O <sub>2</sub> PS <sub>3</sub><br>260.38<br>298-02-2 |  | O,O-diethyl-S-<br>[(ethylthio)methyl]dithiophosphate;<br>phorate  | IV/20a 3.2:403  |
| 5936 | C <sub>7</sub> H <sub>17</sub> O <sub>3</sub> P<br>180.19<br>18812-51-6             |  | diethyl 1-propanephosphonate;<br>propyl-phosphonic acid diethyl ester   | III/38a 2.1.6:827;<br>IV/6 2.1.3:1020                     |
| 5937 | C <sub>7</sub> H <sub>17</sub> O <sub>3</sub> P<br>180.19                           |  | methyl-phosphonic acid dipropyl ester   | IV/16 2.1.6:324   |
| 5938 | C <sub>7</sub> H <sub>17</sub> O <sub>3</sub> P<br>180.19<br>1538-69-8              |  | diethyl 2-propanephosphonate;<br>isopropyl-phosphonic acid diethyl ester  | III/38a 2.1.6:825;<br>IV/6 2.1.3:1021                     |
| 5939 | C <sub>7</sub> H <sub>17</sub> O <sub>3</sub> P<br>180.19<br>1445-75-6              |  | bis(2-propyl) methanephosphonate;<br>methyl-phosphonic acid diisopropyl ester   | III/38a 2.1.6:826;<br>IV/6 2.1.3:1019                     |
| 5940 | C <sub>7</sub> H <sub>18</sub> N <sub>2</sub> O<br>146.23<br>6322-01-6              |  | 1-amino-3-diethylamino-propan-2-ol  | III/38b 2.1:4160  |

|      |  |  |  |  |
|------|--|--|--|--|
| 5941 | C <sub>7</sub> H <sub>18</sub> N <sub>2</sub> O<br>146.23<br>5966-51-8                 |  | 1,3-bis(dimethylamino)-propan-2-ol   | III/38b 2.1:4161   |
| 5942 | C <sub>7</sub> H <sub>18</sub> OSi<br>146.31<br>1825-65-6                              |  | butoxy-trimethyl-silane  | III/38a 2.1.5:392;<br>IV/6 2.1.3:1023;<br>Mixtures:<br>IV/6 3.1:518, 955 |
| 5943 | C <sub>7</sub> H <sub>18</sub> OSi<br>146.31<br>1825-66-7                              |  | 2-butoxy-trimethylsilane;<br>sec-butoxy-trimethyl-silane                                     | III/38a 2.1.5:393;<br>IV/6 2.1.3:1024                                    |
| 5944 | C <sub>7</sub> H <sub>18</sub> O <sub>3</sub> Si<br>178.31<br>2031-67-6                |  | methyl-triethoxy-silane;<br>triethoxymethylsilane  | III/38a 2.1.5:394;<br>IV/6 2.1.3:1025                                    |
| 5945 | C <sub>7</sub> H <sub>18</sub> Si<br>130.31<br>6932-34-9                               |  | dimethyl-ethyl-propyl-silane   | III/38a 2.1.5:396  |
| 5946 | C <sub>7</sub> H <sub>18</sub> Si<br>130.31<br>757-21-1                                |  | methyl-triethyl-silane   | III/38a 2.1.5:397  |
| 5947 | C <sub>7</sub> H <sub>18</sub> Si<br>130.31<br>1000-49-3                               |  | butyl-trimethyl-silane   | III/38a 2.1.5:395  |
| 5948 | C <sub>7</sub> H <sub>19</sub> ClSi <sub>2</sub><br>194.85<br>5926-35-2                |  | chloro-bis(trimethylsilyl)-methane   | III/38a 2.1.5:398  |
| 5949 | C <sub>7</sub> H <sub>19</sub> NSi<br>145.32<br>17425-81-9                             |  | (2-methyl-1-propyl)-trimethyl silazane;<br>trimethylsilyl-isobutylamine                      | III/38a 2.1.5:399;<br>IV/6 2.1.3:1026                                    |
| 5950 | C <sub>7</sub> H <sub>20</sub> Si <sub>2</sub><br>160.41<br>2117-28-4                  |  | bis(trimethylsilyl)-methane;<br>bis(trimethylsilyl)methane;<br>methylenebis(trimethylsilane) | III/38a 2.1.5:400;<br>IV/8a 3.5.4,p.184                                  |
| 5951 | C <sub>7</sub> H <sub>21</sub> B <sub>2</sub> N <sub>2</sub> Si<br>172.16<br>6917-95-9 |  | bis(dimethyl-amino)-(trimethyl-silyl)-borane   | III/38a 2.1.4:223  |
| 5952 | C <sub>7</sub> H <sub>22</sub> O <sub>2</sub> Si <sub>3</sub><br>222.51<br>1873-88-7   |  | 1,1,1,3,5,5-heptamethyl-trisiloxane  | III/38a 2.1.5:401  |