

**Landolt-Börnstein**  
**Group III: Condensed Matter**

**Volume 19**  
**Magnetic Properties of Metals**

**Subvolume E1**  
**Compounds of Rare Earth Elements with Main Group Elements. Part 1**

|             |                                                                                                                        |     |
|-------------|------------------------------------------------------------------------------------------------------------------------|-----|
|             | Introductory material                                                                                                  |     |
| 2           | Magnetic properties of rare earth elements, alloys and compounds                                                       | 1   |
| 2.1 - 2.3   | See Vol. 19D1                                                                                                          |     |
| 2.4 - 2.5   | See Vol. 19D2                                                                                                          |     |
| 2.6         | Compounds based on rare earth elements and Cu, Ag or Au (T. KANEKO)                                                    | 1   |
| 2.6.1       | Introduction                                                                                                           | 1   |
| 2.6.1.1     | General remarks                                                                                                        | 1   |
| 2.6.1.2     | Representative crystal structures of rare earth intermetallic compounds,<br>$R_mN_n$ and $R_lN_mM_n$ (or $R_lN_mD_n$ ) | 3   |
| 2.6.2       | Compounds with rare earth (R) and group 1B (N) elements                                                                | 9   |
| 2.6.2.1     | $R_mN_n$                                                                                                               | 9   |
| 2.6.2.1.1   | $R_mCu_n$                                                                                                              | 9   |
| 2.6.2.1.1.1 | $RCu$                                                                                                                  | 9   |
| 2.6.2.1.1.2 | $RCu_2$                                                                                                                | 35  |
| 2.6.2.1.1.3 | $RCu_4$                                                                                                                | 59  |
| 2.6.2.1.1.4 | $RCu_5$                                                                                                                | 60  |
| 2.6.2.1.1.5 | $RCu_6$                                                                                                                | 69  |
| 2.6.2.1.1.6 | $RCu_x$                                                                                                                | 87  |
| 2.6.2.1.2   | $R_mAg_n$                                                                                                              | 88  |
| 2.6.2.1.2.1 | $R_3Ag_2$                                                                                                              | 88  |
| 2.6.2.1.2.2 | $RAg$                                                                                                                  | 88  |
| 2.6.2.1.2.3 | $RAg_2$                                                                                                                | 111 |
| 2.6.2.1.2.4 | $RAg_3$                                                                                                                | 122 |
| 2.6.2.1.2.5 | $RAg_5$                                                                                                                | 123 |
| 2.6.2.1.3   | $R_mAu_n$                                                                                                              | 124 |
| 2.6.2.1.3.1 | $R_2Au$                                                                                                                | 124 |
| 2.6.2.1.3.2 | $RAu$                                                                                                                  | 131 |
| 2.6.2.1.3.3 | $RAu_2$                                                                                                                | 137 |
| 2.6.2.1.3.4 | $RAu_3$                                                                                                                | 148 |
| 2.6.2.1.3.5 | $RAu_{3.6}$                                                                                                            | 154 |
| 2.6.2.1.3.6 | $RAu_4$                                                                                                                | 157 |
| 2.6.2.1.3.7 | $RAu_5$                                                                                                                | 158 |
| 2.6.2.1.3.8 | $RAu_6$                                                                                                                | 159 |
| 2.6.2.2     | $(R_{1-x}R'_x)_mN_n$                                                                                                   | 160 |
| 2.6.2.2.1   | $(R_{1-x}R'_x)_mCu_n$                                                                                                  | 160 |
| 2.6.2.2.1.1 | $R_{1-x}Y_xCu$                                                                                                         | 160 |
| 2.6.2.2.1.2 | $Gd_{1-x}R_xCu$                                                                                                        | 164 |
| 2.6.2.2.1.3 | $R_{1-x}Y_xCu_2$                                                                                                       | 166 |
| 2.6.2.2.1.4 | $Eu_xR_{1-x}Cu_2$                                                                                                      | 175 |
| 2.6.2.2.1.5 | $Pr_{0.1}R_{0.9}Cu_5$                                                                                                  | 176 |
| 2.6.2.2.1.6 | $Ce_xR_{1-x}Cu_6$                                                                                                      | 176 |

|              |                                                                                                              |     |
|--------------|--------------------------------------------------------------------------------------------------------------|-----|
| 2.6.2.2.2    | $(R_{1-x}R'_x)_mAg_n$                                                                                        | 183 |
| 2.6.2.2.2.1  | $R_{1-x}Y_xAg$                                                                                               | 183 |
| 2.6.2.2.2.2  | $Ce_{1-x}R_xAg$                                                                                              | 186 |
| 2.6.2.2.2.3  | $R_{1-x}Gd_xAg$                                                                                              | 193 |
| 2.6.2.2.3    | $(R_{1-x}R'_x)_mAu_n$                                                                                        | 194 |
| 2.6.2.3      | $R_m(N_{1-x}N'_x)_n$                                                                                         | 197 |
| 2.6.2.3.1    | $R_m(Ag_{1-x}Cu_x)_n$                                                                                        | 197 |
| 2.6.2.3.1.1  | $RAg_{1-x}Cu_x$                                                                                              | 197 |
| 2.6.2.3.1.2  | $R(Cu_{1-x}Ag_x)_6$                                                                                          | 200 |
| 2.6.2.3.2    | $R_m(Cu_{1-x}Au_x)_n$                                                                                        | 201 |
| 2.6.2.3.3    | $R_m(Ag_{1-x}Au_x)_n$                                                                                        | 201 |
| 2.6.2.3.3.1  | $RAg_{1-x}Au_x$                                                                                              | 201 |
| 2.6.2.3.3.2  | $RAu_{2-x}Ag_x$                                                                                              | 202 |
| 2.6.2.4      | $R_lN_mN'_n$                                                                                                 | 203 |
| 2.6.2.4.1    | $RCu_4Ag$                                                                                                    | 203 |
| 2.6.2.4.2    | $RCu_4Au$                                                                                                    | 207 |
| 2.6.3        | Compounds with rare earth (R) and group 1B (N) elements containing other elements (M) except for 3d elements | 211 |
| 2.6.3.1      | $R_m(N_{1-x}M_x)_n$                                                                                          | 211 |
| 2.6.3.1.1    | $R_m(Cu_{1-x}M_x)_n$                                                                                         | 211 |
| 2.6.3.1.1.1  | $RCu_{1-x}Zn_x$                                                                                              | 211 |
| 2.6.3.1.1.2  | $RCu_{1-x}Ga_x$                                                                                              | 221 |
| 2.6.3.1.1.3  | $R(Cu,Ag,Au)_xPd_{1-x}$                                                                                      | 225 |
| 2.6.3.1.1.4  | $R(Cu_{1-x}Al_x)_2$                                                                                          | 225 |
| 2.6.3.1.1.5  | $R(Cu_{1-x}Ga_x)_2$                                                                                          | 228 |
| 2.6.3.1.1.6  | $R(Cu_{1-x}Al_x)_3$                                                                                          | 229 |
| 2.6.3.1.1.7  | $RCu_{3-x}Si_x$                                                                                              | 229 |
| 2.6.3.1.1.8  | $R(Cu_{1-x}Al_x)_5$                                                                                          | 229 |
| 2.6.3.1.1.9  | $R(Cu_{1-x}Ga_x)_5$                                                                                          | 230 |
| 2.6.3.1.1.10 | $R(Cu_{1-x}Al_x)_6$                                                                                          | 231 |
| 2.6.3.1.1.11 | $RCu_{13-x}Al_x$                                                                                             | 231 |
| 2.6.3.1.2    | $R_m(Ag_{1-x}M_x)_n$                                                                                         | 232 |
| 2.6.3.1.2.1  | $RAg_{1-x}Zn_x$                                                                                              | 232 |
| 2.6.3.1.2.2  | $RAg_{1-x}In_x$                                                                                              | 236 |
| 2.6.3.1.2.3  | $R(Ag_{1-x}Al_x)_2$                                                                                          | 262 |
| 2.6.3.1.2.4  | $R(Ag_{1-x}Pd_x)_3$                                                                                          | 263 |
| 2.6.3.1.3    | $R_m(Au_{1-x}M_x)_n$                                                                                         | 264 |
| 2.6.3.2      | $(R_{1-x-y-z}R'_yM'_xM_z)_mN_n$                                                                              | 266 |
| 2.6.3.2.1    | $R_{1-x}In_xCu_2$                                                                                            | 266 |
| 2.6.3.2.2    | $Yb_{1-x-y}R_yIn_xCu_2$                                                                                      | 271 |
| 2.6.3.2.3    | $Yb_{1-x-z}M_zIn_xCu_2$                                                                                      | 271 |
| 2.6.3.3      | $R_lN_mM_n$                                                                                                  | 272 |
| 2.6.3.3.1    | $R_lCu_mM_n$                                                                                                 | 272 |
| 2.6.3.3.1.1  | $RCuAl$                                                                                                      | 272 |
| 2.6.3.3.1.2  | $RCuSi$                                                                                                      | 283 |
| 2.6.3.3.1.3  | $RCuGa$                                                                                                      | 288 |
| 2.6.3.3.1.4  | $RCuGe$                                                                                                      | 289 |
| 2.6.3.3.1.5  | $RCuSn$                                                                                                      | 289 |
| 2.6.3.3.1.6  | $RCu_2In$                                                                                                    | 293 |
| 2.6.3.3.1.7  | $RCu_2Si_2$                                                                                                  | 297 |

|              |                                                                                        |     |
|--------------|----------------------------------------------------------------------------------------|-----|
| 2.6.3.3.1.8  | $\text{RCu}_2\text{Ge}_2$                                                              | 346 |
| 2.6.3.3.1.9  | $\text{RCu}_2\text{Sn}_2$                                                              | 357 |
| 2.6.3.3.1.10 | $\text{RCu}_2\text{Zn}_2\text{Al}$                                                     | 359 |
| 2.6.3.3.1.11 | $\text{RCu}_2\text{Zn}_3$                                                              | 359 |
| 2.6.3.3.1.12 | $\text{RCu}_4\text{Al}$                                                                | 360 |
| 2.6.3.3.1.13 | $\text{RCu}_4\text{Al}_8$                                                              | 365 |
| 2.6.3.3.1.14 | $\text{RCu}_4\text{Pd}$                                                                | 370 |
| 2.6.3.3.1.15 | $\text{RCu}_6\text{Al}_6$                                                              | 375 |
| 2.6.3.3.1.16 | $\text{R}_2\text{Cu}_7\text{Al}_{10}$                                                  | 376 |
| 2.6.3.3.1.17 | $\text{R}_6\text{Cu}_8\text{Si}_8$                                                     | 376 |
| 2.6.3.3.1.18 | $\text{R}_6\text{Cu}_8\text{Ge}_8$                                                     | 377 |
| 2.6.3.3.2    | $\text{R}_l\text{Ag}_m\text{M}_n$                                                      | 378 |
| 2.6.3.3.2.1  | $\text{RAgGa}$                                                                         | 378 |
| 2.6.3.3.2.2  | $\text{RAg}_2\text{In}$                                                                | 382 |
| 2.6.3.3.2.3  | $\text{RAg}_2\text{Si}_2$                                                              | 389 |
| 2.6.3.3.2.4  | $\text{RAg}_2\text{Ge}_2$                                                              | 391 |
| 2.6.3.3.2.5  | $\text{RAg}_4\text{Al}_8$                                                              | 391 |
| 2.6.3.3.3    | $\text{R}_l\text{Au}_m\text{M}_n$                                                      | 392 |
| 2.6.3.3.3.1  | $\text{RAuGa}$                                                                         | 392 |
| 2.6.3.3.3.2  | $\text{RAuIn}$                                                                         | 392 |
| 2.6.3.3.3.3  | $\text{RAuSn}$                                                                         | 394 |
| 2.6.3.3.3.4  | $\text{RAu}_2\text{In}$                                                                | 395 |
| 2.6.3.3.3.5  | $\text{RAu}_2\text{Si}_2$                                                              | 405 |
| 2.6.3.3.3.6  | $\text{RAu}_2\text{Ge}_2$                                                              | 412 |
| 2.6.3.3.3.7  | $\text{R}_3\text{Au}_3\text{Sb}_4$                                                     | 413 |
| 2.6.3.4      | $(\text{R}_{1-x}\text{R}'_x)_l\text{N}_m\text{M}_n$                                    | 415 |
| 2.6.3.4.1    | $\text{R}_{1-x}\text{Y}_x\text{CuAl}$                                                  | 415 |
| 2.6.3.4.2    | $\text{Yb}_{1-x}\text{RxCuAl}$                                                         | 415 |
| 2.6.3.4.3    | $\text{Ce}_x\text{R}_{1-x}\text{Cu}_2\text{In}$                                        | 420 |
| 2.6.3.4.4    | $\text{R}_x\text{Y}_{1-x}\text{Cu}_2\text{Si}_2$                                       | 421 |
| 2.6.3.4.5    | $\text{R}_x\text{La}_{1-x}\text{Cu}_2\text{Si}_2$                                      | 426 |
| 2.6.3.4.6    | $\text{Ce}_{1-x}\text{R}_x(\text{Cu}_{1-y}\text{T}_y)_2(\text{Si}_{1-z}\text{Ge}_z)_2$ | 432 |
| 2.6.3.4.7    | $\text{Eu}_x\text{R}_{1-x}\text{Cu}_2\text{Si}_2$                                      | 433 |
| 2.6.3.4.8    | $\text{R}_{1-x}\text{Lu}_x\text{Cu}_2\text{Si}_2$                                      | 433 |
| 2.6.3.5      | $\text{R}_l(\text{N}_{1-x}\text{N}'_x)_m\text{M}_n$                                    | 436 |
| 2.6.3.6      | $\text{R}_l(\text{N}_{1-x}\text{M}'_x)_m\text{M}_n$                                    | 438 |
| 2.6.3.6.1    | $\text{R}_l(\text{Cu}_{1-x}\text{M}'_x)_m\text{M}_n$                                   | 438 |
| 2.6.3.6.1.1  | $\text{RCu}_{1-x}\text{Zn}_x\text{Si}$                                                 | 438 |
| 2.6.3.6.1.2  | $\text{R}(\text{Cu}_{1-x}(\text{Ni}, \text{Ru}, \text{Ag}, \text{Au})_x)_2\text{Si}_2$ | 444 |
| 2.6.3.6.1.3  | $\text{R}(\text{Cu}_{1-x}\text{Ru}_x)_2\text{Si}_2$                                    | 444 |
| 2.6.3.6.2    | $\text{R}_l(\text{M}'_{1-x}\text{Au}_x)_m\text{M}_n$                                   | 444 |
| 2.6.3.7      | $\text{R}_l\text{N}_m(\text{M}_{1-x}\text{M}'_x)_n$                                    | 455 |
| 2.6.3.8      | $(\text{R}_{1-x}\text{R}'_x)_m(\text{N}_{1-y}\text{M}_y)_n$                            | 455 |
| 2.6.4        | Compounds with rare earth (R) and group 1B (N) elements containing 3d elements (D)     | 458 |
| 2.6.4.1      | $\text{R}_m(\text{N}_{1-x}\text{D}_x)_n$                                               | 458 |
| 2.6.4.1.1    | $\text{RCu}_{1-x}\text{Ni}_x$                                                          | 458 |
| 2.6.4.1.2    | $\text{R}(\text{Cu}_{1-x}\text{Co}_x)_2$                                               | 467 |
| 2.6.4.1.3    | $\text{R}(\text{Cu}_{1-x}\text{Ni}_x)_2$                                               | 469 |
| 2.6.4.1.4    | $\text{R}(\text{Cu}_{1-x}\text{Co}_x)_5$                                               | 481 |

|           |                                                                                      |     |
|-----------|--------------------------------------------------------------------------------------|-----|
| 2.6.4.1.5 | $R(Cu_{1-x}Ni_x)_5$                                                                  | 491 |
| 2.6.4.1.6 | $R(Cu_{1-x}Ni_x)_6$                                                                  | 495 |
| 2.6.4.2   | $R_lN_mD_n$                                                                          | 496 |
| 2.6.4.2.1 | $RCu_3Fe$                                                                            | 496 |
| 2.6.4.2.2 | $RCu_4Fe$                                                                            | 496 |
| 2.6.4.3   | $R_l(N_{1-x}D_x)_mM_n$                                                               | 497 |
| 2.6.4.3.1 | $RCu_{1-x}Ni_xSn$                                                                    | 497 |
| 2.6.4.3.2 | $R(Cu_{1-x}Ni_x)_2Si_2$                                                              | 497 |
| 2.6.4.3.3 | $R(Cu_{1-x}Ni_x)_2Ge_2$                                                              | 498 |
| 2.6.5     | Compounds with rare earth (R) and group 1B (N) elements containing actinoid elements | 498 |
| 2.6.5.1   | $R_{1-x}U_xCu$                                                                       | 498 |
| 2.6.5.2   | $R_{1-x}Th_xCuAl$                                                                    | 500 |
| 2.6.6     | References for 2.6                                                                   | 501 |